


student could earn a bachelor's degree from the community colleges for around \$10,000, depending on the number of units required. By comparison, the estimated [average in-state tuition](#) and fees for the University of California was \$13,200 during the 2013-14 year.

Breuder says a bachelor's degree offered by a local community college would likely run students one-third or less than the total cost at other four-year universities in the state. The low cost of community colleges, he says, has been an important factor for students and families in recent years.

"Community colleges were never really seen as the number one choice for many students. It was sort of like the fallback positions," Breuder says. "In the last four to five years there's been an awakening about community colleges, in part driven by economics. That forced even people with considerable wealth to say, 'Is there an alternative?'"

But Breuder, who is leading the charge to bring baccalaureate programs to community colleges in Illinois, says the effort has not come without concerns from within the higher education arena. While serving as president of Harper College, Breuder attempted a similar but unsuccessful push to allow community colleges expand. Although many of the same concerns will likely come into play this time around, Breuder says leaders have also been able to see the success of community colleges in other states during the last eight years.



California joins 20 other states that allow community colleges to confer bachelor's degrees.

Still, four-year colleges and universities have worried that programs could be duplicative or lead to a slow-and-steady creep into the traditional university mission. That's why the Illinois proposal, similar to what was just approved in California, would allow community colleges to offer baccalaureate programs in areas not available by other higher education institutions.

"It's not about encroaching on the university turf. We have no interest in doing that," Breuder says. "If we could do our own baccalaureate degrees in areas where we don't have a partner that reflects the need in our district, then don't say no to us. Allow us to do it if we can demonstrate we have the academic prowess."

At the same time, some community college leaders have expressed concern that moving into the baccalaureate arena would lead community colleges to abandon their mission, Breuder says.

But universities in other states have not been threatened or put out of business in other states that give community colleges this flexibility, Breuder adds. Additionally, community college leaders "have not seen the community college transform into this entity they can't recognize any longer."

[\[ALSO: 31 Million in Higher Ed Limbo: Some College, No Degree\]](#)

Breuder says support from the federal government – whether verbally or financially – has also helped bring to light the academic quality of community colleges. Both President Barack Obama and Vice President Joe Biden have placed an emphasis on job training and the role community colleges can play in preparing the next generation of skilled workers. Biden [in April](#) announced the creation of a new apprenticeship consortium involving community colleges and businesses, and [on Monday he announced](#) \$450 million in job-training grants to nearly 270 community colleges.

A focus on the importance of community colleges, Breuder says, has been "catapulted" by dialogue in Washington.

"Community colleges have finally come into their own. They are recognized as academically proficient and excellent," Breuder says. "It's good to know there is an appreciation for what we have done and what we're doing, and more importantly what we're capable of doing to contribute to the economic strength and the economic revitalization of this country."

From: [Carla Burkhart](#)
To: [Breuder, Dr. Robert](#); [Carey, Julie](#)
Cc: ["Jürgen Hacker"](#)
Subject: RE: Chronology Wall Mock Up Review
Date: Tuesday, September 30, 2014 6:42:53 PM

Hello Dr. Breuder and Julie,

I have a schedule conflict for this time  is there another potential available time slot?

Carla

-----Original Appointment-----

From: Breuder, Dr. Robert [<mailto:breuder@cod.edu>]

Sent: Tuesday, September 30, 2014 4:53 PM

To: Carla Burkhart; Carey, Julie

Subject: Chronology Wall Mock Up Review

When: Friday, October 03, 2014 1:30 PM-2:00 PM (UTC-06:00) Central Time (US & Canada).

Where: Hallway outside of the President's Office

From: [Carla Burkhart](#)
To: [Breuder, Dr. Robert](#); [Carey, Julie](#)
Cc: ["Jürgen Hacker"](#)
Subject: RE: Chronology Wall Mock Up Review
Date: Tuesday, September 30, 2014 6:42:53 PM

Hello Dr. Breuder and Julie,

I have a schedule conflict for this time...is there another potential available time slot?

Carla

-----Original Appointment-----

From: Breuder, Dr. Robert [<mailto:breuder@cod.edu>]

Sent: Tuesday, September 30, 2014 4:53 PM

To: Carla Burkhart; Carey, Julie

Subject: Chronology Wall Mock Up Review

When: Friday, October 03, 2014 1:30 PM-2:00 PM (UTC-06:00) Central Time (US & Canada).

Where: Hallway outside of the President's Office



From: [Carla Burkhart](#)
To: [Anderson, Shirley](#); [Carey, Julie](#)
Subject: RE: Exterior Wayfinding Bid
Date: Tuesday, September 30, 2014 8:48:47 PM

Hello to you both.

CS called me tonight, and needed a little additional time to get this proposal to us, so it will be tomorrow am.

Keeping you advised.

I will be out the office until 12:00 tomorrow, once I have the info I will get it over.

Carla

-----Original Message-----

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Tuesday, September 30, 2014 9:55 AM
To: 'Anderson, Shirley'; 'Carey, Julie'
Subject: RE: Exterior Wayfinding Bid

Agreed. We should not proceed or award until CS has satisfactorily fulfilled all of COD's requirements. We will not have this confirmation until to the close of business today. As soon as I have it, I will come right back to you.

carla

-----Original Message-----

From: Anderson, Shirley [<mailto:andersons270@cod.edu>]
Sent: Tuesday, September 30, 2014 9:49 AM
To: Carla Burkhart; Carey, Julie
Subject: RE: Exterior Wayfinding Bid

If he sends the unit pricing and a new Base Bid total on the form provided I think we are all set.

-----Original Message-----

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Tuesday, September 30, 2014 9:42 AM
To: Anderson, Shirley; Carey, Julie
Subject: RE: Exterior Wayfinding Bid
Importance: High

Dear Shirley and Julie,

Per Tom Glaser and Ken Florey(confirmed yesterday by phone), you can negotiate a sealed bid, but you can ONLY negotiate with the lowest responsible bidder.

Considering the time constraint with the project and weather, the fact that this contractor has worked on various projects at COD without issue, and performed timely, that they are a qualified low bidder, and are willing to negotiate to our budget, I believe it is in the best interest of COD to proceed with this contractor.

I need to confirm the information relative to the addendum. On page (3) of (4) of the bid documents, the bidder acknowledges receipt of addendum "1" and utilizes the same addendum bid form as prescribed within the contract documents. In addition the contractor includes the notation " Unit pricing to be provided if awarded the contract". HG is not an attorney, however, I believe the College can elect to accept or reject on the basis of the interest of the College.

7. ACCEPTANCE OR REJECTION OF BIDS:

The College of DuPage reserves the right to reject any bid if it is not deemed suitable for the purpose for which it is intended.

The bidder acknowledges the right of the Owner to reject any or all bids and to waive any informality or irregularity in any bid received. In addition, the bidder recognizes the right of the Owner to reject a bid if the bidder failed to submit the data required by the bidding documents, or if the bid is in any way incomplete or irregular.

Shirley, per our discussion yesterday, all of my information was confirmed orally by Tom and Ken Florey(counsel to the College).

As previously copied, the contractor will need to confirm all pricing by writing, and the Unit pricing will need to be resubmitted.

Carla

-----Original Message-----

From: Anderson, Shirley [<mailto:andersons270@cod.edu>]
Sent: Tuesday, September 30, 2014 8:37 AM
To: Carey, Julie
Cc: 'Carla Burkhart'
Subject: RE: Exterior Wayfinding Bid

Yes rebid it please.

You can't negotiate a sealed bid, especially when they are non-compliant (no addendum submitted with bid).

-----Original Message-----

From: Carey, Julie
Sent: Tuesday, September 30, 2014 8:36 AM
To: Anderson, Shirley
Cc: Carla Burkhart; Chicagosigns@aol.com; 'Jörgen Hacker'
Subject: Re: Exterior Wayfinding Bid

Shirley,

Can we negotiate a bid like this? Don't we have to rebid and Chicago sign can submit their new number on the rebid?

Julie

Sent from my iPad

> On Sep 30, 2014, at 7:54 AM, "Anderson, Shirley"

> <andersons270@cod.edu>

wrote:

>

> What about the fact that he did not complete the Addendum? (attached)

>
> From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
> Sent: Monday, September 29, 2014 6:04 PM
> To: Chicagosigns@aol.com
> Cc: Carey, Julie; Anderson, Shirley; "Jörgen Hacker"
> Subject: Exterior Wayfinding Bid
> Importance: High
>
> Dear John,
>
> Thank you for bidding the College of DuPage Exterior Wayfinding Bid.
>
> As per our discussion, Chicago Sign has agreed to a negotiated price
> of \$40,000.00 (a revised proposal forthcoming) for the entire scope
> of work, to include the use of the construction alternate concerning
> the footing detail (which matches the current site footing pier
> detail.)
>
> So to ensure that there is no misconception, or misunderstanding,
> please
re-review your number one more time and get back to me in writing no later
than 5:00 PM tomorrow with written confirmation.
>
> Thank you again for working with us on this proposal, and we look
> forward
to working together in the future.
>
> Best regards,
>
> Carla Burkhart
> [Herricane-Outlook-Signature]
>
>
>
>
> <2015-B0033 Addendum #1 Update Exterior Directional Signage.pdf>
> <image001.png>

From: [Carla Burkhart](#)
To: [Carey, Julie](#)
Cc: [Anderson, Shirley](#)
Subject: RE: 2015 - B0037 MAC Signage package RFI
Date: Tuesday, September 30, 2014 8:56:19 PM
Attachments: [image001.png](#)

Julie,

I did not respond to this company yet.

Herricane altered the drawings per your request. Shirley and I talked this morning about the requested drawing alterations because Herricane was not sure how to title the requested revised drawings. She indicated that we should not issue a revised set of drawings. She mentioned she would get an email out to you, but she was very busy with another project. I just wanted to keep you advised in the event she couldn't get to you about the drawings.

I will be out of the office until 12:00 (soonest) without the ability to talk via email or phone.

Talk soon.

Carla

Carla Burkhart



HERRICANE GRAPHICS

BRANDING THE THREE-DIMENSIONAL WORLD

1275 W Roosevelt Rd.
Ste. 112
West Chicago, IL 60185
630.293-8030 P
630.293.8031 F
[REDACTED] M

From: Carey, Julie [mailto:careyj372@cod.edu]
Sent: Tuesday, September 30, 2014 11:47 AM
To: Brian Lorentzen
Cc: cburkhart@herricanegraphics.com; Anderson, Shirley
Subject: Re: 2015 - B0037 MAC Signage package RFI

Brian,

I am the COD project manager for this project. Would you mind telling me who sent you the bid documents you are referencing? I am concerned you have an incorrect set as I have not received correct drawings from the designer yet.

Julie

On Sep 30, 2014, at 11:41 AM, "Brian Lorentzen" <brian@creativesigndesigns.com> wrote:

Ms. Burkhart:

I have reviewed the Re-bid package for the above mentioned project.

The bid documents refer to a schedule that defines substantial completion as January 22, 2015. With approval of shops and samples that leaves just (4) weeks for fabrication and shipment to the jobsite.

The bid documents also reference a LD of \$ 1,000 Per day from substantial completion.

I have concerns about the fabrication timeline for this project. Should I build into my pricing costs to cover the LD penalty based on my schedule or should we not include the LDs and submit a milestone schedule that we can meet with the bid?

Please advise?

Thanks

Brian

Brian Lorentzen | National Account Manager

12801 Commodity Place | Suite 200 | Tampa, FL 33626

Phone: 813.749.2454 | Fax 813.749.2311

Brian@creativesigndesigns.com

Connect with us:

[Web](#) | [LinkedIn](#) | [Twitter](#) | [Facebook](#)

<image002.jpg>

*INC 5000: 2011, 2012, 2013, 2014
Greater Tampa Chamber of Commerce Small Business of the Year
Bright House Regional Business Awards Winner
Tampa Bay Business Journal: 50 Fastest Growing Companies
Florida Companies to Watch*

From: [Carla Burkhart](#)
To: [Carey, Julie](#)
Cc: ["Jürgen Hacker"](#)
Subject: RE: Chronology Wall
Date: Tuesday, September 30, 2014 8:58:37 PM
Attachments: [image001.png](#)
Importance: High

Julie,

Just an additional update regarding this glass. Erik sent an email yesterday indicating that he did get someone out to clean the glass and tested it via illumination. I don't have confirmation on the digital screens yet.

Will advise.

Carla

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Thursday, September 25, 2014 1:11 PM
To: Carey, Julie (careyj372@cod.edu)
Cc: 'Jürgen Hacker'
Subject: FW: Chronology Wall
Importance: High

Julie,

Be advised that the glass that Erik indicated would be installed by Wednesday was installed Monday(I went there and reviewed it Monday). However, whomever installed it, cracked the glass behind it. IN addition, the glass is not cleaned and the LED screens have not been connected.

I have three emails and two calls into Erik to obtain a drop dead date for getting this work completed.

I will advise asap once I have a response. ☹

Carla

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Thursday, September 18, 2014 4:36 PM
To: erik@customsignconsultants.com
Cc: Carey, Julie (careyj372@cod.edu)
Subject: Chronology Wall
Importance: High

Hi Erik,

I talked with COD this afternoon about the progress and timeline at COD. Currently COD has been informed that the new glass for COD will be installed no later than Wednesday next week.

Please be prepared to turn on all the monitors so that we can review the software and content layouts. Maybe it would make sense to only turn on one location. I will confirm with COD.

Talk soon.

Best Regards ♦ Carla

Carla Burkhart



HERRICANE GRAPHICS

BRANDING THE THREE-DIMENSIONAL WORLD

1275 W Roosevelt Rd.

Ste. 112

West Chicago, IL 60185

630.293.8030 P


630.293.8031 F

M

From: [Carla Burkhart](#)
To: [Carey, Julie](#)
Cc: ["Jürgen Hacker"](#)
Subject: Exterior Wayfinding landscaping
Date: Wednesday, October 01, 2014 7:28:06 AM
Importance: High

Hi Julie,

I want to confirm the landscaping requirement for the one pylon sign that is being moved.

Our contract requires that they bring this back to the way it is .at the existing location, this is landscaped as if the sign will be there? However, I do not believe that this is what is needed there, and that this would be seeded? Or sod? Do you anticipate that grounds will want to remove that landscaping to preserve the planting and relocate to the new location?

And the same at the new location? Or does COD plan to landscape this and CS should do nothing there?

If you can let me know right away so I can confirm with CS.

Carla

From: [Anderson, Shirley](#)
To: [Carla Burkhart](#)
Cc: [Carey, Julie](#)
Subject: RE: 2015 - B0037 MAC Signage package RFI
Date: Wednesday, October 01, 2014 7:39:59 AM
Attachments: [image001.png](#)

I should have the correct documents before the advertisement goes in the paper.

From: Carla Burkhart [mailto:cburkhart@herricanegraphics.com]
Sent: Tuesday, September 30, 2014 8:56 PM
To: Carey, Julie
Cc: Anderson, Shirley
Subject: RE: 2015 - B0037 MAC Signage package RFI

Julie,

I did not respond to this company yet.

Herricane altered the drawings per your request. Shirley and I talked this morning about the requested drawing alterations because Herricane was not sure how to title the requested revised drawings. She indicated that we should not issue a revised set of drawings. She mentioned she would get an email out to you, but she was very busy with another project. I just wanted to keep you advised in the event she couldn't get to you about the drawings.

I will be out of the office until 12:00 (soonest) without the ability to talk via email or phone.

Talk soon.

Carla

Carla Burkhart



HERRICANE GRAPHICS

BRANDING THE THREE-DIMENSIONAL WORLD

1275 W Roosevelt Rd.
Ste. 112
West Chicago, IL 60185
630.293.8030 P
630.293.8031 F
M

From: Carey, Julie [mailto:carey.j372@cod.edu]
Sent: Tuesday, September 30, 2014 11:47 AM
To: Brian Lorentzen

Cc: cburkhart@herricanegraphics.com; Anderson, Shirley
Subject: Re: 2015 - B0037 MAC Signage package RFI

Brian,

I am the COD project manager for this project. Would you mind telling me who sent you the bid documents you are referencing? I am concerned you have an incorrect set as I have not received correct drawings from the designer yet.

Julie

On Sep 30, 2014, at 11:41 AM, "Brian Lorentzen" <brian@creativesigndesigns.com> wrote:

Ms. Burkhart:

I have reviewed the Re-bid package for the above mentioned project.

The bid documents refer to a schedule that defines substantial completion as January 22, 2015. With approval of shops and samples that leaves just (4) weeks for fabrication and shipment to the jobsite.

The bid documents also reference a LD of \$ 1,000 Per day from substantial completion.

I have concerns about the fabrication timeline for this project. Should I build into my pricing costs to cover the LD penalty based on my schedule or should we not include the LD's and submit a milestone schedule that we can meet with the bid?

Please advise...

Thanks

Brian

Brian Lorentzen | National Account Manager

12801 Commodity Place | Suite 200 | Tampa, FL 33626

Phone: 813.749.2454 | Fax 813.749.2311

Brian@creativesigndesigns.com

Connect with us:

[Web](#) | [LinkedIn](#) | [Twitter](#) | [Facebook](#)

<image002.jpg>

*INC 5000: 2011, 2012, 2013, 2014
Greater Tampa Chamber of Commerce Small Business of the Year
Bright House Regional Business Awards Winner
Tampa Bay Business Journal: 50 Fastest Growing Companies
Florida Companies to Watch*

From: [Carey, Julie](#)
To: [Carla Burkhart](#); [Anderson, Shirley](#)
Cc: [Schmiedl, Bruce](#); [Roberts, Ellen](#)
Subject: Re: 2015 - B0037 MAC Signage package RFI
Date: Wednesday, October 01, 2014 2:05:40 PM
Attachments: [image001.png](#)

Carla / Shirley,

Since when does Purchasing have the authority to make decisions on what technical information is included on our construction drawings? I requested several times that HG remove all mention of an addendum since this is a rebid. I also requested that HG send me their signed CM services contract to include in these bid documents.

The emails below indicate that there is a set of bid documents on the streets that I have not reviewed and do not even have a copy of. This is completely unacceptable. Someone needs to send me this file immediately.

Julie

On Sep 30, 2014, at 8:56 PM, "Carla Burkhart" <cburkhart@herricanegraphics.com> wrote:

Julie,

I did not respond to this company yet.

Herricane altered the drawings per your request. Shirley and I talked this morning about the requested drawing alterations because Herricane was not sure how to title the requested revised drawings. She indicated that we should not issue a revised set of drawings. She mentioned she would get an email out to you, but she was very busy with another project. I just wanted to keep you advised in the event she couldn't get to you about the drawings.

I will be out of the office until 12:00 (soonest) without the ability to talk via email or phone.

Talk soon.

Carla
<[image001.png](#)>

From: Carey, Julie [<mailto:carey372@cod.edu>]
Sent: Tuesday, September 30, 2014 11:47 AM
To: Brian Lorentzen
Cc: cburkhart@herricanegraphics.com; Anderson, Shirley
Subject: Re: 2015 - B0037 MAC Signage package RFI

Brian,

I am the COD project manager for this project. Would you mind telling me who sent you the bid documents you are referencing? I am concerned you have an incorrect set as I have not received correct drawings from the designer yet.

Julie

On Sep 30, 2014, at 11:41 AM, "Brian Lorentzen" <brian@creativesigndesigns.com> wrote:

Ms. Burkhart:

I have reviewed the Re-bid package for the above mentioned project.

The bid documents refer to a schedule that defines substantial completion as January 22, 2015. With approval of shops and samples that leaves just (4) weeks for fabrication and shipment to the jobsite.

The bid documents also reference a LD of \$ 1,000 Per day from substantial completion.

I have concerns about the fabrication timeline for this project. Should I build into my pricing costs to cover the LD penalty based on my schedule or should we not include the LDs and submit a milestone schedule that we can meet with the bid?

Please advise

Thanks
Brian

Brian Lorentzen | National Account Manager

12801 Commodity Place | Suite 200 | Tampa, FL 33626

Phone: 813.749.2454 | Fax 813.749.2311

[Brian@creativesigndesigns.com](mailto:brian@creativesigndesigns.com)

Connect with us:

[Web](#) | [LinkedIn](#) | [Twitter](#) | [Facebook](#)

<image002.jpg>

*INC 5000: 2011, 2012, 2013, 2014
Greater Tampa Chamber of Commerce Small Business of the Year
Bright House Regional Business Awards Winner
Tampa Bay Business Journal: 50 Fastest Growing Companies
Florida Companies to Watch*

From: [Anderson, Shirley](#)
To: [Carey, Julie](#)
Cc: ["Carla Burkhardt"](#)
Subject: RE: College of DuPage for 2015-B0037 MAC Signage Package Rebid.
Date: Wednesday, October 01, 2014 3:57:51 PM
Attachments: [image001.png](#)

Can I send the specs to this company?

From: Mike Vickers [mailto:MVickers@ddl.boston.com]
Sent: Wednesday, October 01, 2014 3:52 PM
To: Anderson, Shirley
Cc: Evdokia Mandalou
Subject: College of DuPage for 2015-B0037 MAC Signage Package Rebid.

Shirley, DCL would like to receive this bid package. Can you forward at your earliest convenience?

Thanks,

Mike

ADVERTISEMENT FOR BID

Sealed bids are invited by the College of DuPage for **2015-B0037 MAC Signage Package Rebid.**

All Drawings, Specifications and Bid Forms shall be obtained from the Purchasing Department, Berg Instructional Center (BIC) Room 1540, 425 Fawell Blvd., Glen Ellyn, IL 60137 or by email request to andersons270@cod.edu

No Pre-Bid Meeting will be held for this rebid.

Bids shall be submitted in **triplicate** on the forms provided, with bid deposit in accordance with General Instructions to Bidders, which are a part of the Specifications. Each bid shall be accompanied by a bid deposit in the amount of fifteen percent (15%) of the Base Bid, payable to the order of the Board of Trustees, College of DuPage.

Sealed bids will be received in Purchasing Department, Berg Instructional Center (BIC), Room, 1540, College of DuPage, 425 Fawell, Glen Ellyn, Illinois, up to **2:00 p.m.** local time, on **Thursday, October**

No less than the general prevailing wage rates, as required or adjusted pursuant to the Illinois Prevailing Wage Act (820 ILCS 130/1-12), shall be paid to all laborers, work persons, and mechanics performing work under these contracts.

The College of DuPage Board of Trustees reserves the right to reject any and all bids. By Order of the Board of Trustees, College of DuPage, Community College District Number 502.

Mike Vickers
Project Executive



DESIGN COMMUNICATIONS LTD.



P. 617.542.9620 ext 5418

C 

F. 617.951.0777

www.designcommunicationsltd.com

From: [Carey, Julie](#)
To: [Anderson, Shirley](#)
Cc: ["Carla Burkhart"](#)
Subject: RE: College of DuPage for 2015-B0037 MAC Signage Package Rebid.
Date: Thursday, October 02, 2014 8:49:24 AM
Attachments: [image001.png](#)

Sure. I am going to get in touch with Carla today to find out when we can get corrected drawings so we can issue an addendum.

Julie

From: Anderson, Shirley
Sent: Wednesday, October 01, 2014 3:58 PM
To: Carey, Julie
Cc: 'Carla Burkhart'
Subject: RE: College of DuPage for 2015-B0037 MAC Signage Package Rebid.

[Can I send the specs to this company?](#)

From: Mike Vickers [<mailto:MVickers@dclboston.com>]
Sent: Wednesday, October 01, 2014 3:52 PM
To: Anderson, Shirley
Cc: Evdokia Mandalou
Subject: College of DuPage for 2015-B0037 MAC Signage Package Rebid.

Shirley, DCL would like to receive this bid package. Can you forward at your earliest convenience?

Thanks,

Mike

ADVERTISEMENT FOR BID

Sealed bids are invited by the College of DuPage for **2015-B0037 MAC Signage Package Rebid.**

All Drawings, Specifications and Bid Forms shall be obtained from the Purchasing Department, Berg Instructional Center (BIC) Room 1540, 425 Fawell Blvd., Glen Ellyn, IL 60137 or by email request to andersons270@cod.edu

No Pre-Bid Meeting will be held for this rebid.

Bids shall be submitted in **triplicate** on the forms provided, with bid deposit in accordance with General Instructions to Bidders, which are a part of the Specifications. Each bid shall be accompanied by a bid deposit in the amount of fifteen percent (15%) of the Base Bid, payable to the order of the Board of Trustees, College of DuPage.

Sealed bids will be received in Purchasing Department, Berg Instructional Center (BIC), Room, 1540, College of DuPage, 425 Fawell, Glen Ellyn, Illinois, up to **2:00 p.m.** local time, on **Thursday, October**

No less than the general prevailing wage rates, as required or adjusted pursuant to the Illinois Prevailing Wage Act (820 ILCS 130/1-12), shall be paid to all laborers, work persons, and mechanics performing work under these contracts.

The College of DuPage Board of Trustees reserves the right to reject any and all bids. By Order of the Board of Trustees, College of DuPage, Community College District Number 502.

Mike Vickers
Project Executive



DESIGN COMMUNICATIONS LTD.

25 Drydock Avenue
Boston, MA 02210

P. 617.542.9620 ext 5418

C [REDACTED]
F. 617.951.0777

www.designcommunicationsltd.com

From: [Carey, Julie](#)
To: ["Carla Burkhart"](#)
Cc: ["Jürgen Hacker"](#)
Subject: RE: HG_COD_SSC_WelcomeSign_CorrectHebrew
Date: Thursday, October 02, 2014 9:53:22 AM
Attachments: [image001.png](#)

Carla,

I am waiting on one more approval on this revised artwork. ♦ Do you have a recommended vendor I should go to since we had so many issues with heat rolling vs vinyl vs direct print?



Julie

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Tuesday, September 23, 2014 7:42 PM
To: Carey, Julie
Cc: "Jürgen Hacker"
Subject: FW: HG_COD_SSC_WelcomeSign_CorrectHebrew

Julie,

Per our offer, the following is the corrected artwork for the Campus Central reception sign.

Please be sure to review it for accuracy prior to moving it into production.

Carla

Carla Burkhart



HERRICANE GRAPHICS

BRANDING THE THREE-DIMENSIONAL WORLD

1275 W Roosevelt Rd.
Ste. 112
West Chicago, IL 60185
630.293.8030 P
630.293.8031 F
M

From: Jürgen Hacker [<mailto:jhacker@herricanegraphics.com>]
Sent: Tuesday, July 08, 2014 3:00 PM
To: 'Carla Burkhart HG'
Subject: HG_COD_SSC_WelcomeSign_CorrectHebrew

Hello Carla,

Attached please find the file for COD's 'SSC Welcome Sign' with the corrected greeting in 'Hebrew' ...:

140708_HG_COD_SSC_WelcomeSign_CorrectHebrew_11x17_X.pdf

Furthermore a screenshot verifying the request from COD ...:

140708_HG_HebrewScreenshot.jpg

Best Regards / Mit besten Grüßen

Jörgen



1275 W. Roosevelt Road
Suite 112
West Chicago, Illinois 60185

P 630.293.8030

F 630.293.8031

The copying, use, distribution or disclosure of the confidential and proprietary information contained in this document(s) is strictly prohibited without prior written consent. Any breach shall subject the infringing party to remedies.

Weitergabe sowie Vervielfältigung dieser vertraulichen Unterlage(n), Verwertung und Mitteilung ihres Inhaltes ist nicht ohne unsere vorherige schriftliche Genehmigung gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz.

 Please think before you print

From: [Carla Burkhart](#)
To: [Carey, Julie](#)
Cc: ["Jürgen Hacker"](#)
Subject: RE: HG_COD_SSC_WelcomeSign_CorrectHebrew
Date: Thursday, October 02, 2014 10:00:37 AM
Attachments: [image001.png](#)

I'm still working on this. When I sent you the email it was for your review and approval but I am working to locate an adequate producer for you with some available time line.

Carla

From: Carey, Julie [mailto:careyj372@cod.edu]
Sent: Thursday, October 02, 2014 9:53 AM
To: 'Carla Burkhart'
Cc: "Jürgen Hacker"
Subject: RE: HG_COD_SSC_WelcomeSign_CorrectHebrew

Carla,

I am waiting on one more approval on this revised artwork. Do you have a recommended vendor I should go to since we had so many issues with heat rolling vs vinyl vs direct print?

Julie

From: Carla Burkhart [mailto:cburkhart@herricanegraphics.com]
Sent: Tuesday, September 23, 2014 7:42 PM
To: Carey, Julie
Cc: "Jürgen Hacker"
Subject: FW: HG_COD_SSC_WelcomeSign_CorrectHebrew

Julie,

Per our offer, the following is the corrected artwork for the Campus Central reception sign.

Please be sure to review it for accuracy prior to moving it into production.

Carla

Carla Burkhart



HERRICANE GRAPHICS

BRANDING THE THREE-DIMENSIONAL WORLD

1275 W Roosevelt Rd.
Ste. 112
West Chicago, IL 60185
630.293.8030 P
630.293.8031 F
M

From: Jørgen Hacker [<mailto:jhacker@herricanegraphics.com>]
Sent: Tuesday, July 08, 2014 3:00 PM
To: 'Carla Burkhart HG'
Subject: HG_COD_SSC_WelcomeSign_CorrectHebrew

Hello Carla,

Attached please find the file for COD ♦s ♦SSC Welcome Sign ♦ with the corrected greeting in
♦Hebrew ♦♦:

140708_HG_COD_SSC_WelcomeSign_CorrectHebrew_11x17_X.pdf

Furthermore a screenshot verifying the request from COD ♦:

140708_HG_HebrewScreenshot.jpg

Best Regards / Mit besten Gr♦♦en

J♦rgen



HERRICANE GRAPHICS

BRANDING THE THREE-DIMENSIONAL WORLD

1275 W. Roosevelt Road
Suite 112
West Chicago, Illinois 60185

P 630.293.8030
F 630.293.8031

The copying, use, distribution or disclosure of the confidential and proprietary information contained in this document(s) is strictly prohibited without prior written consent. Any breach shall subject the infringing party to remedies.

Weitergabe sowie Vervielfältigung dieser vertraulichen Unterlage(n), Verwertung und Mitteilung ihres Inhaltes ist nicht ohne unsere vorherige schriftliche Genehmigung gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz.

♻️ Please think before you print

From: [Jürgen Hacker](#)
To: [Demas, Louis F.](#)
Cc: ["Carla Burkhart HG"](#)
Subject: RE: Images
Date: Thursday, October 02, 2014 3:14:35 PM

Hello Louis,

Thank you soooooo much for getting back to me - thankfully we already contacted the producing vendor and he was able to actually upload the last Illustrator production file - which was the easiest way to go
◆

Thanks Again! - Best Regards / Mit besten Grüßen

Jürgen



1275 W. Roosevelt Road
Suite 112
West Chicago, Illinois 60185

P 630.293.8030
F 630.293.8031

The copying, use, distribution or disclosure of the confidential and proprietary information contained in this document(s) is strictly prohibited without prior written consent. Any breach shall subject the infringing party to remedies.

Weitergabe sowie Vervielfältigung dieser vertraulichen Unterlage(n), Verwertung und Mitteilung ihres Inhaltes ist nicht ohne unsere vorherige schriftliche Genehmigung gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz.

🖨 Please think before you print

From: Demas, Louis F. [mailto:demask@cod.edu]
Sent: Thursday, October 02, 2014 14:13 PM
To: Jürgen Hacker
Subject: Images
Importance: High

Hello Jürgen,

I understand you need images from the Chronology Wall? Let me know which images you're looking for. I have everything backed-up here and can send to your DropBox right away. Can you give me access to your DropBox? The email address associated with our account is webmarketing@cod.edu

Thanks,
Lou

Lou Demas
Coordinator, Creative Services

College of DuPage

425 Fawell Blvd. | Glen Ellyn, IL 60137-6599 | USA
phone 630.942.2256 | fax 630.942.3737 | demasi@cod.edu | cod.edu
Office Location: Berg Instructional Center (BIC), Room 1645M

From: [Demas, Louis F.](#)
To: [Jürgen Hacker](#)
Cc: ["Carla Burkhart HG"](#)
Subject: Re: Images
Date: Thursday, October 02, 2014 4:24:02 PM

OK ♦ glad you worked it out!

Thanks,
Lou

Lou Demas
Coordinator, Creative Services

College of DuPage
425 Fawell Blvd. | Glen Ellyn, IL 60137-8599 | USA
phone 630.942.2256 | fax 630.942.3737 | demasl@cod.edu | cod.edu
Office Location: Berg Instructional Center (BIC), Room 1645M

From: Jürgen Hacker <jhacker@herricanegraphics.com>
Date: Thursday, October 2, 2014 3:14 PM
To: <demasl@cod.edu>
Cc: 'Carla Burkhart HG' <cburkhart@herricanegraphics.com>
Subject: RE: Images

Hello Louis,

Thank you sooooo much for getting back to me - thankfully we already contacted the producing vendor and he was able to actually upload the last Illustrator production file - which was the easiest way to go ♦

Thanks Again! - Best Regards / Mit besten Grüßen

Jürgen



1275 W. Roosevelt Road
Suite 112
West Chicago, Illinois 60185

P 630.293.8030
F 630.293.8031

The copying, use, distribution or disclosure of the confidential and proprietary information contained in this document(s) is strictly prohibited without prior written consent. Any breach shall subject the infringing party to remedies.

Weitergabe sowie Vervielfältigung dieser vertraulichen Unterlage(n), Verwertung und Mitteilung ihres Inhaltes ist nicht ohne unsere vorherige schriftliche Genehmigung gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz.

♻ Please think before you print

From: Demas, Louis F. [<mailto:demasl@cod.edu>]
Sent: Thursday, October 02, 2014 14:13 PM
To: Jørgen Hacker
Subject: Images
Importance: High

Hello Jørgen,

I understand you need images from the Chronology Wall? Let me know which images you're looking for. I have everything backed-up here and can send to your DropBox right away. Can you give me access to your DropBox? The email address associated with our account is webmarketing@cod.edu

Thanks,
Lou

Lou Demas
Coordinator, Creative Services

College of DuPage
425 Fawell Blvd. | Glen Ellyn, IL 60137-6599 | USA
phone 630.942.2256 | fax 630.942.3737 | demasl@cod.edu | cod.edu
Office Location: Berg Instructional Center (BIC), Room 1645M

From: [Breuder, Dr. Robert](#)
To: [Carla Burkhardt](#); [Carey, Julie](#)
Subject: Chronology Wall Mock Up Review
Date: Thursday, October 02, 2014 5:41:04 PM
Attachments: [Chronology Wall Mock Up Review.ics](#)

thousands of purchases to be lumped together into one line item, according to data uncovered by American Transparency's OpenTheBooks.com, an online portal aggregating 1.3 billion lines of federal, state and local spending.

Officials at the two-year community college in Glen Ellyn, Illinois, are accused of relying on questionable accounting practices and altering vendor names in an effort to make the school's spending habits more difficult to track. Their spending was so deeply buried even members of the school's own board of directors complained they have no ability to follow where the money goes.

"This board doesn't know what it's approving," said Kathy Hamilton, a certified public accountant who serves as vice president of the college's board of directors. "The fact is we don't get any information about what's being spent."

But the administrators knew.

[Robert Breuder](#), the school's president, paid \$23,686 to a private shooting club where he is a member, including \$13,800 in dues, with the hidden money. He also used the school's money to mask fees associated with three global satellite phones he used on exotic hunting trips and costs related to an overnight senior management retreat, according to Open The Books.

The union representing the school's 306 full-time faculty members, who have clashed with [Mr. Breuder](#) in the past, last month approved a "no-confidence" vote in the president, accusing him of contributing to "an environment of turmoil, distrust, fear and intimidation."

For wasting millions of taxpayers' dollars and avoiding efforts to remain accountable for how it spends public money, the College of DuPage has earned the Golden Hammer, a weekly award highlighting particularly egregious examples of waste, fraud and abuse of tax dollars.

[Mr. Breuder](#) declined to comment for this story when approached by The Washington Times.

"Incredibly, the school's president and administrators knew the details on tens of millions of dollars being spent, but the board did not," said Adam Andrzejewski, founder of Open The Books.

[Mr. Breuder](#) and several other College of DuPage senior managers receive car allowances. Still, the school inappropriately paid the group over \$4,809 in mileage reimbursements for local travel.

Another \$243,305 was spent purchasing wine and other alcohol, Mr. Andrzejewski discovered. The liquor was described in an accounting ledger as "instructional supplies."

"The college president and senior executives gamed the system to buy the goodies," said Mr.

Andrzejewski.”The administration is driven [by] their own sense of importance and greed.”

The Chicago-area school, which is state’s second-largest by enrollment, also used its dodgy accounting practices to conceal payments handed to companies associated with people in charge of raising money for the school’s foundation.

The College of DuPage spent \$435,365 on purchases from Hurricane Graphics since 2009. Carla Burkhart, the owner of the graphic design company, is listed as a member of the College of DuPage foundation’s board of directors. Mark Wight, the president of Wight & Company, a construction company that pocketed \$328,020 from the college, is a vice president of the college’s foundation.

The law firm Robbins Schwartz Nicholas Lifton & Taylor took in more than \$464,873 from the College of DuPage since the beginning of 2009. Kenneth Florey, an attorney at the firm, sits on the foundation’s board, as well. So does Scott Marquardt, the president of Roger Marquardt & Co., the college’s lobbying firm. The company received \$229,500 in non-disclosed payments from the College of DuPage in the past five years.

Joseph Moore, the vice president of marketing and communications at the College of DuPage released a statement saying: “In September, Crowe Horwath, an independent licensed public accounting firm, provided College of DuPage with a ‘clean,’ ‘unmodified’ opinion on the college’s fiscal year (FY) 2014 annual financial statements and the internal controls over financial reporting.”

Some critics of the school speculate the audit was focused on the college’s most expensive items, like multi-million dollar building projects, and never looked closely at petty cash fund expenditures which are commonly in the thousands of dollars.

The College of DuPage, however, abused its smaller accounts to spend more than \$95.1 million, making 82,600 purchases from 6,788 vendors and service providers using approximately 500 separate fund accounts, according to Open The Books. More 232 payments exceeded the \$15,000 threshold, at a cost to the college of \$5.6 million.

College administrators justified cases in which the \$15,000 cap was ignored by saying that they “sometimes lumped multiple invoices together for convenience so they could write one check,” according to The Daily Herald, a suburban Chicago newspaper.

Read more: <http://www.washingtontimes.com/news/2014/oct/2/golden-hammer-college-hid-95m-in-administrator-boo/#ixzz3F5eY13ws>

Follow us: [@washtimes on Twitter](#)

Joseph Moore

Vice President, Marketing and Communications
College of DuPage
Office (630) 942-2371
Cell [REDACTED]

Welcome to the
NEW SCHOOL OF THOUGHT.
 College of DuPage

From: [Jürgen Hacker](#)
To: [Carey, Julie](#)
Cc: ["Carla Burkhardt HG"](#)
Subject: HG_COD_MAC_Exterior+InteriorSignage_RFX
Date: Friday, October 03, 2014 12:37:31 PM
Attachments: [141003 HG COD MAC Exterior+InteriorSignage RFA 11x17.pdf](#)
[141003 HG COD MAC Exterior+InteriorSignage RFB 11x17.pdf](#)

Hello Julie,

Based on your request from 09/29 we are still not entirely sure on how you would like to have the title block on the drawings for CODs MAC Exterior + Interior Signage - so we did 2 versions for your review:

141003_HG_COD_MAC_Exterior+InteriorSignage_RFA_11x17.pdf
141003_HG_COD_MAC_Exterior+InteriorSignage_RFB_11x17.pdf

Please advise!

Thank You! - Best Regards / Mit besten Grüßen

Jürgen




1275 W. Roosevelt Road
Suite 112
West Chicago, Illinois 60185

P 630.293.8030

F 630.293.8031

The copying, use, distribution or disclosure of the confidential and proprietary information contained in this document(s) is strictly prohibited without prior written consent. Any breach shall subject the infringing party to remedies.

Weitergabe sowie Vervielfältigung dieser vertraulichen Unterlage(n), Verwertung und Mitteilung ihres Inhaltes ist nicht ohne unsere vorherige schriftliche Genehmigung gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz.

 Please think before you print

From: [Carla Burkhardt](#)
Subject: Accepted: Chronology Wall Mock Up Review
Date: Friday, October 03, 2014 2:21:15 PM
Attachments: [Chronology Wall Mock Up Review.ics](#)

From: [Carla Burkhart](#)
To: [Carey, Julie](#)
Cc: ["Jürgen Hacker"](#)
Subject: CS Exterior Wayfinding Bid
Date: Friday, October 03, 2014 2:32:13 PM
Importance: High

Hi Julie,

See the attached revised proposal from Chicago Sign.

Please email me with additional comments or concerns.

Carla

-----Original Message-----

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Tuesday, September 30, 2014 8:49 PM
To: 'Anderson, Shirley'; 'Carey, Julie'
Subject: RE: Exterior Wayfinding Bid

Hello to you both.

CS called me tonight, and needed a little additional time to get this proposal to us, so it will be tomorrow am.

Keeping you advised.

I will be out the office until 12:00 tomorrow, once I have the info I will get it over.

Carla

-----Original Message-----

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Tuesday, September 30, 2014 9:55 AM
To: 'Anderson, Shirley'; 'Carey, Julie'
Subject: RE: Exterior Wayfinding Bid

Agreed. We should not proceed or award until CS has satisfactorily fulfilled all of COD's requirements. We will not have this confirmation until to the close of business today. As soon as I have it, I will come right back to you.

carla

-----Original Message-----

From: Anderson, Shirley [<mailto:andersons270@cod.edu>]
Sent: Tuesday, September 30, 2014 9:49 AM
To: Carla Burkhart; Carey, Julie
Subject: RE: Exterior Wayfinding Bid

If he sends the unit pricing and a new Base Bid total on the form provided I think we are all set.

-----Original Message-----

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Tuesday, September 30, 2014 9:42 AM

To: Anderson, Shirley; Carey, Julie
Subject: RE: Exterior Wayfinding Bid
Importance: High

Dear Shirley and Julie,

Per Tom Glaser and Ken Florey(confirmed yesterday by phone), you can negotiate a sealed bid, but you can ONLY negotiate with the lowest responsible bidder.

Considering the time constraint with the project and weather, the fact that this contractor has worked on various projects at COD without issue, and performed timely, that they are a qualified low bidder, and are willing to negotiate to our budget, I believe it is in the best interest of COD to proceed with this contractor.

I need to confirm the information relative to the addendum. On page (3) of (4) of the bid documents, the bidder acknowledges receipt of addendum "1" and utilizes the same addendum bid form as prescribed within the contract documents. In addition the contractor includes the notation " Unit pricing to be provided if awarded the contract". HG is not an attorney, however, I believe the College can elect to accept or reject on the basis of the interest of the College.

7. ACCEPTANCE OR REJECTION OF BIDS:

The College of DuPage reserves the right to reject any bid if it is not deemed suitable for the purpose for which it is intended.

The bidder acknowledges the right of the Owner to reject any or all bids and to waive any informality or irregularity in any bid received. In addition, the bidder recognizes the right of the Owner to reject a bid if the bidder failed to submit the data required by the bidding documents, or if the bid is in any way incomplete or irregular.

Shirley, per our discussion yesterday, all of my information was confirmed orally by Tom and Ken Florey(counsel to the College).

As previously copied, the contractor will need to confirm all pricing by writing, and the Unit pricing will need to be resubmitted.

Carla

-----Original Message-----

From: Anderson, Shirley [<mailto:andersons270@cod.edu>]
Sent: Tuesday, September 30, 2014 8:37 AM
To: Carey, Julie
Cc: 'Carla Burkhart'
Subject: RE: Exterior Wayfinding Bid

Yes rebid it please.

You can't negotiate a sealed bid, especially when they are non-compliant (no addendum submitted with bid).

-----Original Message-----

From: Carey, Julie
Sent: Tuesday, September 30, 2014 8:36 AM
To: Anderson, Shirley
Cc: Carla Burkhart; Chicagosigns@aol.com; 'Jörgen Hacker

Subject: Re: Exterior Wayfinding Bid

Shirley,

Can we negotiate a bid like this? Don't we have to rebid and Chicago sign can submit their new number on the rebid?

Julie

Sent from my iPad

> On Sep 30, 2014, at 7:54 AM, "Anderson, Shirley"
> <andersons270@cod.edu>
wrote:
>
> What about the fact that he did not complete the Addendum? (attached)
>
> From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
> Sent: Monday, September 29, 2014 6:04 PM
> To: Chicagosigns@aol.com
> Cc: Carey, Julie; Anderson, Shirley; "Jörgen Hacker"
> Subject: Exterior Wayfinding Bid
> Importance: High
>
> Dear John,
>
> Thank you for bidding the College of DuPage Exterior Wayfinding Bid.
>
> As per our discussion, Chicago Sign has agreed to a negotiated price
> of \$40,000.00 (a revised proposal forthcoming) for the entire scope
> of work, to include the use of the construction alternate concerning
> the footing detail (which matches the current site footing pier
> detail.)
>
> So to ensure that there is no misconception, or misunderstanding,
> please
re-review your number one more time and get back to me in writing no later
than 5:00 PM tomorrow with written confirmation.
>
> Thank you again for working with us on this proposal, and we look
> forward
to working together in the future.
>
> Best regards,
>
> Carla Burkhart
> [Herricane-Outlook-Signature]
>
>
>
>
> <2015-B0033 Addendum #1 Update Exterior Directional Signage.pdf>
> <image001.png>

From: [Carla Burkhart](#)
To: [Brod, Catherine](#)
Subject: RE: Washington Times column: How a college hid \$95 million in expense like booze, shooting clubs
Date: Friday, October 03, 2014 2:47:37 PM
Attachments: [image001.png](#)



From: Brod, Catherine [mailto:brodc@cod.edu]
Sent: Friday, October 03, 2014 10:05 AM
To: Ann Gunst; Bob Schillerstrom; Breuder, Dr. Robert; Carla Burkhart; Christopher Burke; Dan Cronin; Hank Steinbrecher; Ian Parr; James R. Adams (jadams@calamos.com); Jeff Appel; John Attard; Kenneth Florey; Kenneth Gorman (kgorman@powerconstruction.net); Kirk Dillard (kdillard@lockelord.com); Mark Wight; Marsha Cruzan; Marsha Cruzan (marsha.cruzan@usbank.com); Ron Bullock; Scott Marquardt; Sheryl Van Anne; sineal@aspven.com; Stacey Huels - First Focus Capital Partners (huelsweb@); Steve Ruffalo; Susan Lang Berry; Susan Lang Berry (sberry01@)
Subject: FW: Washington Times column: How a college hid \$95 million in expense like booze, shooting clubs

Dear Directors:

FYI

Cathy

Please feel free to call me or e-mail me with questions or comments. [\[REDACTED\]](#) or (630) 942-2448

As before, the source for this article is the same as the blog post affiliated with Forbes.

From: Moore, Joseph
Sent: Friday, October 03, 2014 9:03 AM
To: Breuder, Dr. Robert
Cc: Senior Management Team (SMT)
Subject: Washington Times column: How a college hid \$95 million in expense like booze, shooting clubs

The Washington Times

How a college hid \$95 million in expense like booze, shooting clubs

The most egregious examples of government waste, fraud or abuse from TWT staff. (Golden Hammer cropped logo) [more >](#)

By [Drew Johnson](#) - *The Washington Times* - Thursday, October 2, 2014

Warning: Parents being crushed by the ever-rising tuition bills might want to stop reading right now.

The second-largest college in Illinois has been rocked by a financial scandal caused by shady bookkeeping and a litany of questionable purchases, including a pricey shooting club membership for the school's president, and hundreds of thousands of dollars in alcohol purchases accounted for in the books as an instructional supply.

The College of DuPage managed to hide more than \$95 million in expenditures on more than 82,600 transactions since 2009 thanks to a peculiar type of accounting that allowed for thousands of purchases to be lumped together into one line item, according to data uncovered by American Transparency's OpenTheBooks.com, an online portal aggregating 1.3 billion lines of federal, state and local spending.

Officials at the two-year community college in Glen Ellyn, Illinois, are accused of relying on questionable accounting practices and altering vendor names in an effort to make the school's spending habits more difficult to track. Their spending was so deeply buried even members of the school's own board of directors complained they have no ability to follow where the money goes.

"This board doesn't know what it's approving," said Kathy Hamilton, a certified public accountant who serves as vice president of the college's board of directors. "The fact is we don't get any information about what's being spent."

But the administrators knew.

[Robert Breuder](#), the school's president, paid \$23,686 to a private shooting club where he is a member, including \$13,800 in dues, with the hidden money. He also used the school's money to mask fees associated with three global satellite phones he used on exotic hunting trips and costs related to an overnight senior management retreat, according to Open The Books.

The union representing the school's 306 full-time faculty members, who have clashed with [Mr. Breuder](#) in the past, last month approved a no-confidence vote in the president, accusing him of contributing to an environment of turmoil, distrust, fear and intimidation.

For wasting millions of taxpayers' dollars and avoiding efforts to remain accountable for how it spends public money, the College of DuPage has earned the Golden Hammer, a weekly award highlighting particularly egregious examples of waste, fraud and abuse of tax dollars.

[Mr. Breuder](#) declined to comment for this story when approached by The Washington Times.

"Incredibly, the school's president and administrators knew the details on tens of millions of dollars being spent, but the board did not," said Adam Andrzejewski, founder of Open

The Books.

[Mr. Breuder](#) and several other College of DuPage senior managers receive car allowances. Still, the school inappropriately paid the group over \$4,809 in mileage reimbursements for local travel.

Another \$243,305 was spent purchasing wine and other alcohol, Mr. Andrzejewski discovered. The liquor was described in an accounting ledger as ❖instructional supplies.❖

❖The college president and senior executives gamed the system to buy the goodies,❖ said Mr. Andrzejewski. ❖The administration is driven [by] their own sense of importance and greed.❖

The Chicago-area school, which is state❖s second-largest by enrollment, also used its dodgy accounting practices to conceal payments handed to companies associated with people in charge of raising money for the school❖s foundation.

The College of DuPage spent \$435,365 on purchases from Herricane Graphics since 2009. Carla Burkhart, the owner of the graphic design company, is listed as a member of the College of DuPage foundation❖s board of directors. Mark Wight, the president of Wight & Company, a construction company that pocketed \$328,020 from the college, is a vice president of the college❖s foundation.

The law firm Robbins Schwartz Nicholas Lifton & Taylor took in more than \$464,873 from the College of DuPage since the beginning of 2009. Kenneth Florey, an attorney at the firm, sits on the foundation❖s board, as well. So does Scott Marquardt, the president of Roger Marquardt & Co., the college❖s lobbying firm. The company received \$229,500 in non-disclosed payments from the College of DuPage in the past five years.

Joseph Moore, the vice president of marketing and communications at the College of DuPage released a statement saying: ❖In September, Crowe Horwath, an independent licensed public accounting firm, provided College of DuPage with a ❖clean,❖ ❖unmodified❖ opinion on the college❖s fiscal year (FY) 2014 annual financial statements and the internal controls over financial reporting.❖

Some critics of the school speculate the audit was focused on the college❖s most expensive items, like multi-million dollar building projects, and never looked closely at petty cash fund expenditures which are commonly in the thousands of dollars.

The College of DuPage, however, abused its smaller accounts to spend more than \$95.1 million, making 82,600 purchases from 6,788 vendors and service providers using approximately 500 separate fund accounts, according to Open The Books. More 232 payments exceeded the \$15,000 threshold, at a cost to the college of \$5.6 million.

College administrators justified cases in which the \$15,000 cap was ignored by saying that they sometimes lumped multiple invoices together for convenience so they could write one check, according to The Daily Herald, a suburban Chicago newspaper.

Read more: <http://www.washingtontimes.com/news/2014/oct/2/golden-hammer-college-hid-95m-in-administrator-boo/#ixzz3F5eYt3ws>

Follow us: [@washtimes on Twitter](#)

Joseph Moore
Vice President, Marketing and Communications
College of DuPage
Office (630) 942-2371
Cell [REDACTED]

Welcome to the
NEW SCHOOL OF THOUGHT.
 College of DuPage

From: [Brod, Catherine](#)
To: ["Carla Burkhart"](#)
Subject: RE: Washington Times column: How a college hid \$95 million in expense like booze, shooting clubs
Date: Friday, October 03, 2014 2:52:18 PM
Attachments: [image001.png](#)

I know....call me if you want....

C

From: Carla Burkhart [mailto:cburkhart@herricanegraphics.com]
Sent: Friday, October 03, 2014 2:48 PM
To: Brod, Catherine
Subject: RE: Washington Times column: How a college hid \$95 million in expense like booze, shooting clubs

☺

From: Brod, Catherine [mailto:brodc@cod.edu]
Sent: Friday, October 03, 2014 10:05 AM
To: Ann Gunst; Bob Schillerstrom; Breuder, Dr. Robert; Carla Burkhart; Christopher Burke; Dan Cronin; Hank Steinbrecher; Ian Parr; James R. Adams (jadams@calamos.com); Jeff Appel; John Attard; Kenneth Florey; Kenneth Gorman (kgorman@powerconstruction.net); Kirk Dillard (kdillard@lockelord.com); Mark Wight; Marsha Cruzan (marsha.cruzan@usbank.com); Ron Bullock; Scott Marquardt; Sheryl Van Anne; slineal@aspven.com; Stacey Huels - First Focus Capital Partners (huelsweb@); Steve Ruffalo; Susan Lang Berry; Susan Lang Berry (sberry01@)
Subject: FW: Washington Times column: How a college hid \$95 million in expense like booze, shooting clubs

Dear Directors:

FYI

Cathy

Please feel free to call me or e-mail me with questions or comments. [REDACTED] or (630) 942-2448

As before, the source for this article is the same as the blog post affiliated with Forbes.

From: Moore, Joseph
Sent: Friday, October 03, 2014 9:03 AM
To: Breuder, Dr. Robert
Cc: Senior Management Team (SMT)
Subject: Washington Times column: How a college hid \$95 million in expense like booze, shooting clubs

The Washington Times

How a college hid \$95 million in expense like booze, shooting clubs

The most egregious examples of government waste, fraud or abuse from TWT staff. (Golden Hammer cropped logo) [more >](#)

By [Drew Johnson](#) - *The Washington Times* - Thursday, October 2, 2014

Warning: Parents being crushed by the ever-rising tuition bills might want to stop reading right now.

The second-largest college in Illinois has been rocked by a financial scandal caused by shady bookkeeping and a litany of questionable purchases, including a pricey shooting club membership for the school's president, and hundreds of thousands of dollars in alcohol purchases accounted for in the books as an "instructional supply."

The College of DuPage managed to hide more than \$95 million in expenditures on more than 82,600 transactions since 2009 thanks to a peculiar type of accounting that allowed for thousands of purchases to be lumped together into one line item, according to data uncovered by American Transparency's OpenTheBooks.com, an online portal aggregating 1.3 billion lines of federal, state and local spending.

Officials at the two-year community college in Glen Ellyn, Illinois, are accused of relying on questionable accounting practices and altering vendor names in an effort to make the school's spending habits more difficult to track. Their spending was so deeply buried even members of the school's own board of directors complained they have no ability to follow where the money goes.

"This board doesn't know what it's approving," said Kathy Hamilton, a certified public accountant who serves as vice president of the college's board of directors. "The fact is we don't get any information about what's being spent."

But the administrators knew.

[Robert Breuder](#), the school's president, paid \$23,686 to a private shooting club where he is a member, including \$13,800 in dues, with the hidden money. He also used the school's money to mask fees associated with three global satellite phones he used on exotic hunting trips and costs related to an overnight senior management retreat, according to Open The Books.

The union representing the school's 306 full-time faculty members, who have clashed with [Mr. Breuder](#) in the past, last month approved a "no-confidence" vote in the president, accusing him of contributing to "an environment of turmoil, distrust, fear and intimidation."

For wasting millions of taxpayers' dollars and avoiding efforts to remain accountable for how it spends public money, the College of DuPage has earned the Golden Hammer, a weekly award highlighting particularly egregious examples of waste, fraud and abuse of tax dollars.

[Mr. Breuder](#) declined to comment for this story when approached by The Washington Times.

“Incredibly, the school’s president and administrators knew the details on tens of millions of dollars being spent, but the board did not,” said Adam Andrzejewski, founder of Open The Books.

[Mr. Breuder](#) and several other College of DuPage senior managers receive car allowances. Still, the school inappropriately paid the group over \$4,809 in mileage reimbursements for local travel.

Another \$243,305 was spent purchasing wine and other alcohol, Mr. Andrzejewski discovered. The liquor was described in an accounting ledger as “instructional supplies.”

“The college president and senior executives gamed the system to buy the goodies,” said Mr. Andrzejewski. “The administration is driven [by] their own sense of importance and greed.”

The Chicago-area school, which is state’s second-largest by enrollment, also used its dodgy accounting practices to conceal payments handed to companies associated with people in charge of raising money for the school’s foundation.

The College of DuPage spent \$435,365 on purchases from Hurricane Graphics since 2009. Carla Burkhardt, the owner of the graphic design company, is listed as a member of the College of DuPage foundation’s board of directors. Mark Wight, the president of Wight & Company, a construction company that pocketed \$328,020 from the college, is a vice president of the college’s foundation.

The law firm Robbins Schwartz Nicholas Lifton & Taylor took in more than \$464,873 from the College of DuPage since the beginning of 2009. Kenneth Florey, an attorney at the firm, sits on the foundation’s board, as well. So does Scott Marquardt, the president of Roger Marquardt & Co., the college’s lobbying firm. The company received \$229,500 in non-disclosed payments from the College of DuPage in the past five years.

Joseph Moore, the vice president of marketing and communications at the College of DuPage released a statement saying: “In September, Crowe Horwath, an independent licensed public accounting firm, provided College of DuPage with a ‘clean,’ ‘unmodified’ opinion on the college’s fiscal year (FY) 2014 annual financial statements and the internal controls over financial reporting.”

Some critics of the school speculate the audit was focused on the college’s most expensive items, like multi-million dollar building projects, and never looked closely at petty cash fund expenditures which are commonly in the thousands of dollars.

The College of DuPage, however, abused its smaller accounts to spend more than \$95.1 million, making 82,600 purchases from 6,788 vendors and service providers using approximately 500 separate fund accounts, according to Open The Books. More 232 payments exceeded the \$15,000 threshold, at a cost to the college of \$5.6 million.

College administrators justified cases in which the \$15,000 cap was ignored by saying that they “sometimes lumped multiple invoices together for convenience so they could write one check,” according to The Daily Herald, a suburban Chicago newspaper.

Read more: <http://www.washingtontimes.com/news/2014/oct/2/golden-hammer-college-hid-95m-in-administrator-boo/#xzz3F5eYt3ws>

Follow us: [@washtimes on Twitter](#)

Joseph Moore
Vice President, Marketing and Communications
College of DuPage
Office (630) 942-2371
Cell [REDACTED]

Welcome to the
NEW SCHOOL OF THOUGHT.
 College of DuPage

From: [Carey, Julie](#)
To: ["Carla Burkhart"](#)
Cc: [""Jürgen Hacker""](#)
Subject: RE: CS Exterior Wayfinding Bid
Date: Friday, October 03, 2014 4:53:10 PM

Carla,

Thanks. Can you provide me some verbage as to why Chicago Sign was willing to lower their bid from \$91,469.00 to \$45,000? Are we going to "not get" something we called for in the bid docs? Is this change strictly from eliminating the concrete pad, soil testing, concrete testing, coated rebar, etc. that Chicago Sign may have interpreted as required during bid?

I need to include this verbage on the board letter so please let me know ASAP.

Julie

-----Original Message-----

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Friday, October 03, 2014 2:32 PM
To: Carey, Julie
Cc: "Jürgen Hacker"
Subject: CS Exterior Wayfinding Bid
Importance: High

Hi Julie,

See the attached revised proposal from Chicago Sign.

Please email me with additional comments or concerns.

Carla

-----Original Message-----

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Tuesday, September 30, 2014 8:49 PM
To: 'Anderson, Shirley'; 'Carey, Julie'
Subject: RE: Exterior Wayfinding Bid

Hello to you both.

CS called me tonight, and needed a little additional time to get this proposal to us, so it will be tomorrow am.

Keeping you advised.

I will be out the office until 12:00 tomorrow, once I have the info I will get it over.

Carla

-----Original Message-----

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Tuesday, September 30, 2014 9:55 AM
To: 'Anderson, Shirley'; 'Carey, Julie'
Subject: RE: Exterior Wayfinding Bid

Agreed. We should not proceed or award until CS has satisfactorily fulfilled all of COD's requirements. We will not have this confirmation until to the close of business today. As soon as I have it, I will come

right back to you.

carla

-----Original Message-----

From: Anderson, Shirley [<mailto:andersons270@cod.edu>]

Sent: Tuesday, September 30, 2014 9:49 AM

To: Carla Burkhardt; Carey, Julie

Subject: RE: Exterior Wayfinding Bid

If he sends the unit pricing and a new Base Bid total on the form provided I think we are all set.

-----Original Message-----

From: Carla Burkhardt [<mailto:cburkhart@herricanegraphics.com>]

Sent: Tuesday, September 30, 2014 9:42 AM

To: Anderson, Shirley; Carey, Julie

Subject: RE: Exterior Wayfinding Bid

Importance: High

Dear Shirley and Julie,

Per Tom Glaser and Ken Florey(confirmed yesterday by phone), you can negotiate a sealed bid, but you can ONLY negotiate with the lowest responsible bidder.

Considering the time constraint with the project and weather, the fact that this contractor has worked on various projects at COD without issue, and performed timely, that they are a qualified low bidder, and are willing to negotiate to our budget, I believe it is in the best interest of COD to proceed with this contractor.

I need to confirm the information relative to the addendum. On page (3) of (4) of the bid documents, the bidder acknowledges receipt of addendum "1" and utilizes the same addendum bid form as prescribed within the contract documents. In addition the contractor includes the notation " Unit pricing to be provided if awarded the contract". HG is not an attorney, however, I believe the College can elect to accept or reject on the basis of the interest of the College.

7. ACCEPTANCE OR REJECTION OF BIDS:

The College of DuPage reserves the right to reject any bid if it is not deemed suitable for the purpose for which it is intended.

The bidder acknowledges the right of the Owner to reject any or all bids and to waive any informality or

irregularity in any bid received. In addition, the bidder recognizes the right of the Owner to reject a bid if

the bidder failed to submit the data required by the bidding documents, or if the bid is in any way incomplete or irregular.

Shirley, per our discussion yesterday, all of my information was confirmed orally by Tom and Ken Florey(counsel to the College).

As previously copied, the contractor will need to confirm all pricing by writing, and the Unit pricing will need to be resubmitted.

Carla

-----Original Message-----

From: Anderson, Shirley [<mailto:andersons270@cod.edu>]

Sent: Tuesday, September 30, 2014 8:37 AM

To: Carey, Julie

Cc: 'Carla Burkhardt'

Subject: RE: Exterior Wayfinding Bid

Yes rebid it please.

You can't negotiate a sealed bid, especially when they are non-compliant (no addendum submitted with bid).

-----Original Message-----

From: Carey, Julie

Sent: Tuesday, September 30, 2014 8:36 AM

To: Anderson, Shirley

Cc: Carla Burkhart; Chicagosigns@aol.com; 'Jörgen Hacker

Subject: Re: Exterior Wayfinding Bid

Shirley,

Can we negotiate a bid like this? Don't we have to rebid and Chicago sign can submit their new number on the rebid?

Julie

Sent from my iPad

> On Sep 30, 2014, at 7:54 AM, "Anderson, Shirley"

> <andersons270@cod.edu>

wrote:

>

> What about the fact that he did not complete the Addendum? (attached)

>

> From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]

> Sent: Monday, September 29, 2014 6:04 PM

> To: Chicagosigns@aol.com

> Cc: Carey, Julie; Anderson, Shirley; "Jörgen Hacker"

> Subject: Exterior Wayfinding Bid

> Importance: High

>

> Dear John,

>

> Thank you for bidding the College of DuPage Exterior Wayfinding Bid.

>

> As per our discussion, Chicago Sign has agreed to a negotiated price

> of \$40,000.00 (a revised proposal forthcoming) for the entire scope

> of work, to include the use of the construction alternate concerning

> the footing detail (which matches the current site footing pier

> detail.)

>

> So to ensure that there is no misconception, or misunderstanding,

> please

re-review your number one more time and get back to me in writing no later than 5:00 PM tomorrow with written confirmation.

>

> Thank you again for working with us on this proposal, and we look

> forward

to working together in the future.

>

> Best regards,

>

> Carla Burkhart

> [Herricane-Outlook-Signature]

>

>

>

>

> <2015-B0033 Addendum #1 Update Exterior Directional Signage.pdf>

> <image001.png>

From: [Carla Burkhart](#)
To: [Carey, Julie](#)
Cc: ["Jürgen Hacker"](#)
Subject: RE: CS Exterior Wayfinding Bid
Date: Saturday, October 04, 2014 3:28:21 PM

The reason CS was able to negotiate their price is because a vendor that had limited scope capacity, and wasn't able to bid timely direct to COD was able to provide pricing to CS as a subcontractor, which by comparison was far below CS.

There is no change to the scope of work with exception to the footing detail which CS provided a written construction alternate for in their bid.

I have confirmed with CS that they are in line with the bid requirements, and we recommend COD award this contract to Chicago Sign.

Carla

-----Original Message-----

From: Carey, Julie [<mailto:carevj372@cod.edu>]
Sent: Friday, October 03, 2014 4:53 PM
To: 'Carla Burkhart'
Cc: "Jürgen Hacker"
Subject: RE: CS Exterior Wayfinding Bid

Carla,

Thanks. Can you provide me some verbage as to why Chicago Sign was willing to lower their bid from \$91,469.00 to \$45,000? Are we going to "not get" something we called for in the bid docs? Is this change strictly from eliminating the concrete pad, soil testing, concrete testing, coated rebar, etc. that Chicago Sign may have interpreted as required during bid?

I need to include this verbage on the board letter so please let me know ASAP.

Julie

-----Original Message-----

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Friday, October 03, 2014 2:32 PM
To: Carey, Julie
Cc: "Jürgen Hacker"
Subject: CS Exterior Wayfinding Bid
Importance: High

Hi Julie,

See the attached revised proposal from Chicago Sign.

Please email me with additional comments or concerns.

Carla

-----Original Message-----

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]

Sent: Tuesday, September 30, 2014 8:49 PM
To: 'Anderson, Shirley'; 'Carey, Julie'
Subject: RE: Exterior Wayfinding Bid

Hello to you both.

CS called me tonight, and needed a little additional time to get this proposal to us, so it will be tomorrow am.

Keeping you advised.

I will be out the office until 12:00 tomorrow, once I have the info I will get it over.

Carla

-----Original Message-----

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Tuesday, September 30, 2014 9:55 AM
To: 'Anderson, Shirley'; 'Carey, Julie'
Subject: RE: Exterior Wayfinding Bid

Agreed. We should not proceed or award until CS has satisfactorily fulfilled all of COD's requirements. We will not have this confirmation until to the close of business today. As soon as I have it, I will come right back to you.

carla

-----Original Message-----

From: Anderson, Shirley [<mailto:andersons270@cod.edu>]
Sent: Tuesday, September 30, 2014 9:49 AM
To: Carla Burkhart; Carey, Julie
Subject: RE: Exterior Wayfinding Bid

If he sends the unit pricing and a new Base Bid total on the form provided I think we are all set.

-----Original Message-----

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Tuesday, September 30, 2014 9:42 AM
To: Anderson, Shirley; Carey, Julie
Subject: RE: Exterior Wayfinding Bid
Importance: High

Dear Shirley and Julie,

Per Tom Glaser and Ken Florey(confirmed yesterday by phone), you can negotiate a sealed bid, but you can ONLY negotiate with the lowest responsible bidder.

Considering the time constraint with the project and weather, the fact that this contractor has worked on various projects at COD without issue, and performed timely, that they are a qualified low bidder, and are willing to negotiate to our budget, I believe it is in the best interest of COD to proceed with this contractor.

I need to confirm the information relative to the addendum. On page (3) of (4) of the bid documents, the bidder acknowledges receipt of addendum "1" and utilizes the same addendum bid form as prescribed within the contract

documents. In addition the contractor includes the notation " Unit pricing to be provided if awarded the contract". HG is not an attorney, however, I believe the College can elect to accept or reject on the basis of the interest of the College.

7. ACCEPTANCE OR REJECTION OF BIDS:

The College of DuPage reserves the right to reject any bid if it is not deemed suitable for the purpose for which it is intended.

The bidder acknowledges the right of the Owner to reject any or all bids and to waive any informality or irregularity in any bid received. In addition, the bidder recognizes the right of the Owner to reject a bid if the bidder failed to submit the data required by the bidding documents, or if the bid is in any way incomplete or irregular.

Shirley, per our discussion yesterday, all of my information was confirmed orally by Tom and Ken Florey(counsel to the College).

As previously copied, the contractor will need to confirm all pricing by writing, and the Unit pricing will need to be resubmitted.

Carla

-----Original Message-----

From: Anderson, Shirley [<mailto:andersons270@cod.edu>]
Sent: Tuesday, September 30, 2014 8:37 AM
To: Carey, Julie
Cc: 'Carla Burkhart'
Subject: RE: Exterior Wayfinding Bid

Yes rebid it please.

You can't negotiate a sealed bid, especially when they are non-compliant (no addendum submitted with bid).

-----Original Message-----

From: Carey, Julie
Sent: Tuesday, September 30, 2014 8:36 AM
To: Anderson, Shirley
Cc: Carla Burkhart; Chicagosigns@aol.com; 'Jürgen Hacker'
Subject: Re: Exterior Wayfinding Bid

Shirley,

Can we negotiate a bid like this? Don't we have to rebid and Chicago sign can submit their new number on the rebid?

Julie

Sent from my iPad

> On Sep 30, 2014, at 7:54 AM, "Anderson, Shirley"
> <andersons270@cod.edu>
> wrote:
>
> What about the fact that he did not complete the Addendum? (attached)
>
> From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
> Sent: Monday, September 29, 2014 6:04 PM

> To: Chicagosigns@aol.com
> Cc: Carey, Julie; Anderson, Shirley; "Jörgen Hacker"
> Subject: Exterior Wayfinding Bid
> Importance: High
>
> Dear John,
>
> Thank you for bidding the College of DuPage Exterior Wayfinding Bid.
>
> As per our discussion, Chicago Sign has agreed to a negotiated price
> of \$40,000.00 (a revised proposal forthcoming) for the entire scope
> of work, to include the use of the construction alternate concerning
> the footing detail (which matches the current site footing pier
> detail.)
>
> So to ensure that there is no misconception, or misunderstanding,
> please
re-review your number one more time and get back to me in writing no later
than 5:00 PM tomorrow with written confirmation.
>
> Thank you again for working with us on this proposal, and we look
> forward
to working together in the future.
>
> Best regards,
>
> Carla Burkhart
> [Herricane-Outlook-Signature]
>
>
>
>
> <2015-B0033 Addendum #1 Update Exterior Directional Signage.pdf>
> <image001.png>

From: [Carey, Julie](#)
To: ["Carla Burkhart"](#)
Cc: ["Jürgen Hacker"](#)
Subject: RE: CS Exterior Wayfinding Bid
Date: Monday, October 06, 2014 9:21:35 AM

Carla,

If Chicago Sign is now using a sub, who is it and why was it not listed on the bid form?

Julie

-----Original Message-----

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Saturday, October 04, 2014 3:28 PM
To: Carey, Julie
Cc: "Jürgen Hacker"
Subject: RE: CS Exterior Wayfinding Bid

The reason CS was able to negotiate their price is because a vendor that had limited scope capacity, and wasn't able to bid timely direct to COD was able to provide pricing to CS as a subcontractor, which by comparison was far below CS.

There is no change to the scope of work with exception to the footing detail which CS provided a written construction alternate for in their bid.

I have confirmed with CS that they are in line with the bid requirements, and we recommend COD award this contract to Chicago Sign.

Carla

-----Original Message-----

From: Carey, Julie [<mailto:carevj372@cod.edu>]
Sent: Friday, October 03, 2014 4:53 PM
To: 'Carla Burkhart'
Cc: "Jürgen Hacker"
Subject: RE: CS Exterior Wayfinding Bid

Carla,

Thanks. Can you provide me some verbage as to why Chicago Sign was willing to lower their bid from \$91,469.00 to \$45,000? Are we going to "not get" something we called for in the bid docs? Is this change strictly from eliminating the concrete pad, soil testing, concrete testing, coated rebar, etc. that Chicago Sign may have interpreted as required during bid?

I need to include this verbage on the board letter so please let me know ASAP.

Julie

-----Original Message-----

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Friday, October 03, 2014 2:32 PM
To: Carey, Julie
Cc: "Jürgen Hacker"
Subject: CS Exterior Wayfinding Bid
Importance: High

Hi Julie,

See the attached revised proposal from Chicago Sign.

Please email me with additional comments or concerns.

Carla

-----Original Message-----

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Tuesday, September 30, 2014 8:49 PM
To: 'Anderson, Shirley'; 'Carey, Julie'
Subject: RE: Exterior Wayfinding Bid

Hello to you both.

CS called me tonight, and needed a little additional time to get this proposal to us, so it will be tomorrow am.

Keeping you advised.

I will be out the office until 12:00 tomorrow, once I have the info I will get it over.

Carla

-----Original Message-----

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Tuesday, September 30, 2014 9:55 AM
To: 'Anderson, Shirley'; 'Carey, Julie'
Subject: RE: Exterior Wayfinding Bid

Agreed. We should not proceed or award until CS has satisfactorily fulfilled all of COD's requirements. We will not have this confirmation until to the close of business today. As soon as I have it, I will come right back to you.

carla

-----Original Message-----

From: Anderson, Shirley [<mailto:andersons270@cod.edu>]
Sent: Tuesday, September 30, 2014 9:49 AM
To: Carla Burkhart; Carey, Julie
Subject: RE: Exterior Wayfinding Bid

If he sends the unit pricing and a new Base Bid total on the form provided I think we are all set.

-----Original Message-----

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Tuesday, September 30, 2014 9:42 AM
To: Anderson, Shirley; Carey, Julie
Subject: RE: Exterior Wayfinding Bid
Importance: High

Dear Shirley and Julie,

Per Tom Glaser and Ken Florey(confirmed yesterday by phone), you can negotiate a sealed bid, but you can ONLY negotiate with the lowest responsible bidder.

Considering the time constraint with the project and weather, the fact that this contractor has worked on various projects at COD without issue, and performed timely, that they are a qualified low bidder,

and are willing to negotiate to our budget, I believe it is in the best interest of COD to proceed with this contractor.

I need to confirm the information relative to the addendum. On page (3) of (4) of the bid documents, the bidder acknowledges receipt of addendum "1" and utilizes the same addendum bid form as prescribed within the contract documents. In addition the contractor includes the notation " Unit pricing to be provided if awarded the contract". HG is not an attorney, however, I believe the College can elect to accept or reject on the basis of the interest of the College.

7. ACCEPTANCE OR REJECTION OF BIDS:

The College of DuPage reserves the right to reject any bid if it is not deemed suitable for the purpose for which it is intended.

The bidder acknowledges the right of the Owner to reject any or all bids and to waive any informality or

irregularity in any bid received. In addition, the bidder recognizes the right of the Owner to reject a bid if

the bidder failed to submit the data required by the bidding documents, or if the bid is in any way incomplete or irregular.

Shirley, per our discussion yesterday, all of my information was confirmed orally by Tom and Ken Florey(counsel to the College).

As previously copied, the contractor will need to confirm all pricing by writing, and the Unit pricing will need to be resubmitted.

Carla

-----Original Message-----

From: Anderson, Shirley [<mailto:andersons270@cod.edu>]
Sent: Tuesday, September 30, 2014 8:37 AM
To: Carey, Julie
Cc: 'Carla Burkhart'
Subject: RE: Exterior Wayfinding Bid

Yes rebid it please.

You can't negotiate a sealed bid, especially when they are non-compliant (no addendum submitted with bid).

-----Original Message-----

From: Carey, Julie
Sent: Tuesday, September 30, 2014 8:36 AM
To: Anderson, Shirley
Cc: Carla Burkhart; Chicagosigns@aol.com; 'Jörgen Hacker'
Subject: Re: Exterior Wayfinding Bid

Shirley,

Can we negotiate a bid like this? Don't we have to rebid and Chicago sign can submit their new number on the rebid?

Julie

Sent from my iPad

> On Sep 30, 2014, at 7:54 AM, "Anderson, Shirley"
> <andersons270@cod.edu>
wrote:
>

> What about the fact that he did not complete the Addendum? (attached)

>

> From: Carla Burkhardt [<mailto:cburkhardt@herricanegraphics.com>]

> Sent: Monday, September 29, 2014 6:04 PM

> To: Chicagosigns@aol.com

> Cc: Carey, Julie; Anderson, Shirley; "Jörgen Hacker"

> Subject: Exterior Wayfinding Bid

> Importance: High

>

> Dear John,

>

> Thank you for bidding the College of DuPage Exterior Wayfinding Bid.

>

> As per our discussion, Chicago Sign has agreed to a negotiated price

> of \$40,000.00 (a revised proposal forthcoming) for the entire scope

> of work, to include the use of the construction alternate concerning

> the footing detail (which matches the current site footing pier

> detail.)

>

> So to ensure that there is no misconception, or misunderstanding,

> please

re-review your number one more time and get back to me in writing no later than 5:00 PM tomorrow with written confirmation.

>

> Thank you again for working with us on this proposal, and we look

> forward

to working together in the future.

>

> Best regards,

>

> Carla Burkhardt

> [Herricane-Outlook-Signature]

>

>

>

>

> <2015-B0033 Addendum #1 Update Exterior Directional Signage.pdf>

> <image001.png>

From: [Carey, Julie](#)
To: ["Carla Burkhart"](#)
Cc: ["Jürgen Hacker"](#)
Subject: RE: College of DuPage electric
Date: Monday, October 06, 2014 11:36:31 AM
Attachments: [image001.png](#)
[CHC Waterleaf Circuits.pdf](#)

Carla,

The attached drawing completed by Dave Ditchfield indicates that the conduit at the end of the wing wall is on the same proposed circuit for the Waterleaf sign. Please advise on when Chicago Sign and the boring company can complete this work.

Julie

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Friday, September 26, 2014 7:57 PM
To: Carey, Julie
Cc: 'Jürgen Hacker'
Subject: RE: College of DuPage electric

Yes, but are those lights being fed off the conduit at the end of the wingwall??? It's not the lights that we need a conformation on, it's the conduit at the end of the wall. Unless I'm missing something here.

Carla

From: Carey, Julie [<mailto:carey372@cod.edu>]
Sent: Friday, September 26, 2014 3:30 PM
To: 'Carla Burkhart'
Cc: 'Jürgen Hacker'
Subject: RE: College of DuPage electric

Carla,

I have confirmed that the uplights in the area of the Waterleaf sign are fed from panel 1LP-12 circuit 42 in the basement of CHC.

Julie

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Thursday, September 25, 2014 8:45 AM
To: Carey, Julie
Cc: 'Jürgen Hacker'
Subject: RE: College of DuPage electric
Importance: High

Julie.

I have not heard anything with respect to the circuit review by COD. I have cancelled the boring schedule with CS and requested alternate dates until COD confirms the circuit or issues a change order for CS to investigate and confirm the circuit.

It makes no sense to expend money on boring if in fact this circuit will not work.

Carla

Carla Burkhart



HERRICANE GRAPHICS

BRANDING THE THREE-DIMENSIONAL WORLD

1275 W Roosevelt Rd.
Ste. 112
West Chicago, IL 60185
630.293.8030 P
630.293.8031 F
M

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]

Sent: Tuesday, September 23, 2014 10:31 AM

To: 'Carey, Julie'

Cc: 'Jörgen Hacker'

Subject: RE: College of DuPage electric

Yes, because we have no idea if this circuit will work, and whether CS needs to pull a new line with all the other lines to the end of this circuit. CS does not even know what the footage of the circuit is without review of the circuit.

If COD can confirm the circuit, the draw, the panel, etc....CS can price the project.

Carla

From: Carey, Julie [<mailto:carey.j372@cod.edu>]

Sent: Tuesday, September 23, 2014 8:51 AM

To: 'Carla Burkhart'

Cc: 'Jörgen Hacker'

Subject: RE: College of DuPage electric

Carla,

I will be going to CHC today to confirm the circuit Dave Ditchfield provided. I do not want to cancel the boring company. Is there a reason that Chicago Sign can't provide a price for electrical work now?

Julie

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Monday, September 22, 2014 7:44 AM
To: Carey, Julie
Cc: 'Jørgen Hacker'
Subject: College of DuPage electric
Importance: High

Julie,

Below is the email from CS regarding the investigation of the electrical issue. This should be viewed as a "not to exceed" number based strictly on the evaluation of this one specific desired circuit. If this circuit will not work, and an evaluation of another circuit would be required, it would be additional.

I agree with CS that once they have determined with certainty what circuit will be used, then CS can move forward and price the project to COD.

Please advise whether you agree or not. CS has schedule openings on Thursday or Friday this week soonest.

In addition I will have them cancel the underground boring?

Carla

Carla Burkhart



HERRICANE GRAPHICS

BRANDING THE THREE-DIMENSIONAL WORLD

1275 W Roosevelt Rd.

Ste. 112

West Chicago, IL 60185

630.293.8030 P

630.293.8031 F

██████████ M


From: Chicagosigns@aol.com [<mailto:Chicagosigns@aol.com>]
Sent: Friday, September 19, 2014 12:36 PM
To: cburkhart@herricanegraphics.com
Subject: College of DuPage electric

Carla,

In order to provide a cost to locate a circuit for the Waterleaf sign from a location inside or nearby outside of the Waterleaf building we will have to investigate the panel(s) and trace circuits. There is no telling exactly how long this will take...so we recommend an allowance of 8 hours for two men to determine the best option and to layout the underground bore path.

\$1,360.00

If we are able to determine the best route within the first four hours we will invoice for half the amount.

Best regards,
John Doyle
Chicago Sign


From: [Carey, Julie](#)
To: ["Carla Burkhart"](#)
Cc: ["Jürgen Hacker"](#)
Subject: RE: HG_COD_SSC_WelcomeSign_CorrectHebrew
Date: Monday, October 06, 2014 11:37:57 AM
Attachments: [image001.png](#)

Carla,

Any update on a recommended vendor?

Julie

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Thursday, October 02, 2014 10:01 AM
To: Carey, Julie
Cc: "Jürgen Hacker"
Subject: RE: HG_COD_SSC_WelcomeSign_CorrectHebrew

I'm still working on this. When I sent you the email it was for your review and approval...but I am working to locate an adequate producer for you with some available time line.

Carla

From: Carey, Julie [<mailto:careyi372@cod.edu>]
Sent: Thursday, October 02, 2014 9:53 AM
To: 'Carla Burkhart'
Cc: "Jürgen Hacker"
Subject: RE: HG_COD_SSC_WelcomeSign_CorrectHebrew

Carla,

I am waiting on one more approval on this revised artwork. Do you have a recommended vendor I should go to since we had so many issues with heat rolling vs vinyl vs direct print?

Julie

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Tuesday, September 23, 2014 7:42 PM
To: Carey, Julie
Cc: "Jürgen Hacker"
Subject: FW: HG_COD_SSC_WelcomeSign_CorrectHebrew

Julie,

Per our offer, the following is the corrected artwork for the Campus Central reception sign.

Please be sure to review it for accuracy prior to moving it into production.

Carla

Carla Burkhart



HERRICANE GRAPHICS

BRANDING THE THREE-DIMENSIONAL WORLD

1275 W Roosevelt Rd.
Ste. 112
West Chicago, IL 60185
630.293.8030 P
630.293.8031 F
M

From: Jørgen Hacker [<mailto:hacker@herricanegraphics.com>]
Sent: Tuesday, July 08, 2014 3:00 PM
To: 'Carla Burkhart HG'
Subject: HG_COD_SSC_WelcomeSign_CorrectHebrew

Hello Carla,

Attached please find the file for COD's 'SSC Welcome Sign' with the corrected greeting in 'Hebrew' ...:

140708_HG_COD_SSC_WelcomeSign_CorrectHebrew_11x17_X.pdf

Furthermore a screenshot verifying the request from COD ...:

140708_HG_HebrewScreenshot.jpg

Best Regards / Mit besten Grüßen

Jørgen



HERRICANE GRAPHICS

BRANDING THE THREE-DIMENSIONAL WORLD

1275 W. Roosevelt Road
Suite 112
West Chicago, Illinois 60185

P 630.293.8030
F 630.293.8031

The copying, use, distribution or disclosure of the confidential and proprietary information contained in this document(s) is strictly prohibited without prior written consent. Any breach shall subject the infringing party to remedies.

Weitergabe sowie Vervielfältigung dieser vertraulichen Unterlage(n), Verwertung und Mitteilung ihres Inhaltes ist nicht ohne unsere vorherige schriftliche Genehmigung gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz.

 Please think before you print

From: [Carla Burkhart](#)
To: [Carey, Julie](#)
Cc: ["Jürgen Hacker"](#)
Subject: Re: CS Exterior Wayfinding Bid
Date: Monday, October 06, 2014 11:38:43 AM

Julie, do you mean on their recent proposal or previous? Previous there was no sub for them. But I can have them list it if needed.

> On Oct 6, 2014, at 9:21 AM, "Carey, Julie" <careyj372@cod.edu> wrote:

>

> Carla,

>

> If Chicago Sign is now using a sub, who is it and why was it not listed on the bid form?

>

> Julie

>

> -----Original Message-----

> From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]

> Sent: Saturday, October 04, 2014 3:28 PM

> To: Carey, Julie

> Cc: "Jürgen Hacker"

> Subject: RE: CS Exterior Wayfinding Bid

>

> The reason CS was able to negotiate their price is because a vendor that had limited scope capacity, and wasn't able to bid timely direct to COD was able to provide pricing to CS as a subcontractor, which by comparison was far below CS.

>

> There is no change to the scope of work with exception to the footing detail which CS provided a written construction alternate for in their bid.

>

>

> I have confirmed with CS that they are in line with the bid requirements, and we recommend COD award this contract to Chicago Sign.

>

> Carla

>

> -----Original Message-----

> From: Carey, Julie [<mailto:careyj372@cod.edu>]

> Sent: Friday, October 03, 2014 4:53 PM

> To: 'Carla Burkhart'

> Cc: "Jürgen Hacker"

> Subject: RE: CS Exterior Wayfinding Bid

>

> Carla,

>

> Thanks. Can you provide me some verbage as to why Chicago Sign was willing to lower their bid from \$91,469.00 to \$45,000? Are we going to "not get"

> something we called for in the bid docs? Is this change strictly from eliminating the concrete pad, soil testing, concrete testing, coated rebar, etc. that Chicago Sign may have interpreted as required during bid?

>

> I need to include this verbage on the board letter so please let me know ASAP.

>

> Julie

>

> -----Original Message-----

> From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]

> Sent: Friday, October 03, 2014 2:32 PM
> To: Carey, Julie
> Cc: "Jürgen Hacker"
> Subject: CS Exterior Wayfinding Bid
> Importance: High

>
> Hi Julie,
>
> See the attached revised proposal from Chicago Sign.
>
> Please email me with additional comments or concerns.

> Carla

> -----Original Message-----

> From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
> Sent: Tuesday, September 30, 2014 8:49 PM
> To: 'Anderson, Shirley'; 'Carey, Julie'
> Subject: RE: Exterior Wayfinding Bid

> Hello to you both.

> CS called me tonight, and needed a little additional time to get this proposal to us, so it will be tomorrow am.

> Keeping you advised.

> I will be out the office until 12:00 tomorrow, once I have the info I will get it over.

> Carla

> -----Original Message-----

> From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
> Sent: Tuesday, September 30, 2014 9:55 AM
> To: 'Anderson, Shirley'; 'Carey, Julie'
> Subject: RE: Exterior Wayfinding Bid

> Agreed. We should not proceed or award until CS has satisfactorily fulfilled all of COD's requirements. We will not have this confirmation until to the close of business today. As soon as I have it, I will come right back to you.

> carla

> -----Original Message-----

> From: Anderson, Shirley [<mailto:andersons270@cod.edu>]
> Sent: Tuesday, September 30, 2014 9:49 AM
> To: Carla Burkhart; Carey, Julie
> Subject: RE: Exterior Wayfinding Bid

> If he sends the unit pricing and a new Base Bid total on the form provided I think we are all set.

> -----Original Message-----

> From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
> Sent: Tuesday, September 30, 2014 9:42 AM
> To: Anderson, Shirley; Carey, Julie
> Subject: RE: Exterior Wayfinding Bid
> Importance: High

> Dear Shirley and Julie,

> Per Tom Glaser and Ken Florey(confirmed yesterday by phone), you can negotiate a sealed bid, but you can ONLY negotiate with the lowest responsible bidder.

>

> Considering the time constraint with the project and weather, the fact that this contractor has worked on various projects at COD without issue, and performed timely, that they are a qualified low bidder, and are willing to negotiate to our budget, I believe it is in the best interest of COD to proceed with this contractor.

>

> I need to confirm the information relative to the addendum. On page (3) of

> (4) of the bid documents, the bidder acknowledges receipt of addendum "1"

> and utilizes the same addendum bid form as prescribed within the contract documents. In addition the contractor includes the notation " Unit pricing

> to be provided if awarded the contract". HG is not an attorney, however,

> I believe the College can elect to accept or reject on the basis of the interest of the College.

> 7. ACCEPTANCE OR REJECTION OF BIDS:

> The College of DuPage reserves the right to reject any bid if it is not deemed suitable for the purpose for

> which it is intended.

> The bidder acknowledges the right of the Owner to reject any or all bids and to waive any informality or

> irregularity in any bid received. In addition, the bidder recognizes the right of the Owner to reject a bid if

> the bidder failed to submit the data required by the bidding documents, or if the bid is in any way

> incomplete or irregular.

>

> Shirley, per our discussion yesterday, all of my information was confirmed orally by Tom and Ken Florey(counsel to the College).

>

> As previously copied, the contractor will need to confirm all pricing by writing, and the Unit pricing will need to be resubmitted.

>

> Carla

>

>

> -----Original Message-----

> From: Anderson, Shirley [<mailto:andersons270@cod.edu>]

> Sent: Tuesday, September 30, 2014 8:37 AM

> To: Carey, Julie

> Cc: 'Carla Burkhart'

> Subject: RE: Exterior Wayfinding Bid

>

> Yes rebid it please.

> You can't negotiate a sealed bid, especially when they are non-compliant (no addendum submitted with bid).

>

> -----Original Message-----

> From: Carey, Julie

> Sent: Tuesday, September 30, 2014 8:36 AM

> To: Anderson, Shirley

> Cc: Carla Burkhart; Chicagosigns@aol.com; 'Jürgen Hacker'

> Subject: Re: Exterior Wayfinding Bid

>

> Shirley,

>

> Can we negotiate a bid like this? Don't we have to rebid and Chicago sign can submit their new number on the rebid?

>

> Julie

>

> Sent from my iPad

>
>> On Sep 30, 2014, at 7:54 AM, "Anderson, Shirley"
>> <andersons270@cod.edu>
> wrote:
>>
>> What about the fact that he did not complete the Addendum? (attached)
>>
>> From: Carla Burkhardt [<mailto:cburkhardt@herricanegraphics.com>]
>> Sent: Monday, September 29, 2014 6:04 PM
>> To: Chicagosigns@aol.com
>> Cc: Carey, Julie; Anderson, Shirley; "Jürgen Hacker"
>> Subject: Exterior Wayfinding Bid
>> Importance: High
>>
>> Dear John,
>>
>> Thank you for bidding the College of DuPage Exterior Wayfinding Bid.
>>
>> As per our discussion, Chicago Sign has agreed to a negotiated price
>> of \$40,000.00 (a revised proposal forthcoming) for the entire scope
>> of work, to include the use of the construction alternate concerning
>> the footing detail (which matches the current site footing pier
>> detail.)
>>
>> So to ensure that there is no misconception, or misunderstanding,
>> please
> re-review your number one more time and get back to me in writing no later than 5:00 PM tomorrow
with written confirmation.
>>
>> Thank you again for working with us on this proposal, and we look
>> forward
> to working together in the future.
>>
>> Best regards,
>>
>> Carla Burkhardt
>> [Hurricane-Outlook-Signature]
>>
>>
>>
>>
>> <2015-B0033 Addendum #1 Update Exterior Directional Signage.pdf>
>> <image001.png>
>
>
>

From: [Carla Burkhart](#)
To: [Carey, Julie](#)
Cc: ["Jürgen Hacker"](#)
Subject: Re: HG_COD_SSC_WelcomeSign_CorrectHebrew
Date: Monday, October 06, 2014 11:39:39 AM

No. Everyone says they are to back logged.

On Oct 6, 2014, at 11:37 AM, "Carey, Julie" <careyj372@cod.edu> wrote:

Carla,

Any update on a recommended vendor?

Julie

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Thursday, October 02, 2014 10:01 AM
To: Carey, Julie
Cc: "Jürgen Hacker"
Subject: RE: HG_COD_SSC_WelcomeSign_CorrectHebrew

I'm still working on this. When I sent you the email it was for your review and approval...but I am working to locate an adequate producer for you with some available time line.

Carla

From: Carey, Julie [<mailto:careyj372@cod.edu>]
Sent: Thursday, October 02, 2014 9:53 AM
To: 'Carla Burkhart'
Cc: "Jürgen Hacker"
Subject: RE: HG_COD_SSC_WelcomeSign_CorrectHebrew

Carla,

I am waiting on one more approval on this revised artwork. Do you have a recommended vendor I should go to since we had so many issues with heat rolling vs vinyl vs direct print?

Julie

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Tuesday, September 23, 2014 7:42 PM
To: Carey, Julie
Cc: "Jürgen Hacker"
Subject: FW: HG_COD_SSC_WelcomeSign_CorrectHebrew

Julie,

Per our offer, the following is the corrected artwork for the Campus Central reception sign.

Please be sure to review it for accuracy prior to moving it into production.

Carla

<image001.png>

From: Jürgen Hacker [<mailto:jhacker@herricanegraphics.com>]

Sent: Tuesday, July 08, 2014 3:00 PM

To: 'Carla Burkhart HG'

Subject: HG_COD_SSC_WelcomeSign_CorrectHebrew

Hello Carla,

Attached please find the file for COD's 'SSC Welcome Sign' with the corrected greeting in 'Hebrew' ...:

140708_HG_COD_SSC_WelcomeSign_CorrectHebrew_11x17_X.pdf

Furthermore a screenshot verifying the request from COD ...:

140708_HG_HebrewScreenshot.jpg

Best Regards / Mit besten Grüßen

Jürgen

<image002.jpg>

1275 W. Roosevelt Road
Suite 112
West Chicago, Illinois 60185

P 630.293.8030

F 630.293.8031

The copying, use, distribution or disclosure of the confidential and proprietary information contained in this document(s) is strictly prohibited without prior written consent. Any breach shall subject the infringing party to remedies.

Weitergabe sowie Vervielfältigung dieser vertraulichen Unterlage(n), Verwertung und Mitteilung ihres Inhaltes ist nicht ohne unsere vorherige schriftliche Genehmigung gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz.

 Please think before you print

From: [Carey, Julie](#)
To: ["Carla Burkhart"](#)
Cc: ["Jürgen Hacker"](#)
Subject: RE: CS Exterior Wayfinding Bid
Date: Monday, October 06, 2014 11:42:23 AM

Carla,

You state below we were able to negotiate Chicago Sign's bid down to \$45,000 because a vendor that was not able to bid directly to COD in a timely manner submitted a price to Chicago Sign. Who is this sub and what will they be doing? COD needs to know of all subs / contractors. Please let me know so I can release the board letter. The President's office is calling me every 10 minutes requesting this board write up and I cannot release it until I have this information.

Julie

-----Original Message-----

From: Carla Burkhart [mailto:cburkhart@herricanegraphics.com]
Sent: Monday, October 06, 2014 11:39 AM
To: Carey, Julie
Cc: 'Jürgen Hacker'
Subject: Re: CS Exterior Wayfinding Bid

Julie, do you mean on their recent proposal or previous? Previous there was no sub for them. But I can have them list it if needed.

> On Oct 6, 2014, at 9:21 AM, "Carey, Julie" <careyj372@cod.edu> wrote:

>

> Carla,

>

> If Chicago Sign is now using a sub, who is it and why was it not listed on the bid form?

>

> Julie

>

> -----Original Message-----

> From: Carla Burkhart [mailto:cburkhart@herricanegraphics.com]
> Sent: Saturday, October 04, 2014 3:28 PM
> To: Carey, Julie
> Cc: "Jürgen Hacker"
> Subject: RE: CS Exterior Wayfinding Bid

>

> The reason CS was able to negotiate their price is because a vendor that had limited scope capacity, and wasn't able to bid timely direct to COD was able to provide pricing to CS as a subcontractor, which by comparison was far below CS.

>

> There is no change to the scope of work with exception to the footing detail which CS provided a written construction alternate for in their bid.

>

>

> I have confirmed with CS that they are in line with the bid requirements, and we recommend COD award this contract to Chicago Sign.

>

> Carla

>

> -----Original Message-----

> From: Carey, Julie [mailto:careyj372@cod.edu]

> Sent: Friday, October 03, 2014 4:53 PM

> To: 'Carla Burkhart'

> Cc: "Jürgen Hacker"

> Subject: RE: CS Exterior Wayfinding Bid

>

> Carla,

>

> Thanks. Can you provide me some verbage as to why Chicago Sign was willing to lower their bid from \$91,469.00 to \$45,000? Are we going to "not get"

> something we called for in the bid docs? Is this change strictly from eliminating the concrete pad, soil testing, concrete testing, coated rebar, etc. that Chicago Sign may have interpreted as required during bid?

>

> I need to include this verbage on the board letter so please let me know ASAP.

>

> Julie

>

> -----Original Message-----

> From: Carla Burkhart [mailto:cburkhart@herricanegraphics.com]

> Sent: Friday, October 03, 2014 2:32 PM

> To: Carey, Julie

> Cc: "Jürgen Hacker"

> Subject: CS Exterior Wayfinding Bid

> Importance: High

>

> Hi Julie,

>

> See the attached revised proposal from Chicago Sign.

>

> Please email me with additional comments or concerns.

>

> Carla

>

> -----Original Message-----

> From: Carla Burkhart [mailto:cburkhart@herricanegraphics.com]
> Sent: Tuesday, September 30, 2014 8:49 PM
> To: 'Anderson, Shirley'; 'Carey, Julie'
> Subject: RE: Exterior Wayfinding Bid

>
> Hello to you both.

>
> CS called me tonight, and needed a little additional time to get this proposal to us, so it will be tomorrow am.

>
> Keeping you advised.

>
> I will be out the office until 12:00 tomorrow, once I have the info I will get it over.

>
> Carla

>
> -----Original Message-----

> From: Carla Burkhart [mailto:cburkhart@herricanegraphics.com]
> Sent: Tuesday, September 30, 2014 9:55 AM
> To: 'Anderson, Shirley'; 'Carey, Julie'
> Subject: RE: Exterior Wayfinding Bid

>
> Agreed. We should not proceed or award until CS has satisfactorily fulfilled all of COD's requirements. We will not have this confirmation until to the close of business today. As soon as I have it, I will come right back to you.

>
> carla

>
> -----Original Message-----

> From: Anderson, Shirley [mailto:andersons270@cod.edu]
> Sent: Tuesday, September 30, 2014 9:49 AM
> To: Carla Burkhart; Carey, Julie
> Subject: RE: Exterior Wayfinding Bid

>
> If he sends the unit pricing and a new Base Bid total on the form provided I think we are all set.

>
> -----Original Message-----

> From: Carla Burkhart [mailto:cburkhart@herricanegraphics.com]
> Sent: Tuesday, September 30, 2014 9:42 AM
> To: Anderson, Shirley; Carey, Julie
> Subject: RE: Exterior Wayfinding Bid

> Importance: High

>
> Dear Shirley and Julie,

>

> Per Tom Glaser and Ken Florey(confirmed yesterday by phone), you can negotiate a sealed bid, but you can ONLY negotiate with the lowest responsible bidder.

>

> Considering the time constraint with the project and weather, the fact that this contractor has worked on various projects at COD without issue, and performed timely, that they are a qualified low bidder, and are willing to negotiate to our budget, I believe it is in the best interest of COD to proceed with this contractor.

>

> I need to confirm the information relative to the addendum. On page

> (3) of

> (4) of the bid documents, the bidder acknowledges receipt of addendum "1"

> and utilizes the same addendum bid form as prescribed within the contract documents. In addition the contractor includes the notation " Unit pricing

> to be provided if awarded the contract". HG is not an attorney, however,

> I believe the College can elect to accept or reject on the basis of the interest of the College.

> 7. ACCEPTANCE OR REJECTION OF BIDS:

> The College of DuPage reserves the right to reject any bid if it is not deemed suitable for the purpose for

> which it is intended.

> The bidder acknowledges the right of the Owner to reject any or all bids and to waive any informality or

> irregularity in any bid received. In addition, the bidder recognizes the right of the Owner to reject a bid if

> the bidder failed to submit the data required by the bidding documents, or if the bid is in any way

> incomplete or irregular.

>

> Shirley, per our discussion yesterday, all of my information was confirmed orally by Tom and Ken Florey(counsel to the College).

>

> As previously copied, the contractor will need to confirm all pricing by writing, and the Unit pricing will need to be resubmitted.

>

> Carla

>

>

> -----Original Message-----

> From: Anderson, Shirley [mailto:andersons270@cod.edu]

> Sent: Tuesday, September 30, 2014 8:37 AM

> To: Carey, Julie

> Cc: 'Carla Burkhart'

> Subject: RE: Exterior Wayfinding Bid

>

> Yes rebid it please.

> You can't negotiate a sealed bid, especially when they are non-compliant (no addendum submitted with bid).

>

> -----Original Message-----

> From: Carey, Julie

> Sent: Tuesday, September 30, 2014 8:36 AM

> To: Anderson, Shirley

> Cc: Carla Burkhart; Chicagosigns@aol.com; Jürgen Hacker

> Subject: Re: Exterior Wayfinding Bid

>

> Shirley,

>

> Can we negotiate a bid like this? Don't we have to rebid and Chicago sign can submit their new number on the rebid?

>

> Julie

>

> Sent from my iPad

>

>> On Sep 30, 2014, at 7:54 AM, "Anderson, Shirley"

>> <andersons270@cod.edu>

> wrote:

>>

>> What about the fact that he did not complete the Addendum? (attached)

>>

>> From: Carla Burkhart [mailto:cburkhart@herricanegraphics.com]

>> Sent: Monday, September 29, 2014 6:04 PM

>> To: Chicagosigns@aol.com

>> Cc: Carey, Julie; Anderson, Shirley; "Jürgen Hacker"

>> Subject: Exterior Wayfinding Bid

>> Importance: High

>>

>> Dear John,

>>

>> Thank you for bidding the College of DuPage Exterior Wayfinding Bid.

>>

>> As per our discussion, Chicago Sign has agreed to a negotiated price
>> of \$40,000.00 (a revised proposal forthcoming) for the entire scope
>> of work, to include the use of the construction alternate concerning
>> the footing detail (which matches the current site footing pier
>> detail.)

>>

>> So to ensure that there is no misconception, or misunderstanding,

>> please

> re-review your number one more time and get back to me in writing no later than 5:00 PM

tomorrow with written confirmation.

>>

>> Thank you again for working with us on this proposal, and we look
>> forward

> to working together in the future.

>>

>> Best regards,

>>

>> Carla Burkhart

>> [Herricane-Outlook-Signature]

>>

>>

>>

>>

>> <2015-B0033 Addendum #1 Update Exterior Directional Signage.pdf>

>> <image001.png>

>

>

>

From: [Carla Burkhart](#)
To: [Carey, Julie](#)
Cc: ["Jürgen Hacker"](#)
Subject: Re: CS Exterior Wayfinding Bid
Date: Monday, October 06, 2014 12:10:46 PM

Julie , er2 is their sub.

On Oct 6, 2014, at 11:42 AM, "Carey, Julie" <careyj372@cod.edu> wrote:

Carla,

You state below we were able to negotiate Chicago Sign's bid down to \$45,000 because a vendor that was not able to bid directly to COD in a timely manner submitted a price to Chicago Sign. Who is this sub and what will they be doing? COD needs to know of all subs / contractors. Please let me know so I can release the board letter. The President's office is calling me every 10 minutes requesting this board write up and I cannot release it until I have this information.

Julie

-----Original Message-----

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Monday, October 06, 2014 11:39 AM
To: Carey, Julie
Cc: 'Jürgen Hacker'
Subject: Re: CS Exterior Wayfinding Bid

Julie, do you mean on their recent proposal or previous? Previous there was no sub for them. But I can have them list it if needed.

> On Oct 6, 2014, at 9:21 AM, "Carey, Julie" <careyj372@cod.edu> wrote:

>

> Carla,

>

> If Chicago Sign is now using a sub, who is it and why was it not listed on the bid form?

>

> Julie

>

> -----Original Message-----

> From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
> Sent: Saturday, October 04, 2014 3:28 PM
> To: Carey, Julie
> Cc: "Jürgen Hacker"
> Subject: RE: CS Exterior Wayfinding Bid

>
> The reason CS was able to negotiate their price is because a vendor that had limited scope capacity, and wasn't able to bid timely direct to COD was able to provide pricing to CS as a subcontractor, which by comparison was far below CS.
>
> There is no change to the scope of work with exception to the footing detail which CS provided a written construction alternate for in their bid.
>
>
> I have confirmed with CS that they are in line with the bid requirements, and we recommend COD award this contract to Chicago Sign.
>
> Carla
>
> -----Original Message-----
> From: Carey, Julie [<mailto:careyj372@cod.edu>]
> Sent: Friday, October 03, 2014 4:53 PM
> To: 'Carla Burkhart'
> Cc: "Jürgen Hacker"
> Subject: RE: CS Exterior Wayfinding Bid
>
> Carla,
>
> Thanks. Can you provide me some verbage as to why Chicago Sign was willing to lower their bid from \$91,469.00 to \$45,000? Are we going to "not get" something we called for in the bid docs? Is this change strictly from eliminating the concrete pad, soil testing, concrete testing, coated rebar, etc. that Chicago Sign may have interpreted as required during bid?
>
> I need to include this verbage on the board letter so please let me know ASAP.
>
> Julie
>
> -----Original Message-----
> From: Carla Burkhart [<mailto:churkhart@herricanegraphics.com>]
> Sent: Friday, October 03, 2014 2:32 PM
> To: Carey, Julie
> Cc: "Jürgen Hacker"
> Subject: CS Exterior Wayfinding Bid
> Importance: High
>
> Hi Julie,
>
> See the attached revised proposal from Chicago Sign.
>

> Please email me with additional comments or concerns.

>

> Carla

>

> -----Original Message-----

> From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]

> Sent: Tuesday, September 30, 2014 8:49 PM

> To: 'Anderson, Shirley'; 'Carey, Julie'

> Subject: RE: Exterior Wayfinding Bid

>

> Hello to you both.

>

> CS called me tonight, and needed a little additional time to get this proposal to us, so it will be tomorrow am.

>

> Keeping you advised.

>

> I will be out the office until 12:00 tomorrow, once I have the info I will get it over.

>

> Carla

>

> -----Original Message-----

> From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]

> Sent: Tuesday, September 30, 2014 9:55 AM

> To: 'Anderson, Shirley'; 'Carey, Julie'

> Subject: RE: Exterior Wayfinding Bid

>

> Agreed. We should not proceed or award until CS has satisfactorily fulfilled all of COD's requirements. We will not have this confirmation until to the close of business today. As soon as I have it, I will come right back to you.

>

> carla

>

> -----Original Message-----

> From: Anderson, Shirley [<mailto:andersons270@cod.edu>]

> Sent: Tuesday, September 30, 2014 9:49 AM

> To: Carla Burkhart; Carey, Julie

> Subject: RE: Exterior Wayfinding Bid

>

> If he sends the unit pricing and a new Base Bid total on the form provided I think we are all set.

>

> -----Original Message-----

> From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]

> Sent: Tuesday, September 30, 2014 9:42 AM

> To: Anderson, Shirley; Carey, Julie

> Subject: RE: Exterior Wayfinding Bid

> Importance: High

>

> Dear Shirley and Julie,

>

> Per Tom Glaser and Ken Florey(confirmed yesterday by phone), you can negotiate a sealed bid, but you can ONLY negotiate with the lowest responsible bidder.

>

> Considering the time constraint with the project and weather, the fact that this contractor has worked on various projects at COD without issue, and performed timely, that they are a qualified low bidder, and are willing to negotiate to our budget, I believe it is in the best interest of COD to proceed with this contractor.

>

> I need to confirm the information relative to the addendum. On page

> (3) of

> (4) of the bid documents, the bidder acknowledges receipt of addendum "1"

> and utilizes the same addendum bid form as prescribed within the contract

> documents. In addition the contractor includes the notation " Unit pricing

> to be provided if awarded the contract". HG is not an attorney, however,

> I believe the College can elect to accept or reject on the basis of the interest of the College.

> 7. ACCEPTANCE OR REJECTION OF BIDS:

> The College of DuPage reserves the right to reject any bid if it is not deemed suitable for the purpose for

> which it is intended.

> The bidder acknowledges the right of the Owner to reject any or all bids and to waive any informality or

> irregularity in any bid received. In addition, the bidder recognizes the right of the Owner to reject a bid if

> the bidder failed to submit the data required by the bidding documents, or if the bid is in any way

> incomplete or irregular.

>

> Shirley, per our discussion yesterday, all of my information was confirmed orally by Tom and Ken Florey(counsel to the College).

>

> As previously copied, the contractor will need to confirm all pricing by writing, and the Unit pricing will need to be resubmitted.

>

> Carla

>

>

> -----Original Message-----

> From: Anderson, Shirley [<mailto:andersons270@cod.edu>]

> Sent: Tuesday, September 30, 2014 8:37 AM

> To: Carey, Julie

> Cc: 'Carla Burkhart'

> Subject: RE: Exterior Wayfinding Bid

>

> Yes rebid it please.

> You can't negotiate a sealed bid, especially when they are non-compliant (no addendum submitted with bid).

>

> -----Original Message-----

> From: Carey, Julie

> Sent: Tuesday, September 30, 2014 8:36 AM

> To: Anderson, Shirley

> Cc: Carla Burkhart; Chicagosigns@aol.com; 'Jürgen Hacker

> Subject: Re: Exterior Wayfinding Bid

>

> Shirley,

>

> Can we negotiate a bid like this? Don't we have to rebid and Chicago sign can submit their new number on the rebid?

>

> Julie

>

> Sent from my iPad

>

>> On Sep 30, 2014, at 7:54 AM, "Anderson, Shirley"

>> <andersons270@cod.edu>

> wrote:

>>

>> What about the fact that he did not complete the Addendum? (attached)

>>

>> From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]

>> Sent: Monday, September 29, 2014 6:04 PM

>> To: Chicagosigns@aol.com

>> Cc: Carey, Julie; Anderson, Shirley; "Jürgen Hacker"

>> Subject: Exterior Wayfinding Bid

>> Importance: High

>>

>> Dear John,

>>

>> Thank you for bidding the College of DuPage Exterior Wayfinding Bid.

>>

>> As per our discussion, Chicago Sign has agreed to a negotiated price

>> of \$40,000.00 (a revised proposal forthcoming) for the entire scope
>> of work, to include the use of the construction alternate concerning
>> the footing detail (which matches the current site footing pier
>> detail.)

>>

>> So to ensure that there is no misconception, or misunderstanding,
>> please

> re-review your number one more time and get back to me in writing no later
than 5:00 PM tomorrow with written confirmation.

>>

>> Thank you again for working with us on this proposal, and we look
>> forward

> to working together in the future.

>>

>> Best regards,

>>

>> Carla Burkhart

>> [Herricane-Outlook-Signature]

>>

>>

>>

>>

>> <2015-B0033 Addendum #1 Update Exterior Directional Signage.pdf>

>> <image001.png>

>

>

>

From: [Carey, Julie](#)
To: ["Carla Burkhart"](#)
Cc: ["Jürgen Hacker"](#)
Subject: RE: CS Exterior Wayfinding Bid
Date: Monday, October 06, 2014 12:17:59 PM

Per our phone conversation, er2 is a material supplier, not an installer, for the Update Exterior Directional signage project.

Julie

From: Carla Burkhart [mailto:cburkhart@herricanegraphics.com]
Sent: Monday, October 06, 2014 12:10 PM
To: Carey, Julie
Cc: 'Jürgen Hacker'
Subject: Re: CS Exterior Wayfinding Bid

Julie , er2 is their sub.

On Oct 6, 2014, at 11:42 AM, "Carey, Julie" <careyj372@cod.edu> wrote:

Carla,

You state below we were able to negotiate Chicago Sign's bid down to \$45,000 because a vendor that was not able to bid directly to COD in a timely manner submitted a price to Chicago Sign. Who is this sub and what will they be doing? COD needs to know of all subs / contractors. Please let me know so I can release the board letter. The President's office is calling me every 10 minutes requesting this board write up and I cannot release it until I have this information.

Julie

-----Original Message-----

From: Carla Burkhart [mailto:cburkhart@herricanegraphics.com]
Sent: Monday, October 06, 2014 11:39 AM
To: Carey, Julie
Cc: 'Jürgen Hacker'
Subject: Re: CS Exterior Wayfinding Bid

Julie, do you mean on their recent proposal or previous? Previous there was no sub for them. But I can have them list it if needed.

> On Oct 6, 2014, at 9:21 AM, "Carey, Julie" <careyj372@cod.edu> wrote:

>

> Carla,

>

> If Chicago Sign is now using a sub, who is it and why was it not listed on the bid

form?

>

> Julie

>

> -----Original Message-----

> From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]

> Sent: Saturday, October 04, 2014 3:28 PM

> To: Carey, Julie

> Cc: "Jürgen Hacker"

> Subject: RE: CS Exterior Wayfinding Bid

>

> The reason CS was able to negotiate their price is because a vendor that had limited scope capacity, and wasn't able to bid timely direct to COD was able to provide pricing to CS as a subcontractor, which by comparison was far below CS.

>

> There is no change to the scope of work with exception to the footing detail which CS provided a written construction alternate for in their bid.

>

>

> I have confirmed with CS that they are in line with the bid requirements, and we recommend COD award this contract to Chicago Sign.

>

> Carla

>

> -----Original Message-----

> From: Carey, Julie [<mailto:careyj372@cod.edu>]

> Sent: Friday, October 03, 2014 4:53 PM

> To: 'Carla Burkhart'

> Cc: "Jürgen Hacker"

> Subject: RE: CS Exterior Wayfinding Bid

>

> Carla,

>

> Thanks. Can you provide me some verbage as to why Chicago Sign was willing to lower their bid from \$91,469.00 to \$45,000? Are we going to "not get"

> something we called for in the bid docs? Is this change strictly from eliminating the concrete pad, soil testing, concrete testing, coated rebar, etc. that Chicago Sign may have interpreted as required during bid?

>

> I need to include this verbage on the board letter so please let me know ASAP.

>

> Julie

>

> -----Original Message-----

> From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]

> Sent: Friday, October 03, 2014 2:32 PM
> To: Carey, Julie
> Cc: "Jürgen Hacker"
> Subject: CS Exterior Wayfinding Bid
> Importance: High
>
> Hi Julie,
>
> See the attached revised proposal from Chicago Sign.
>
> Please email me with additional comments or concerns.
>
> Carla
>
> -----Original Message-----
> From: Carla Burkhardt [<mailto:cburkhardt@herricanegraphics.com>]
> Sent: Tuesday, September 30, 2014 8:49 PM
> To: 'Anderson, Shirley'; 'Carey, Julie'
> Subject: RE: Exterior Wayfinding Bid
>
> Hello to you both.
>
> CS called me tonight, and needed a little additional time to get this proposal to us, so it will be tomorrow am.
>
> Keeping you advised.
>
> I will be out the office until 12:00 tomorrow, once I have the info I will get it over.
>
> Carla
>
> -----Original Message-----
> From: Carla Burkhardt [<mailto:cburkhardt@herricanegraphics.com>]
> Sent: Tuesday, September 30, 2014 9:55 AM
> To: 'Anderson, Shirley'; 'Carey, Julie'
> Subject: RE: Exterior Wayfinding Bid
>
> Agreed. We should not proceed or award until CS has satisfactorily fulfilled all of COD's requirements. We will not have this confirmation until to the close of business today. As soon as I have it, I will come right back to you.
>
> carla
>
> -----Original Message-----

> From: Anderson, Shirley [<mailto:andersons270@cod.edu>]
> Sent: Tuesday, September 30, 2014 9:49 AM
> To: Carla Burkhardt; Carey, Julie
> Subject: RE: Exterior Wayfinding Bid
>
> If he sends the unit pricing and a new Base Bid total on the form provided I think we are all set.
>
> -----Original Message-----
> From: Carla Burkhardt [<mailto:cburkhart@herricanegraphics.com>]
> Sent: Tuesday, September 30, 2014 9:42 AM
> To: Anderson, Shirley; Carey, Julie
> Subject: RE: Exterior Wayfinding Bid
> Importance: High
>
> Dear Shirley and Julie,
>
> Per Tom Glaser and Ken Florey(confirmed yesterday by phone), you can negotiate a sealed bid, but you can ONLY negotiate with the lowest responsible bidder.
>
> Considering the time constraint with the project and weather, the fact that this contractor has worked on various projects at COD without issue, and performed timely, that they are a qualified low bidder, and are willing to negotiate to our budget, I believe it is in the best interest of COD to proceed with this contractor.
>
> I need to confirm the information relative to the addendum. On page
> (3) of
> (4) of the bid documents, the bidder acknowledges receipt of addendum "1"
> and utilizes the same addendum bid form as prescribed within the contract documents. In addition the contractor includes the notation " Unit pricing
> to be provided if awarded the contract". HG is not an attorney, however,
> I believe the College can elect to accept or reject on the basis of the interest of the College.
>
> 7. ACCEPTANCE OR REJECTION OF BIDS:
> The College of DuPage reserves the right to reject any bid if it is not deemed suitable for the purpose for
> which it is intended.
> The bidder acknowledges the right of the Owner to reject any or all bids and to waive any informality or
> irregularity in any bid received. In addition, the bidder recognizes the right of the Owner to reject a bid if
> the bidder failed to submit the data required by the bidding documents, or if the bid is in any way
> incomplete or irregular.

>
> Shirley, per our discussion yesterday, all of my information was confirmed orally by Tom and Ken Florey(counsel to the College).
>
> As previously copied, the contractor will need to confirm all pricing by writing, and the Unit pricing will need to be resubmitted.
>
> Carla
>
>
> -----Original Message-----
> From: Anderson, Shirley [<mailto:andersons270@cod.edu>]
> Sent: Tuesday, September 30, 2014 8:37 AM
> To: Carey, Julie
> Cc: 'Carla Burkhart'
> Subject: RE: Exterior Wayfinding Bid
>
> Yes rebid it please.
> You can't negotiate a sealed bid, especially when they are non-compliant (no addendum submitted with bid).
>
> -----Original Message-----
> From: Carey, Julie
> Sent: Tuesday, September 30, 2014 8:36 AM
> To: Anderson, Shirley
> Cc: Carla Burkhart; Chicagosigns@aol.com; Jürgen Hacker
> Subject: Re: Exterior Wayfinding Bid
>
> Shirley,
>
> Can we negotiate a bid like this? Don't we have to rebid and Chicago sign can submit their new number on the rebid?
>
> Julie
>
> Sent from my iPad
>
>> On Sep 30, 2014, at 7:54 AM, "Anderson, Shirley"
>> <andersons270@cod.edu>
> wrote:
>>
>> What about the fact that he did not complete the Addendum? (attached)
>>
>> From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
>> Sent: Monday, September 29, 2014 6:04 PM

>> To: Chicagosigns@aol.com
>> Cc: Carey, Julie; Anderson, Shirley; "Jürgen Hacker"
>> Subject: Exterior Wayfinding Bid
>> Importance: High
>>
>> Dear John,
>>
>> Thank you for bidding the College of DuPage Exterior Wayfinding Bid.
>>
>> As per our discussion, Chicago Sign has agreed to a negotiated price
>> of \$40,000.00 (a revised proposal forthcoming) for the entire scope
>> of work, to include the use of the construction alternate concerning
>> the footing detail (which matches the current site footing pier
>> detail.)
>>
>> So to ensure that there is no misconception, or misunderstanding,
>> please
> re-review your number one more time and get back to me in writing no later
> than 5:00 PM tomorrow with written confirmation.
>>
>> Thank you again for working with us on this proposal, and we look
>> forward
> to working together in the future.
>>
>> Best regards,
>>
>> Carla Burkhart
>> [Herricane-Outlook-Signature]
>>
>>
>>
>>
>> <2015-B0033 Addendum #1 Update Exterior Directional Signage.pdf>
>> <image001.png>
>
>
>

From: Carey, Julie
To: "cburkhart@harricanegraphics.com"; "Jürgen Hacker" (jhacker@harricanegraphics.com)
Subject: PW: Alphabetized Charter Member Names for Vendor YW & JO Edits.090314.xlsx
Date: Monday, October 06, 2014 12:26:28 PM

Carla / Jurgen,

See clarification on the changes to the MAC Donor Wall below. We need to keep "The" afterall, but note the other changes below. Please update the file one more time and send over for final review. I spoke with the Foundation on the phone about these so if you have any confusion on what needs to happen, don't hesitate to call me.

Julia Carey

From: Martino, Sarah
Sent: Monday, October 06, 2014 12:06 PM
To: Carey, Julie; Kuhn, Karen
Cc: Weeks, Yashica; Oldfield, Jane
Subject: RE: Alphabetized Charter Member Names for Vendor YW & JO Edits.090314.xlsx

It has been confirmed with Mark Wight, who is the one quoted in the quote below. **Their names should not be changed on their donor listings – this is only for the quote below.**

The panel below should read (per the individual being quoted)
In memory of our friend Cleve, "a crazed art psycho." **Mark Wight & Eszter Borvendég**
Wight & Company should be removed from the quote.



These are the recent changes to donor listings, per Yashica:

McAninch Society panel:
Keep "The" before The DuPage Community Foundation
Keep "The" before The JCS Fund of The DuPage Community Foundation

Charter Donor panel
Keep "The" before The DuPage Community Foundation

These changes were sent to the designers before production:

Seaton Panel:
Request should say Bequest

Cleve Carney Panel:
remove Cleve Carney from the 'Silver' category, as he is listed in 'Platinum'

Sarah

From: [Carey, Julie](#)
To: ["cburkhart@herricanegraphics.com"](mailto:cburkhart@herricanegraphics.com)
Subject: BRING TOMORROW - CM SERVICES CONTRACT
Date: Monday, October 06, 2014 3:26:54 PM
Importance: High

Carla,

The CM Services contracts have not arrived to my office. Please bring (3) originals of each document to our 1:30 PM meeting tomorrow.

Julie Carey
Senior Project Manager
College of DuPage
425 Fawell Blvd.
Glen Ellyn, IL 60137
630.942.4275
careyj372@cod.edu

From: [Carey, Julie](#)
To: "Jürgen Hacker"
Cc: "Carla Burkhardt HG"
Subject: RE: HG_COD_MAC_Exterior+InteriorSignage_RFX
Date: Tuesday, October 07, 2014 9:08:29 AM
Attachments: [Extract pages from 141003 HG COD MAC Exterior+InteriorSignage RFA 11x17.pdf](#)

Jurgen,

Please see attached sample title block. I like the idea of crossing out the old RFP and addendum lines, but we need to add the addendum #1 symbol showing that this addendum is eliminating references of the old addendum.

I also want the RFP line item to include Rebid with the date of when the docs hit the street (9/29) and a new addendum line item with today's date.

Please update the title block on these drawings and re-send. I have the cover sheet ready to go and hope to issue this out today.

Julie

From: Jürgen Hacker [mailto:jhacker@herricanegraphics.com]
Sent: Friday, October 03, 2014 12:35 PM
To: Carey, Julie
Cc: 'Carla Burkhardt HG'
Subject: HG_COD_MAC_Exterior+InteriorSignage_RFX

Hello Julie,

Based on your request from 09/29 we are still not entirely sure on how you would like to have the title block on the drawings for COD's 'MAC Exterior + Interior Signage' - so we did 2 versions for your review ...:

[141003_HG_COD_MAC_Exterior+InteriorSignage_RFA_11x17.pdf](#)
[141003_HG_COD_MAC_Exterior+InteriorSignage_RFB_11x17.pdf](#)

Please advise!

Thank You! - Best Regards / Mit besten Grüßen

Jürgen



1275 W. Roosevelt Road
Suite 112
West Chicago, Illinois 60185

P 630.293.8030

F 630.293.8031

The copying, use, distribution or disclosure of the confidential and proprietary information contained in this document(s) is

From: [Breuder, Dr. Robert](#)
To: [Carla Burkhart](#)
Cc: [Schmiedl, Bruce](#)
Subject: FW: COD MAC planter pier further thoughts
Date: Tuesday, October 07, 2014 11:34:57 AM
Attachments: [COD MAC planter pier with graphic option A.pdf](#)
[COD MAC planter pier with graphic option B.pdf](#)
[COD MAC planter pier with graphic option C.pdf](#)

Carla,

Any thoughts? I think we already have something in mind. We do not want to over sign. I appreciate Randy's careful eye.

Thanks.

B

From: Randy Machelski [mailto:Randy.Machelski@smithgroupjir.com]
Sent: Monday, October 06, 2014 6:41 PM
To: Breuder, Dr. Robert
Subject: COD MAC planter pier further thoughts

Hello Dr. Breuder,

Hope you are doing well.

The precast planters installed at the MAC are very nice – especially with the seasonal plant materials. What do you think of 'mounting' a surface graphic on the pier planters? This graphic could evoke inspiration from the MAC logo, be colorful or a tasteful bronze, be the MAC logo or an extrapolation, i.e. the shooting stars (see attached quick images). If you wanted to pursue the thought further, should we ask Carla, or just leave the pier planters as they are?

A thought I wanted to share.

Randy

Randy Machelski

Associate
Landscape Architect

SmithGroupJJR

35 E. Wacker Drive, Suite 2200
Chicago, IL 60601

t 312.641.0770 d 312.641.6755
f 734.780.2384 c [REDACTED]

Randy.Machelski@smithgroupjir.com


Expect the Unexpected.

Visit www.smithgroupjir.com

Follow us on [LinkedIn](#) | [@SmithGroupJJR](#)

From: [Jürgen Hacker](#)
To: [Carey, Julie](#)
Cc: ["Carla Burkhardt HG"](#)
Subject: RE: HG_COD_MAC_Exterior+InteriorSignage_RFX
Date: Tuesday, October 07, 2014 12:13:49 PM
Attachments: [141007_HG_COD_MAC_Exterior+InteriorSignage_RFP_11x17.pdf](#)

Hello Julie,

Hope the attachment is what you were looking for .

[141007_HG_COD_MAC_Exterior+InteriorSignage_RFP_11x17.pdf](#)

Looking forward to your feedback!

Thank You! - Best Regards / Mit besten Grüßen

Jrgen





1275 W. Roosevelt Road
Suite 112
West Chicago, Illinois 60185

P 630.293.8030
F 630.293.8031

The copying, use, distribution or disclosure of the confidential and proprietary information contained in this document(s) is strictly prohibited without prior written consent. Any breach shall subject the infringing party to remedies.

Weitergabe sowie Vervielfältigung dieser vertraulichen Unterlage(n), Verwertung und Mitteilung ihres Inhaltes ist nicht ohne unsere vorherige schriftliche Genehmigung gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz.

 Please think before you print

From: Carey, Julie [mailto:careyj372@cod.edu]
Sent: Tuesday, October 07, 2014 09:08 AM
To: 'Jrgen Hacker'
Cc: 'Carla Burkhardt HG'
Subject: RE: HG_COD_MAC_Exterior+InteriorSignage_RFX

Jurgen,

Please see attached sample title block. I like the idea of crossing out the old RFP and addendum lines, but we need to add the addendum #1 symbol showing that this addendum is eliminating references of the old addendum.

I also want the RFP line item to include Rebid with the date of when the docs hit the street (9/29) and a new addendum line item with today's date.

Please update the title block on these drawings and re-send. I have the cover sheet ready to go and hope to issue this out today.

Julie

From: Jørgen Hacker [<mailto:jhacker@herricanegraphics.com>]
Sent: Friday, October 03, 2014 12:35 PM
To: Carey, Julie
Cc: 'Carla Burkhardt HG'
Subject: HG_COD_MAC_Exterior+InteriorSignage_RFX

Hello Julie,

Based on your request from 09/29 we are still not entirely sure on how you would like to have the title block on the drawings for CODs MAC Exterior + Interior Signage - so we did 2 versions for your review:

141003_HG_COD_MAC_Exterior+InteriorSignage_RFA_11x17.pdf
141003_HG_COD_MAC_Exterior+InteriorSignage_RFB_11x17.pdf

Please advise!

Thank You! - Best Regards / Mit besten Grüßen

Jørgen




1275 W. Roosevelt Road
Suite 112
West Chicago, Illinois 60185

P 630.293.8030
F 630.293.8031

The copying, use, distribution or disclosure of the confidential and proprietary information contained in this document(s) is strictly prohibited without prior written consent. Any breach shall subject the infringing party to remedies.

Weitergabe sowie Vervielfältigung dieser vertraulichen Unterlage(n), Verwertung und Mitteilung ihres Inhaltes ist nicht ohne unsere vorherige schriftliche Genehmigung gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz.

 Please think before you print

From: [Carey, Julie](#)
To: [Jürgen Hacker](#)
Cc: [Carla Burkhart HG](#)
Subject: Re: HG_COD_MAC_Exterior+InteriorSignage_RFX
Date: Tuesday, October 07, 2014 12:28:38 PM

Looks great! Thanks!

Sent from my iPhone

On Oct 7, 2014, at 12:14 PM, Jürgen Hacker <jhacker@herricanegraphics.com> wrote:

Hello Julie,

Hope the attachment is what you were looking for ♦:

141007_HG_COD_MAC_Exterior+InteriorSignage_RFP_11x17.pdf

Looking forward to your feedback!

Thank You! - Best Regards / Mit besten Grüßen

Jürgen



HERRICANE GRAPHICS
BRANDING THE THREE-DIMENSIONAL WORLD

1275 W. Roosevelt Road
Suite 112
West Chicago, Illinois 60185

P 630.293.8030

F 630.293.8031

The copying, use, distribution or disclosure of the confidential and proprietary information contained in this document(s) is strictly prohibited without prior written consent. Any breach shall subject the infringing party to remedies.

Weitergabe sowie Vervielfältigung dieser vertraulichen Unterlage(n), Verwertung und Mitteilung ihres Inhaltes ist nicht ohne unsere vorherige schriftliche Genehmigung gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz.

 Please think before you print

From: Carey, Julie [<mailto:carey.j372@cod.edu>]
Sent: Tuesday, October 07, 2014 09:08 AM
To: 'Jürgen Hacker'
Cc: 'Carla Burkhart HG'
Subject: RE: HG_COD_MAC_Exterior+InteriorSignage_RFX

Jurgen,

Please see attached sample title block. I like the idea of crossing out the old RFP

and addendum lines, but we need to add the addendum #1 symbol showing that this addendum is eliminating references of the old addendum.

I also want the RFP line item to include Rebid with the date of when the docs hit the street (9/29) and a new addendum line item with today's date.

Please update the title block on these drawings and re-send. I have the cover sheet ready to go and hope to issue this out today.

Julie

From: Jørgen Hacker [<mailto:jhacker@herricanegraphics.com>]
Sent: Friday, October 03, 2014 12:35 PM
To: Carey, Julie
Cc: 'Carla Burkhardt HG'
Subject: HG_COD_MAC_Exterior+InteriorSignage_RFX

Hello Julie,

Based on your request from 09/29 we are still not entirely sure on how you would like to have the title block on the drawings for COD's MAC Exterior + Interior Signage - so we did 2 versions for your review:

141003_HG_COD_MAC_Exterior+InteriorSignage_RFA_11x17.pdf
141003_HG_COD_MAC_Exterior+InteriorSignage_RFB_11x17.pdf

Please advise!

Thank You! - Best Regards / Mit besten Grüßen

Jørgen



1275 W. Roosevelt Road
Suite 112
West Chicago, Illinois 60185

P 630.293.8030
F 630.293.8031

The copying, use, distribution or disclosure of the confidential and proprietary information contained in this document(s) is strictly prohibited without prior written consent. Any breach shall subject the infringing party to remedies.

Weitergabe sowie Vervielfältigung dieser vertraulichen Unterlage(n), Verwertung und Mitteilung ihres Inhaltes ist nicht ohne unsere vorherige schriftliche Genehmigung gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz.

 Please think before you print

<141007_HG_COD_MAC_Exterior+InteriorSignage_RFP_11x17.pdf>

From: [Jürgen Hacker](#)
To: [Carey, Julie](#)
Cc: ["Carla Burkhart HG"](#)
Subject: RE: HG_COD_MAC_Exterior+InteriorSignage_RFX
Date: Tuesday, October 07, 2014 12:48:58 PM

Hello Julie,

I was hopeful you would say that ☺

Thank You! - Best Regards / Mit besten Grüßen

Jürgen



1275 W. Roosevelt Road
Suite 112
West Chicago, Illinois 60185

P 630.293.8030

F 630.293.8031

The copying, use, distribution or disclosure of the confidential and proprietary information contained in this document(s) is strictly prohibited without prior written consent. Any breach shall subject the infringing party to remedies.

Weitergabe sowie Vervielfältigung dieser vertraulichen Unterlage(n), Verwertung und Mitteilung ihres Inhaltes ist nicht ohne unsere vorherige schriftliche Genehmigung gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz.

🖨️ Please think before you print

From: Carey, Julie [mailto:carey372@cod.edu]
Sent: Tuesday, October 07, 2014 12:29 PM
To: Jürgen Hacker
Cc: Carla Burkhart HG
Subject: Re: HG_COD_MAC_Exterior+InteriorSignage_RFX

Looks great! Thanks!

Sent from my iPhone

On Oct 7, 2014, at 12:14 PM, Jürgen Hacker <jhacker@herricanegraphics.com> wrote:

Hello Julie,

Hope the attachment is what you were looking for 💎:

141007_HG_COD_MAC_Exterior+InteriorSignage_RFP_11x17.pdf

Looking forward to your feedback!

Thank You! - Best Regards / Mit besten Grüßen

Jürgen



1275 W. Roosevelt Road
Suite 112
West Chicago, Illinois 60185

P 630.293.8030
F 630.293.8031

The copying, use, distribution or disclosure of the confidential and proprietary information contained in this document(s) is strictly prohibited without prior written consent. Any breach shall subject the infringing party to remedies.

Weitergabe sowie Vervielfältigung dieser vertraulichen Unterlage(n), Verwertung und Mitteilung ihres Inhaltes ist nicht ohne unsere vorherige schriftliche Genehmigung gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz.

Please think before you print

From: Carey, Julie [<mailto:carey.j372@cod.edu>]
Sent: Tuesday, October 07, 2014 09:08 AM
To: 'Jörgen Hacker'
Cc: 'Carla Burkhardt HG'
Subject: RE: HG_COD_MAC_Exterior+InteriorSignage_RFX

Jurgen,

Please see attached sample title block. I like the idea of crossing out the old RFP and addendum lines, but we need to add the addendum #1 symbol showing that this addendum is eliminating references of the old addendum.

I also want the RFP line item to include Rebid with the date of when the docs hit the street (9/29) and a new addendum line item with today's date.

Please update the title block on these drawings and re-send. I have the cover sheet ready to go and hope to issue this out today.

Julie

From: Jörgen Hacker [<mailto:hacker@herricanegraphics.com>]
Sent: Friday, October 03, 2014 12:35 PM
To: Carey, Julie
Cc: 'Carla Burkhardt HG'
Subject: HG_COD_MAC_Exterior+InteriorSignage_RFX

Hello Julie,

Based on your request from 09/29 we are still not entirely sure on how you would like to have the title block on the drawings for COD's MAC Exterior + Interior Signage - so we did 2 versions for your review.

141003_HG_COD_MAC_Exterior+InteriorSignage_RFA_11x17.pdf
141003_HG_COD_MAC_Exterior+InteriorSignage_RFB_11x17.pdf

Please advise!

Thank You! - Best Regards / Mit besten Grüßen

Jörgen



1275 W. Roosevelt Road
Suite 112
West Chicago, Illinois 60185

P 630.293.8030

F 630.293.8031

The copying, use, distribution or disclosure of the confidential and proprietary information contained in this document(s) is strictly prohibited without prior written consent. Any breach shall subject the infringing party to remedies.

Weitergabe sowie Vervielfältigung dieser vertraulichen Unterlage(n), Verwertung und Mitteilung ihres Inhaltes ist nicht ohne unsere vorherige schriftliche Genehmigung gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz.

 Please think before you print

<141007_HG_COD_MAC_Exterior+InteriorSignage_RFP_11x17.pdf>

From: Jürgen Hacker
To: Carey, Julie
Cc: "Carla Burkhardt HG"
Subject: RE: Alphabetized Charter Member Names for Vendor YW & JO Edits.090314.xlsx
Date: Tuesday, October 07, 2014 3:50:02 PM
Attachments: 141007_HG_COD_MaSIntSigPac_WorkInProgress_11x17.pdf

Hello Julie,

Attached please find the latest revision to COD's 'MAC Donor Wall' including the requested changes - please see your original eMail below - for your review ...:

141007_HG_COD_MaSIntSigPac_WorkInProgress_11x17.pdf

I hope we caught everything and please forward this to all respective parties.

Thank You! - Best Regards / Mit besten Grüßen

Jürgen



1275 W. Roosevelt Road
Suite 112
West Chicago, Illinois 60185

P 630.293.8030

F 630.293.8031

The copying, use, distribution or disclosure of the confidential and proprietary information contained in this document(s) is strictly prohibited without prior written consent. Any breach shall subject the intruding party to remedies.

Weitergabe sowie Vervielfältigung dieser vertraulichen Unterlage(n), Verwertung und Mitteilung ihres Inhaltes ist nicht ohne unsere vorherige schriftliche Genehmigung gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz.

 Please think before you print

From: Carey, Julie [mailto:careyj372@cod.edu]
Sent: Monday, October 06, 2014 12:26 PM
To: 'cburkhardt@herricanegraphics.com'; 'Jürgen Hacker' (jhacker@herricanegraphics.com)
Subject: FW: Alphabetized Charter Member Names for Vendor YW & JO Edits.090314.xlsx

Carla / Jürgen,

See clarification on the changes to the MAC Donor Wall below. We need to keep "The" afterall, but note the other changes below. Please update the file one more time and send over for final review. I spoke with the Foundation on the phone about these so if you have any confusion on what needs to happen, don't hesitate to call me.

Julie Carey

From: Martino, Sarah
Sent: Monday, October 06, 2014 12:06 PM
To: Carey, Julie; Kuhn, Karen
Cc: Weeks, Yashica; Oldfield, Jane
Subject: RE: Alphabetized Charter Member Names for Vendor YW & JO Edits.090314.xlsx

It has been confirmed with Mark Wight, who is the one quoted in the quote below. **Their names should not be changed on their donor listings – this is only for the quote below.**

The panel below should read (per the individual being quoted)

In memory of our friend Cleve, "a crazed art psycho." **Mark Wight & Eszter Borvendég**
Wight & Company should be removed from the quote.



These are the recent changes to donor listings, per Yashica:

McAninch Society panel:

Keep "The" before The DuPage Community Foundation

Keep "The" before The JCS Fund of The DuPage Community Foundation

Charter Donor panel:

Keep "The" before The DuPage Community Foundation

These changes were sent to the designers before production:

Seaton Panel:

Request should say Bequest

Cleve Carney Panel:

remove Cleve Carney from the 'Silver' category, as he is listed in 'Platinum'

Sarah

From: Carey, Julie
To: Martino, Sarah; Kuhn, Karen; Weeks, Yashica; Oldfield, Jane
Cc: "cburkhart@herricanegraphics.com"; "Jürgen Hacker" (jhacker@herricanegraphics.com)"
Subject: FW: Alphabetized Charter Member Names for Vendor YW & JO Edits.090314.xlsx
Date: Tuesday, October 07, 2014 3:57:23 PM
Attachments: 141007_HG_COD_MaStIntSigPac_WorkInProgress_11x17.pdf

Sarah,

Please see attached for the revised MAC Donor Wall file. Please review and confirm all changes have been completed and we are good to go into fabrication.

Thanks,

Julie

From: Jürgen Hacker [mailto:jhacker@herricanegraphics.com]
Sent: Tuesday, October 07, 2014 3:49 PM
To: Carey, Julie
Cc: 'Carla Burkhart HG'
Subject: RE: Alphabetized Charter Member Names for Vendor YW & JO Edits.090314.xlsx

Hello Julie,

Attached please find the latest revision to COD's 'MAC Donor Wall' including the requested changes - please see your original eMail below - for your review ...:

[141007_HG_COD_MaStIntSigPac_WorkInProgress_11x17.pdf](#)

I hope we caught everything and please forward this to all respective parties.

Thank You! - Best Regards / Mit besten Grüßen

Jürgen



1275 W. Roosevelt Road
Suite 112
West Chicago, Illinois 60185

P 630.293.8030
F 630.293.8031

The copying, use, distribution or disclosure of the confidential and proprietary information contained in this document(s) is strictly prohibited without prior written consent. Any breach shall subject the infringing party to remedies.

Weitergabe sowie Vervielfältigung dieser vertraulichen Unterlage(n), Verwertung und Mitteilung ihres Inhaltes ist nicht ohne unsere vorherige schriftliche Genehmigung gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz.

Please think before you print

From: Carey, Julie [mailto:careyj372@cod.edu]
Sent: Monday, October 06, 2014 12:26 PM
To: 'cburkhart@herricanegraphics.com'; 'Jürgen Hacker' (jhacker@herricanegraphics.com)"
Subject: FW: Alphabetized Charter Member Names for Vendor YW & JO Edits.090314.xlsx

Carla / Jürgen,

See clarification on the changes to the MAC Donor Wall below. We need to keep "The" afterall, but note the other changes below. Please update the file one more time and send over for final review. I spoke with the Foundation on the phone about these so if you have any confusion on what needs to happen, don't hesitate to call me.

Julie Carey

From: Martino, Sarah
Sent: Monday, October 06, 2014 12:06 PM

To: Carey, Julie; Kuhn, Karen
Cc: Weeks, Yashica; Oldfield, Jane
Subject: RE: Alphabetized Charter Member Names for Vendor YW & JO Edits.090314.xlsx

It has been confirmed with Mark Wight, who is the one quoted in the quote below. **Their names should not be changed on their donor listings – this is only for the quote below.**

The panel below should read (per the individual being quoted)
In memory of our friend Cleve, “a crazed art psycho.” **Mark Wight & Eszter Borvendég**
Wight & Company should be removed from the quote.



These are the recent changes to donor listings, per Yashica:

McAninch Society panel:
Keep "The" before The DuPage Community Foundation
Keep "The" before The JCS Fund of The DuPage Community Foundation

Charter Donor panel
Keep "The" before The DuPage Community Foundation

These changes were sent to the designers before production:

Seaton Panel:
Request should say Bequest

Cleve Carney Panel:
remove Cleve Carney from the 'Silver' category, as he is listed in 'Platinum'

Sarah

From: [Carey, Julie](#)
To: [Anderson, Shirley](#); "cburkhart@hemicanegraphics.com"
Subject: MAC Signage Package Rebid Bid Opening
Date: Tuesday, October 07, 2014 4:10:39 PM
Attachments: [MAC Signage Package Rebid Bid Opening.ics](#)

From: [Carey, Julie](#)
To: ["cburkhart@herricaneographics.com"](mailto:cburkhart@herricaneographics.com); ["Jürgen Hacker" \(jhacker@herricaneographics.com\)](mailto:juergen.hacker@herricaneographics.com); [Anderson, Shirley](#)
Subject: MAC Signage Rebid Addendum #1
Date: Tuesday, October 07, 2014 4:10:44 PM
Attachments: ~ MAC Signage Package Rebid Addendum #1.pdf

Carla / Shirley,

Please see attached for addendum #1 for the MAC Signage Package Rebid. Please issue to all previously solicited vendors that are still interested. Bid Opening remains on 10/16 at 2:00 PM.

Julie Carey
Senior Project Manager
College of DuPage
425 Fawell Blvd.
Glen Ellyn, IL 60137
630.942.4275
careyj372@cod.edu

From: [Carla Burkhart](#)
To: [Breuder, Dr. Robert](#)
Cc: [Schmiedl, Bruce](#)
Bcc: breuder@cod.edu
Subject: RE: COD MAC planter pier further thoughts
Date: Tuesday, October 07, 2014 4:47:44 PM

Dr. Breuder,

I'm in agreement with you. This would be over signing. The other opinion I have is that it strips the class away from the pillars.

The only reason we are including signage on the Gateway pillars to the lakeside pavilion is to direct pedestrians, otherwise I would not have included that signage.

C

From: Breuder, Dr. Robert [<mailto:breuder@cod.edu>]
Sent: Tuesday, October 07, 2014 11:35 AM
To: Carla Burkhart
Cc: Schmiedl, Bruce
Subject: FW: COD MAC planter pier further thoughts

Carla,

Any thoughts? I think we already have something in mind. We do not want to over sign. I appreciate Randy's careful eye.

Thanks.

B

From: Randy Machelski [<mailto:Randy.Machelski@smithgroupjir.com>]
Sent: Monday, October 06, 2014 6:41 PM
To: Breuder, Dr. Robert
Subject: COD MAC planter pier further thoughts

Hello Dr. Breuder,
Hope you are doing well.

The precast planters installed at the MAC are very nice especially with the seasonal plant materials. What do you think of mounting a surface graphic on the pier planters? This graphic could evoke inspiration from the MAC logo, be colorful or a tasteful bronze, be the MAC logo or an extrapolation, i.e. the shooting stars (see attached quick images). If you wanted to pursue the thought further, should we ask Carla, or just leave the pier planters as they are?

A thought I wanted to share.

Randy

Randy Machelski

Associate
Landscape Architect



SmithGroupJJR

35 E. Wacker Drive, Suite 2200
Chicago, IL 60601

t 312.641.0770 **d** 312.641.6755
f 734.780.2384 **c** [REDACTED]

Randy.Machelski@smithgroupjjr.com

Expect the Unexpected.

Visit www.smithgroupjjr.com

Follow us on [LinkedIn](#) | [@SmithGroupJJR](#)

From: [Carla Burkhart](#)
To: [Carey, Julie](#)
Cc: ["Jürgen Hacker"](#)
Subject: FW: waterleaf vinyl change/correction
Date: Tuesday, October 07, 2014 7:36:10 PM
Attachments: [image001.png](#)
[140927 HG COD CHC WaterleafExteriors 504.pdf](#)
Importance: High

Julie,

Can you give a quick look to this layout so I can release CS.

Carla

From: Carla Burkhart [mailto:cburkhart@herricanegraphics.com]
Sent: Monday, September 29, 2014 7:00 AM
To: Carey, Julie (carey.j372@cod.edu)
Cc: "Jürgen Hacker"
Subject: waterleaf vinyl change/correction

Julie,

See attached revised layout for Chicago Sign.

Carla

Carla Burkhart



HERRICANE GRAPHICS

BRANDING THE THREE-DIMENSIONAL WORLD

1275 W Roosevelt Rd.

Ste. 112

West Chicago, IL 60185

630.293.8030 P

630.293.8031 F

M

From: [Carey, Julie](#)
To: ["Carla Burkhart"](#)
Cc: ["Jürgen Hacker"](#)
Subject: RE: waterleaf vinyl change/correction
Date: Wednesday, October 08, 2014 8:20:43 AM
Attachments: [image001.png](#)

Looks good to me. ♦ I assume the acronyms and building names are lined up the same way as all the new vinyl we will be installing. ♦ I trust the services are indented per your recommendation and have no issue with it.

Julie

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Tuesday, October 07, 2014 7:36 PM
To: Carey, Julie
Cc: "Jürgen Hacker"
Subject: FW: waterleaf vinyl change/correction
Importance: High

Julie,

Can you give a quick look to this layout so I can release CS.

Carla

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Monday, September 29, 2014 7:00 AM
To: Carey, Julie (carey.β72@cod.edu)
Cc: "Jürgen Hacker"
Subject: waterleaf vinyl change/correction

Julie,

See attached revised layout for Chicago Sign.

Carla

Carla Burkhart



HERRICANE GRAPHICS
BRANDING THE THREE-DIMENSIONAL WORLD

1275 W Roosevelt Rd.
Ste. 112
West Chicago, IL 60185
630.293.8030 P
630.293.8031 F
M

From: [Carla Burkhart](#)
To: [Carey, Julie](#)
Cc: ["Jürgen Hacker"](#)
Subject: RE: waterleaf vinyl change/correction
Date: Wednesday, October 08, 2014 11:38:58 AM
Attachments: [image001.png](#)

Yes, you can trust in all that, but I wanted to make sure you did not see something that did not appear correct or was in contrast to what we just issued via bid for the exterior project.

Carla

From: Carey, Julie [mailto:careyj372@cod.edu]
Sent: Wednesday, October 08, 2014 8:21 AM
To: 'Carla Burkhart'
Cc: "Jürgen Hacker"
Subject: RE: waterleaf vinyl change/correction

Looks good to me. I assume the acronyms and building names are lined up the same way as all the new vinyl we will be installing. I trust the services are indented per your recommendation and have no issue with it.

Julie

From: Carla Burkhart [mailto:cburkhart@herricanegraphics.com]
Sent: Tuesday, October 07, 2014 7:36 PM
To: Carey, Julie
Cc: "Jürgen Hacker"
Subject: FW: waterleaf vinyl change/correction
Importance: High

Julie,

Can you give a quick look to this layout so I can release CS.

Carla

From: Carla Burkhart [mailto:cburkhart@herricanegraphics.com]
Sent: Monday, September 29, 2014 7:00 AM
To: Carey, Julie (careyj372@cod.edu)
Cc: "Jürgen Hacker"
Subject: waterleaf vinyl change/correction

Julie,

See attached revised layout for Chicago Sign.

Carla

From: [Carla Burkhart](#)
To: [Carey, Julie](#)
Cc: ["Jürgen Hacker"](#)
Subject: Custom Signs/ Chronology Wall
Date: Wednesday, October 08, 2014 1:37:21 PM
Attachments: [image001.png](#)

Julie,

Just a quick update regarding our meeting of yesterday. I talked with Erik today regarding our meeting outcome from yesterday. I asked him to get all of his costs together so that he and I can evaluate it. I informed him that the etched glass will all need to be replaced. I also told him that the design of the graphics on the front panels is reverting back to our original design intent.

He did not flip a gourd, but he **is** concerned. He and I will work through the numbers and I will come back to you at the end of next week with a response from CSC. Erik cannot address any of it until next Wednesday soonest. Further I mentioned that we would not likely release payment until we have an agreed to action plan.

Carla

Carla Burkhart



HERRICANE GRAPHICS

BRANDING THE THREE-DIMENSIONAL WORLD

1275 W Roosevelt Rd.
Ste. 112
West Chicago, IL 60185
630.293.8030 P
630.293.8031 F
[REDACTED] M

From: [Carey, Julie](#)
To: ["Carla Burkhart"](#)
Cc: [""Jürgen Hacker""](#)
Subject: RE: Custom Signs/ Chronology Wall
Date: Wednesday, October 08, 2014 1:42:57 PM
Attachments: [image001.png](#)

Thanks for the update. ♦ When you come back to me at the end of next week, please provide a schedule that you both agree to.

Julie

From: Carla Burkhart [mailto:cburkhart@herricanegraphics.com]
Sent: Wednesday, October 08, 2014 1:37 PM
To: Carey, Julie
Cc: "J♦ Jürgen Hacker"
Subject: Custom Signs/ Chronology Wall

Julie,

Just a quick update regarding our meeting of yesterday. I talked with Erik today regarding our meeting outcome from yesterday. I asked him to get all of his costs together so that he and I can evaluate it. I informed him that the etched glass will all need to be replaced. I also told him that the design of the graphics on the front panels is reverting back to our original design intent.

He did not flip a gourd, but he's concerned. He and I will work through the numbers and I will come back to you at the end of next week with a response from CSC. Erik cannot address any of it until next Wednesday soonest. Further I mentioned that we would not likely release payment until we have an agreed to action plan.

Carla

Carla Burkhart



HERRICANE GRAPHICS
BRANDING THE THREE-DIMENSIONAL WORLD

1275 W Roosevelt Rd.
Ste. 112
West Chicago, IL 60185
630.293.8030 P
630.293.8031 F
[REDACTED] M

From: [Miller, Monica](#)
To: [Carla Burkhart](#)
Subject: Automatic reply: AGB Website articles
Date: Thursday, October 09, 2014 9:41:07 AM

Hello,

I am out of the office until Friday, October 10. If you need immediate assistance please call the office at (630) 942-2200.

Thank you.

Monica Miller

From: [Carla Burkhart](#)
To: [Glaser, Thomas](#)
Subject: FYI (Intersting Read)
Date: Thursday, October 09, 2014 9:42:45 AM

This first article from [Inside Higher Education](#) talks about how the root and initiation of the problem at COD started. I found this to be interesting, if for no other reason than we (COD) are not alone with this problem.

<https://www.insidehighered.com/views/2014/07/24/essay-calls-college-boards-not-others-deal-problematic-trustee-behavior>

The second article is informative and interesting from varying perspectives about transparency.

http://www.huffingtonpost.com/matthew-lynch-edd/diverse-conversations-bei_b_5684976.html

From: [Carla Burkhart](#)
To: [Carey, Julie](#)
Cc: pshields@herricane.graphics.com; ""Jürgen Hacker""
Subject: CM Contract
Date: Thursday, October 09, 2014 10:57:38 AM
Attachments: [image001.png](#)

Julie,

I reprinted the pages (135 +/-) again, initialed and signed them. My office is mailing an additional set to you to day. I could not furnish you my copy, because it did not contain an original signature.

If you do not receive them, by Monday, let me know.

Carla Burkhart



HERRICANE GRAPHICS

BRANDING THE THREE-DIMENSIONAL WORLD

1275 W Roosevelt Rd.
Ste. 112
West Chicago, IL 60185
630.293.8030 P
630.293.8031 F
M

From: [Glaser, Thomas](#)
To: [Carla Burkhart](#)
Subject: RE: FYI (Interesting Read)
Date: Thursday, October 09, 2014 6:31:50 PM

Thanks...these people will ultimately fail in trying to discredit the College.

Sent from my Verizon Wireless 4G LTE Smartphone

----- Original message -----

From: Carla Burkhart
Date: 10/09/2014 9:42 AM (GMT-06:00)
To: "Glaser, Thomas"
Subject: FYI (Interesting Read)

This first article from [Inside Higher Education](#) talks about how the root and initiation of the problem at COD started. I found this to be interesting, if for no other reason than we (COD) are not alone with this problem.

<https://www.insidehighered.com/views/2014/07/24/essay-calls-college-boards-not-others-deal-problematic-trustee-behavior>

The second article is informative and interesting from varying perspectives about transparency.

http://www.huffingtonpost.com/matthew-lynch-edd/diverse-conversations-bei_b_5684976.html

From: [Carey, Julie](#)
To: "Carla Burkhart"
Cc: "pshields@herricanegraphics.com"; ""Jürgen Hacker""
Subject: RE: CM Contract
Date: Monday, October 13, 2014 11:50:41 AM
Attachments: [image001.png](#)

Carla,

I have received one original set of the CM Services contract. ♦ We general require 3 sets. ♦ If you require an original for your records, you will need to send me another original set.

Julie

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Thursday, October 09, 2014 10:58 AM
To: Carey, Julie
Cc: pshields@herricanegraphics.com; "Jürgen Hacker"
Subject: CM Contract

Julie,

I reprinted the pages (135 +/-) again, initialed and signed them. My office is mailing an additional set to "you" today. I could not furnish you my copy, because it did not contain an original signature.

If you do not receive them, by Monday, let me know.

Carla Burkhart



HERRICANE GRAPHICS

BRANDING THE THREE-DIMENSIONAL WORLD

1275 W Roosevelt Rd.
Ste. 112
West Chicago, IL 60185
630.293.8030 P
630.293.8031 F
M

From: [Carla Burkhart](#)
To: [Carey, Julie](#)
Cc: pshields@herricanegraphics.com; ""Jürgen Hacker""
Subject: RE: CM Contract
Date: Monday, October 13, 2014 11:53:53 AM
Attachments: [image001.png](#)

OK.

From: Carey, Julie [mailto:carey372@cod.edu]
Sent: Monday, October 13, 2014 11:51 AM
To: 'Carla Burkhart'
Cc: 'pshields@herricanegraphics.com'; "Jürgen Hacker"
Subject: RE: CM Contract

Carla,

I have received one original set of the CM Services contract. We general require 3 sets. If you require an original for your records, you will need to send me another original set.

Julie

From: Carla Burkhart [mailto:cburkhart@herricanegraphics.com]
Sent: Thursday, October 09, 2014 10:58 AM
To: Carey, Julie
Cc: pshields@herricanegraphics.com; "Jürgen Hacker"
Subject: CM Contract

Julie,

I reprinted the pages (135 +/-) again, initialed and signed them. My office is mailing an additional set to you today. I could not furnish you my copy, because it did not contain an original signature.

If you do not receive them, by Monday, let me know.

Carla Burkhart



HERRICANE GRAPHICS

BRANDING THE THREE-DIMENSIONAL WORLD

1275 W Roosevelt Rd.
Ste. 112
West Chicago, IL 60185
630.293.8030 P
630.293.8031 F
M

From: [Carey, Julie](#)
To: ["cburkhart@herricanegraphics.com"](mailto:cburkhart@herricanegraphics.com)
Subject: Design CO review
Date: Monday, October 13, 2014 12:33:30 PM
Attachments: [Design CO review.ics](#)

From: [Carey, Julie](#)
To: ["cburkhart@herricanegraphics.com"](mailto:cburkhart@herricanegraphics.com)
Subject: Update Exterior Directional Board Letter
Date: Monday, October 13, 2014 12:50:34 PM
Attachments: 08.B.3)a) Updated Exterior Directional Signage Package v3.PDF

Carla,

Please see attached board letter for your records. This is scheduled to be approved on 10/16.

Julie Carey
Senior Project Manager
College of DuPage
425 Fawell Blvd.
Glen Ellyn, IL 60137
630.942.4275
careyj372@cod.edu

From: [Carey, Julie](#)
To: ["chicagosians@aol.com"](#)
Cc: ["cburkhart@herricanegraphics.com"](#)
Subject: Waterleaf Electrical Pricing and Schedule
Date: Monday, October 13, 2014 12:58:42 PM

Chicago Sign,

Please provide final pricing and schedule for the outstanding Waterleaf electrical work by noon tomorrow. I have previously confirmed the panel / circuit / conduit we are to use. Pricing should be broken out in 3 ways:

Option 1 = worst case scenaio: **IF REQUIRED, PULL OUT ALL EXISTING WIRES** and re-pull with one new wire in existing conduit back to the panel so the Waterrelaf sign is on a dedicated circuit. Bore through existing landscaping from end of stone wall to sign.

Option 2: Pull a dedicated wire in existing conduit back to the panel so the Waterrelaf sign is on a dedicated circuit (assuming the wire can be pulled through with all existing wires remaining with no problem). Bore through existing landscaping from end of stone wall to sign.

Option 3: Tap off existing conduit / box at end of stone wall and bore through existing landscaping from end of stone wall to sign. Sign would share circuit#42 with tree uplighting.

Julie Carey
Senior Project Manager
College of DuPage
425 Fawell Blvd.
Glen Ellyn, IL 60137
630.942.4275
careyj372@cod.edu

From: [Carla Burkhardt](#)
Subject: Declined: Design CO review
Date: Tuesday, October 14, 2014 4:36:05 AM
Attachments: [Design CO review.ics](#)

From: [Carla Burkhart](#)
To: [Carey, Julie](#)
Subject: RE: Design CO review
Date: Tuesday, October 14, 2014 5:28:32 AM

Julie,

My schedule is booked until 10/27. My first available time is 10:00 am Tuesday 10/28. My next available time is 12:00 10/29. Let me know what works for you.

Carla

-----Original Appointment-----

From: Carey, Julie [<mailto:careyj372@cod.edu>]

Sent: Monday, October 13, 2014 12:33 PM

To: 'cburkhart@herricanegraphics.com'

Subject: Design CO review

When: Thursday, October 16, 2014 2:30 PM-3:30 PM (UTC-06:00) Central Time (US & Canada).

Where: Julie's Office

Carla,

We need to review the outstanding change order for design. I have not been able to process any of your submitted invoices because I can't pay you for items that have yet to go to the Board of Trustees. I scheduled this meeting to immediately follow the MAC signage bid opening. Please let me know if meeting before the bid opening would work better for you.

Julie

From: [Carey, Julie](#)
To: ["Gus Santana"; Dan Salamone \(dan.salamone@asisignage.com\)](#)
Cc: ["Jürgen Hacker" \(jhacker@herricanegraphics.com\); cburkhart@herricanegraphics.com](#)
Subject: RE: MAC Donor wall
Date: Tuesday, October 14, 2014 6:24:42 AM
Attachments: [Final Revised Design - 141008_HG_COD_MaSrIntSigPac_WorkInProgress_11x17.pdf](#)

Gus / Dan,

Please see attached final drawings for the MAC Donor Wall. Fortunately, we were able to keep all the existing panels and change the titles / content on some of the panels. Please review and let me know your thoughts by the end of the week.

Thanks,

Julie

From: Gus Santana [<mailto:gus.santana@asisignage.com>]
Sent: Monday, October 13, 2014 12:10 PM
To: Carey, Julie
Cc: Mr. Dan Salamone
Subject: MAC Donor wall

Julie,

Just wanted to touch base with you on the MACDonor wall revisions.
I'm just looking to see if you will be sending anything over to us soon?

Please advise.

Thanks,

Gus Santana
Contract Project Manager

ASI
2630-C W. Bradley PL.
Chicago, IL. 60618

P 773-871-0100 x3003
F 855-834-5621

gus.santana@asisignage.com
www.asisignage.com

From: [Carla Burkhart](#)
Subject: Declined: Design CO review
Date: Tuesday, October 14, 2014 7:10:31 AM
Attachments: [Design CO review.ics](#)

From: [Carla Burkhardt](#)
Subject: Declined: Design CO review
Date: Tuesday, October 14, 2014 7:13:49 AM
Attachments: [Design CO review.ics](#)

From: [Carla Burkhardt](#)
To: [Carey, Julie](#); chicagosigns@aol.com
Subject: RE: Waterleaf Electrical Pricing and Schedule
Date: Tuesday, October 14, 2014 7:39:23 AM
Importance: High

Julie, I already made this request of them. I believe they are working on the pricing, and have schedule the boring company for the week of 10/31.

I will respond when I have an answer.

Carla

From: Carey, Julie [<mailto:careyj372@cod.edu>]
Sent: Monday, October 13, 2014 12:59 PM
To: 'chicagosigns@aol.com'
Cc: 'cburkhart@herricanegraphics.com'
Subject: Waterleaf Electrical Pricing and Schedule

Chicago Sign,

Please provide final pricing and schedule for the outstanding Waterleaf electrical work by noon tomorrow. I have previously confirmed the panel / circuit / conduit we are to use. Pricing should be broken out in 3 ways:

Option 1 = worst case scenario: **IF REQUIRED, PULL OUT ALL EXISTING WIRES** and re-pull with one new wire in existing conduit back to the panel so the Waterleaf sign is on a dedicated circuit. Bore through existing landscaping from end of stone wall to sign.

Option 2: Pull a dedicated wire in existing conduit back to the panel so the Waterleaf sign is on a dedicated circuit (assuming the wire can be pulled through with all existing wires remaining with no problem). Bore through existing landscaping from end of stone wall to sign.

Option 3: Tap off existing conduit / box at end of stone wall and bore through existing landscaping from end of stone wall to sign. Sign would share circuit#42 with tree uplighting.

Julie Carey
Senior Project Manager
College of DuPage
425 Fawell Blvd.
Glen Ellyn, IL 60137
630.942.4275
careyj372@cod.edu

From: [Carla Burkhart](#)
Subject: Declined: Design CO review
Date: Tuesday, October 14, 2014 7:40:07 AM
Attachments: [Design CO review.ics](#)

From: Carey, Julie
To: chicagosigns@aol.com
Cc: [Carla Burkhart](mailto:Carla_Burkhart)
Subject: Fwd: 2015-B0033 Update exterior Directional Signage
Date: Tuesday, October 14, 2014 8:47:40 AM
Attachments: [ATT00001.htm](#)
[CERTIFICATIONS.docx](#)
[ATT00002.htm](#)

Chicago Sign,

Please complete and submit the attached by end of day today.

Julie

Begin forwarded message:

From: "Anderson, Shirley" <andersons270@cod.edu>
Date: October 14, 2014 at 8:46:12 AM CDT
To: "Carey, Julie" <careyj372@cod.edu>
Cc: "Chicagosigns@aol.com" <Chicagosigns@aol.com>
Subject: 2015-B0033 Update exterior Directional Signage

Please have Chicago Sign complete the attached form and return to purchasing. It was not included with their bid documents.

From: [Carla Burkhart](#)
To: [Carey, Julie](#)
Subject: Meeting Forward Notification: MAC Signage Package Rebid Bid Opening
Date: Tuesday, October 14, 2014 10:39:08 AM
Attachments: [MAC Signage Package Rebid Bid Opening.ics](#)

From: [Carla Burkhart](#)
To: [Carey, Julie](#)
Cc: ""Jürgen Hacker""; pshields@herricanegraphics.com
Subject: RE: Waterleaf Electrical Pricing and Schedule
Date: Tuesday, October 14, 2014 11:43:48 AM
Attachments: [image001.png](#)
[Waterleaf Elec 10.14.2014.pdf](#)
Importance: High

Julie,

See attached.

Option 1 & 2 are being calculated as a not to exceed number. However, I need a confirmation from John on option 3. I will advise. But I believe the right thing to do is proceed because they are well under their originally estimated value. Certainly let me know if you disagree.

Boring still scheduled for 10/31/14.

Wire pull and all work to commence at the same time.

Carla

Carla Burkhart



HERRICANE GRAPHICS

BRANDING THE THREE-DIMENSIONAL WORLD

1275 W Roosevelt Rd.
Ste. 112
West Chicago, IL 60185
630.293-8030 P
630.293.8031 F
M

From: Carey, Julie [mailto:careyj372@cod.edu]
Sent: Monday, October 13, 2014 12:59 PM
To: 'chicagosigns@aol.com'
Cc: 'cburkhart@herricanegraphics.com'
Subject: Waterleaf Electrical Pricing and Schedule

Chicago Sign,

Please provide final pricing and schedule for the outstanding Waterleaf electrical work by noon tomorrow. I have previously confirmed the panel / circuit / conduit we are to use. Pricing should be broken out in 3 ways:

Option 1 = worst case scenaio: **IF REQUIRED, PULL OUT ALL EXISTING WIRES** and re-pull with one new wire in existing conduit back to the panel so the Waterelaf sign is on a dedicated circuit. Bore through existing landscaping from end of stone wall to sign.

Option 2: Pull a dedicated wire in existing conduit back to the panel so the Waterelaf sign is on a dedicated circuit (assuming the wire can be pulled through with all existing wires remaining with no problem). Bore through existing landscaping from end of stone wall to sign.

Option 3: Tap off existing conduit / box at end of stone wall and bore through existing landscaping from end of stone wall to sign. Sign would share circuit#12 with tree uplighting.

Julie Carey
Senior Project Manager
College of DuPage
425 Fawell Blvd.
Glen Ellyn, IL 60137
630.942.4275
careyj372@cod.edu

From: [Carla Burkhart](#)
To: [Carey, Julie](#)
Cc: ["Jürgen Hacker"; pshields@herricanegraphics.com](#)
Subject: RE: Waterleaf Electrical Pricing and Schedule
Date: Tuesday, October 14, 2014 11:55:00 AM
Attachments: [image001.png](#)
Importance: High

Julie. John's proposal is written wrong and does not include the wire pull. He's out of the office and will correct it.

His total price will be \$7290.00

He could not talk with me, but will confirm Option 3 and the revision of 1 & 2.

Carla

From: Carla Burkhart [mailto:cburkhart@herricanegraphics.com]
Sent: Tuesday, October 14, 2014 11:43 AM
To: 'Carey, Julie'
Cc: "Jürgen Hacker"; pshields@herricanegraphics.com
Subject: RE: Waterleaf Electrical Pricing and Schedule
Importance: High

Julie,

See attached.

Option 1 & 2 are being calculated as a not to exceed number. However, I need a confirmation from John on option 3. I will advise. But I believe the right thing to do is proceed because they are well under their originally estimated value. Certainly let me know if you disagree.

Boring still scheduled for 10/31/14.

Wire pull and all work to commence at the same time.

Carla

Carla Burkhart



HERRICANE GRAPHICS

BRANDING THE THREE-DIMENSIONAL WORLD

1275 W Roosevelt Rd.
Ste. 112
West Chicago, IL 60185
630.293.8030 P
630.293.8031 F
M

From: Carey, Julie [<mailto:careyj372@cod.edu>]
Sent: Monday, October 13, 2014 12:59 PM
To: 'chicagosigns@aol.com'
Cc: 'cburkhart@herricanegraphics.com'
Subject: Waterleaf Electrical Pricing and Schedule

Chicago Sign,

Please provide final pricing and schedule for the outstanding Waterleaf electrical work by noon tomorrow. I have previously confirmed the panel / circuit / conduit we are to use. Pricing should be broken out in 3 ways:

Option 1 = worst case scenario: **IF REQUIRED, PULL OUT ALL EXISTING WIRES** and re-pull with one new wire in existing conduit back to the panel so the Waterleaf sign is on a dedicated circuit. Bore through existing landscaping from end of stone wall to sign.

Option 2: Pull a dedicated wire in existing conduit back to the panel so the Waterleaf sign is on a dedicated circuit (assuming the wire can be pulled through with all existing wires remaining with no problem). Bore through existing landscaping from end of stone wall to sign.

Option 3: Tap off existing conduit / box at end of stone wall and bore through existing landscaping from end of stone wall to sign. Sign would share circuit#42 with tree uplighting.

Julie Carey
Senior Project Manager
College of DuPage
425 Fawell Blvd.
Glen Ellyn, IL 60137
630.942.4275
careyj372@cod.edu

From: [Carla Burkhart](#)
To: [Carey, Julie](#); chicagosigns@aol.com
Cc: ""Jürgen Hacker""; pshields@herricanegraphics.com
Subject: RE: Waterleaf Electrical Pricing and Schedule
Date: Tuesday, October 14, 2014 12:08:37 PM
Attachments: [image001.png](#)
Importance: High

Julie,

Sorry for the numerous emails about this. Just trying to get this clarified for you until John gets back in the office.

The 7/7/14 Possible Change Order is void. John listed it so you knew he was picking up time from this previous change order. I told him since no change order was officially issued (that I am aware of), this made no difference.

Option 1 & 2

The wire pull either way is a value to not exceed \$ 3652.00

The boring is a fixed value of \$3665.00.

Total: \$7290.00

Option 3 is only the boring expense listed above of \$3665.00. (which basically takes the existing circuit from the wall and drops it below grade to the actual sign as shown in John's image.)

COD only needs to advise on if a time clock is needed for this sign if a new circuit is pulled (because now it would locate inside the building and not outside) or if COD intends to operate it off your BAS system.

If a new time clock is desired, you need to add \$ 120.00 to either proposed value.

As soon as I have Johns revised proposal, I will forward it to you.

Carla

Carla Burkhart



HERRICANE GRAPHICS

BRANDING THE THREE-DIMENSIONAL WORLD

1275 W Roosevelt Rd.

Ste. 112

West Chicago, IL 60185

630.293.8030 P

630.293.8031 F

M

From: Carla Burkhart [mailto:cburkhart@herricanegraphics.com]
Sent: Tuesday, October 14, 2014 11:55 AM
To: 'Carey, Julie'
Cc: "Jörgen Hacker"; pshields@herricanegraphics.com
Subject: RE: Waterleaf Electrical Pricing and Schedule
Importance: High

Julie. John's proposal is written wrong and does not include the wire pull. He's out of the office and will correct it.

His total price will be \$7290.00

He could not talk with me, but will confirm Option 3 and the revision of 1 & 2.

Carla

From: Carla Burkhart [mailto:cburkhart@herricanegraphics.com]
Sent: Tuesday, October 14, 2014 11:43 AM
To: 'Carey, Julie'
Cc: "Jörgen Hacker"; pshields@herricanegraphics.com
Subject: RE: Waterleaf Electrical Pricing and Schedule
Importance: High

Julie.

See attached.

Option 1 & 2 are being calculated as a not to exceed number. However, I need a confirmation from John on option 3. I will advise. But I believe the right thing to do is proceed because they are well under their originally estimated value. Certainly let me know if you disagree.

Boring still scheduled for 10/31/14.

Wire pull and all work to commence at the same time.

Carla

Carla Burkhart



HURRICANE GRAPHICS

BRANDING THE THREE-DIMENSIONAL WORLD

1275 W Roosevelt Rd.
Ste. 112
West Chicago, IL 60185
630.293.8030 P
630.293.8031 F
M

From: Carey, Julie [<mailto:carey372@cod.edu>]
Sent: Monday, October 13, 2014 12:59 PM
To: 'chicagosigns@aol.com'
Cc: 'cburkhart@hurricanegraphics.com'
Subject: Waterleaf Electrical Pricing and Schedule

Chicago Sign,

Please provide final pricing and schedule for the outstanding Waterleaf electrical work by noon tomorrow. I have previously confirmed the panel / circuit / conduit we are to use. Pricing should be broken out in 3 ways:

Option 1 = worst case scenario: **IF REQUIRED, PULL OUT ALL EXISTING WIRES** and re-pull with one new wire in existing conduit back to the panel so the Waterleaf sign is on a dedicated circuit. Bore through existing landscaping from end of stone wall to sign.

Option 2: Pull a dedicated wire in existing conduit back to the panel so the Waterleaf sign is on a dedicated circuit (assuming the wire can be pulled through with all existing wires remaining with no problem). Bore through existing landscaping from end of stone wall to sign.

Option 3: Tap off existing conduit / box at end of stone wall and bore through existing landscaping from end of stone wall to sign. Sign would share circuit#42 with tree uplighting.

Julie Carey
Senior Project Manager
College of DuPage
425 Fawell Blvd.
Glen Ellyn, IL 60137
630.942.4275
carey372@cod.edu

From: [Carey, Julie](#)
To: [Carla Burkhart](#)
Cc: [chicagosigns@aol.com](#); "[Jürgen Hacker](#)"; [pshields@herricanegraphics.com](#)
Subject: Re: Waterleaf Electrical Pricing and Schedule
Date: Tuesday, October 14, 2014 1:02:32 PM
Attachments: [image001.png](#)

Thanks Carla. This makes sense. Please forward the formal proposal when available.

Julie

Sent from my iPhone

On Oct 14, 2014, at 12:09 PM, Carla Burkhart <cburkhart@herricanegraphics.com> wrote:

Julie,

Sorry for the numerous emails about this. Just trying to get this clarified for you until John gets back in the office.




The 7/7/14 Possible Change Order is void. John listed it so you knew he was picking up time from this previous change order. I told him since no change order was officially issued (that I am aware of), this made no difference.



Option 1 & 2

The wire pull either way is a value to not exceed \$ 3652.00

The boring is a fixed value of \$3665.00.

Total: \$7290.00

Option 3 is only the boring expense listed above of \$3665.00. (which basically takes the existing circuit from the  wall  and drops it below grade to the actual sign as shown in John s image.)

COD only needs to advise on  if  a time clock is needed for this sign if a new circuit is pulled (because now it would locate inside the building and not outside) or if COD intends to operate it off your BAS system.

If a new time clock is desired, you need to add \$ 120.00 to either proposed value.

As soon as I have Johns revised proposal, I will forward it to you.

Carla

<image001.png>

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Tuesday, October 14, 2014 11:55 AM
To: 'Carey, Julie'
Cc: "Jørgen Hacker"; pshields@herricanegraphics.com
Subject: RE: Waterleaf Electrical Pricing and Schedule
Importance: High

Julie. John's proposal is written wrong and does not include the wire pull. He's out of the office and will correct it.

His total price will be \$7290.00

He could not talk with me, but will confirm Option 3 and the revision of 1 & 2.

Carla

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Tuesday, October 14, 2014 11:43 AM
To: 'Carey, Julie'
Cc: "Jørgen Hacker"; pshields@herricanegraphics.com
Subject: RE: Waterleaf Electrical Pricing and Schedule
Importance: High

Julie.

See attached.

Option 1 & 2 are being calculated as a not to exceed number. However, I need a confirmation from John on option 3. I will advise. But I believe the right thing to do is proceed because they are well under their originally estimated value. Certainly let me know if you disagree.

Boring still scheduled for 10/31/14.

Wire pull and all work to commence at the same time.

Carla

<image001.png>

From: Carey, Julie [<mailto:carey372@cod.edu>]
Sent: Monday, October 13, 2014 12:59 PM
To: 'chicagosigns@aol.com'
Cc: 'cburkhart@herricanegraphics.com'
Subject: Waterleaf Electrical Pricing and Schedule

Chicago Sign,

Please provide final pricing and schedule for the outstanding Waterleaf electrical work by noon tomorrow. I have previously confirmed the panel / circuit / conduit we are to use. Pricing should be broken out in 3 ways:

Option 1 = worst case scenario: **IF REQUIRED, PULL OUT ALL EXISTING WIRES** and re-pull with one new wire in existing conduit back to the panel so the Waterleaf sign is on a dedicated circuit. Bore through existing landscaping from end of stone wall to sign.

Option 2: Pull a dedicated wire in existing conduit back to the panel so the Waterleaf sign is on a dedicated circuit (assuming the wire can be pulled through with all existing wires remaining with no problem). Bore through existing landscaping from end of stone wall to sign.

Option 3: Tap off existing conduit / box at end of stone wall and bore through existing landscaping from end of stone wall to sign. Sign would share circuit#42 with tree uplighting.

Julie Carey
Senior Project Manager
College of DuPage
425 Fawell Blvd.
Glen Ellyn, IL 60137
630.942.4275
careyj372@cod.edu

From: [Carla Burkhart](#)
To: [Carey, Julie](#)
Cc: ["Jürgen Hacker"](#)
Subject: Waterleaf Electrical
Date: Wednesday, October 15, 2014 7:55:29 AM
Attachments: [image001.png](#)
[Waterleaf Elec #2 10.14.2014.pdf](#)

Julie,

See attached per my email yesterday.

Carla

Carla Burkhart



HERRICANE GRAPHICS

BRANDING THE THREE-DIMENSIONAL WORLD

1275 W Roosevelt Rd.

Ste. 112

West Chicago, IL 60185

630.293.8030 P

630.293.8031 F

M

From: [Carey, Julie](#)
To: "cburkhart@herricaneographics.com"; "[Jurgen Hacker](mailto:Jurgen.Hacker)" (jhacker@herricaneographics.com)
Subject: MAC Donor Wall Additional Fees
Date: Wednesday, October 15, 2014 10:10:41 AM

Carla / Jurgen,

I need to know what your additional fees are for changes made to the MAC Donor Wall. ♦ As this has now been approved by the Foundation, I assume this is easy to quantify. ♦ Please let me know these values by the end of the day tomorrow.

Thanks,

Julie Carey
Senior Project Manager
College of DuPage
425 Fawell Blvd.
Glen Ellyn, IL 60137
630.942.4275
careyj372@cod.edu

From: [Carla Burkhart](#)
To: [Carey, Julie](#); ["Jürgen Hacker"](#)
Subject: RE: MAC Donor Wall Additional Fees
Date: Wednesday, October 15, 2014 10:48:29 AM
Attachments: [image001.png](#)

Julie I will be out all day today and most of tomorrow. But I am fairly certain we can have this cost to you by Friday.

Carla

Carla Burkhart



HERRICANE GRAPHICS

BRANDING THE THREE-DIMENSIONAL WORLD

1275 W Roosevelt Rd.
Ste. 112
West Chicago, IL 60185
630.293.8030 P
630.293.8031 F
M

From: Carey, Julie [mailto:careyj372@cod.edu]
Sent: Wednesday, October 15, 2014 10:11 AM
To: 'cburkhart@herricanegraphics.com'; 'Jürgen Hacker' (jhacker@herricanegraphics.com)
Subject: MAC Donor Wall Additional Fees

Carla / Jürgen,

I need to know what your additional fees are for changes made to the MAC Donor Wall. As this has now been approved by the Foundation, I assume this is easy to quantify. Please let me know these values by the end of the day tomorrow.

Thanks,

Julie Carey
Senior Project Manager
College of DuPage
425 Fawell Blvd.
Glen Ellyn, IL 60137
630.942.4275
careyj372@cod.edu

From: [Carey, Julie](#)
To: ["Carla Burkhart"](#)
Cc: ["Jürgen Hacker"](#)
Subject: RE: Waterleaf Electrical
Date: Wednesday, October 15, 2014 11:15:37 AM
Attachments: [image001.png](#)

Thanks Carla. ♦ This is going to the November Board.

Julie

From: Carla Burkhart [mailto:cburkhart@herricanegraphics.com]
Sent: Wednesday, October 15, 2014 7:49 AM
To: Carey, Julie
Cc: "Jürgen Hacker"
Subject: Waterleaf Electrical

Julie,

See attached per my email yesterday.

Carla

Carla Burkhart



HERRICANE GRAPHICS

BRANDING THE THREE-DIMENSIONAL WORLD

1275 W Roosevelt Rd.

Ste. 112

West Chicago, IL 60185

630.293.8030 P

630.293.8031 F

██████████ M

From: [Carey, Julie](#)
To: ["Carla Burkhart"](#)
Cc: ["Jürgen Hacker"](#)
Subject: RE: Custom Signs/ Chronology Wall
Date: Wednesday, October 15, 2014 3:42:27 PM
Attachments: [image001.png](#)
[Dr. Breuder Comments.pdf](#)

Carla,

Please see attached for Breuder's notes / comments from our meeting. I look forward to the update from you and Erik later this week.

Julie

From: Carla Burkhart [mailto:cburkhart@herricanegraphics.com]
Sent: Wednesday, October 08, 2014 1:37 PM
To: Carey, Julie
Cc: "Jürgen Hacker"
Subject: Custom Signs/ Chronology Wall

Julie,

Just a quick update regarding our meeting of yesterday. I talked with Erik today regarding our meeting outcome from yesterday. I asked him to get all of his costs together so that he and I can evaluate it. I informed him that the etched glass will all need to be replaced. I also told him that the design of the graphics on the front panels is reverting back to our original design intent.

He did not flip a gourd, but he's concerned. He and I will work through the numbers and I will come back to you at the end of next week with a response from CSC. Erik cannot address any of it until next Wednesday soonest. Further I mentioned that we would not likely release payment until we have an agreed to action plan.

Carla

Carla Burkhart



HERRICANE GRAPHICS

BRANDING THE THREE-DIMENSIONAL WORLD

1275 W Roosevelt Rd.

Ste. 112

West Chicago, IL 60185

630.293.8030 P

630.293.8031 F

M

From: [Carla Burkhart](#)
To: [Carey, Julie](#)
Cc: ["Jürgen Hacker"](#)
Subject: RE: Waterleaf Electrical
Date: Thursday, October 16, 2014 2:32:22 AM
Attachments: [image001.png](#)

I can issue a notice of intent to proceed? C

From: Carey, Julie [mailto:careyj372@cod.edu]
Sent: Wednesday, October 15, 2014 11:16 AM
To: 'Carla Burkhart'
Cc: "Jürgen Hacker"
Subject: RE: Waterleaf Electrical

Thanks Carla. This is going to the November Board.

Julie

From: Carla Burkhart [mailto:cburkhart@herricanegraphics.com]
Sent: Wednesday, October 15, 2014 7:49 AM
To: Carey, Julie
Cc: "Jürgen Hacker"
Subject: Waterleaf Electrical

Julie,

See attached per my email yesterday.

Carla

Carla Burkhart



HERRICANE GRAPHICS

BRANDING THE THREE-DIMENSIONAL WORLD

1275 W Roosevelt Rd.
Ste. 112
West Chicago, IL 60185
630.293.8030 P
630.293.8031 F
[REDACTED] M

From: [Carla Burkhart](#)
To: [Carey, Julie](#)
Cc: ["Jürgen Hacker"](#)
Subject: RE: Custom Signs/ Chronology Wall
Date: Thursday, October 16, 2014 2:32:30 AM
Attachments: [image001.png](#)
Importance: High

Thanks Julie. I sent Erik a reminder Tuesday for the information regarding the overall costs etc. I will send him another email today and call him as well.

Carla

From: Carey, Julie [mailto:carey372@cod.edu]
Sent: Wednesday, October 15, 2014 3:42 PM
To: 'Carla Burkhart'
Cc: "Jürgen Hacker"
Subject: RE: Custom Signs/ Chronology Wall

Carla,

Please see attached for Breuder's notes / comments from our meeting. I look forward to the update from you and Erik later this week.

Julie

From: Carla Burkhart [mailto:cburkhart@herricanegraphics.com]
Sent: Wednesday, October 08, 2014 1:37 PM
To: Carey, Julie
Cc: "Jürgen Hacker"
Subject: Custom Signs/ Chronology Wall

Julie,

Just a quick update regarding our meeting of yesterday. I talked with Erik today regarding our meeting outcome from yesterday. I asked him to get all of his costs together so that he and I can evaluate it. I informed him that the etched glass will all need to be replaced. I also told him that the design of the graphics on the front panels is reverting back to our original design intent.

He did not flip a gourd, but he's concerned. He and I will work through the numbers and I will come back to you at the end of next week with a response from CSC. Erik cannot address any of it until next Wednesday soonest. Further I mentioned that we would not likely release payment until we have an agreed to action plan.

Carla

From: [Carey, Julie](#)
To: [Carla Burkhart](#)
Cc: ["Jürgen Hacker"](#)
Subject: Re: Waterleaf Electrical
Date: Thursday, October 16, 2014 7:14:19 AM
Attachments: [image001.png](#)

Yes

Julie

Sent from my iPhone

On Oct 16, 2014, at 2:32 AM, Carla Burkhart <cburkhart@herricanegraphics.com> wrote:

I can issue a notice of intent to proceed? C

From: Carey, Julie [<mailto:careyj372@cod.edu>]
Sent: Wednesday, October 15, 2014 11:16 AM
To: 'Carla Burkhart'
Cc: "Jürgen Hacker"
Subject: RE: Waterleaf Electrical

Thanks Carla. This is going to the November Board.

Julie

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Wednesday, October 15, 2014 7:49 AM
To: Carey, Julie
Cc: "Jürgen Hacker"
Subject: Waterleaf Electrical

Julie,

See attached per my email yesterday.

Carla
<image001.png>

From: [Carey, Julie](#)
To: "[Patricia Shields HG \(psields@herricanegraphics.com\)](#)"; "[cburkhart@herricanegraphics.com](#)"
Subject: ACS Proposal - MAC signage rebid
Date: Thursday, October 16, 2014 2:41:38 PM
Attachments: [ACS Proposal.pdf](#)

Please see attached proposal received today for the MAC signage package rebid.

Julie Carey
Senior Project Manager
College of DuPage
425 Fawell Blvd.
Glen Ellyn, IL 60137
630.942.4275
careyj372@cod.edu

From: [Carla Burkhart](#)
To: [Carey, Julie](#)
Cc: ["Jürgen Hacker"](#)
Subject: RE: Waterleaf Electrical
Date: Friday, October 17, 2014 12:44:24 PM

Julie, can you send to me a notice of intent to proceed detailing which option COD wants to proceed with? I believe you want to go all the way back to the panel yes❖.? I need to confirm this with Chicago Sign.

Carla

From: Carey, Julie [mailto:careyj372@cod.edu]
Sent: Thursday, October 16, 2014 7:14 AM
To: Carla Burkhart
Cc: 'J❖rgen Hacker'
Subject: Re: Waterleaf Electrical

Yes

Julie

Sent from my iPhone

On Oct 16, 2014, at 2:32 AM, Carla Burkhart <cburkhart@herricanegraphics.com> wrote:

I can issue a notice of intent to proceed? C

From: Carey, Julie [mailto:careyj372@cod.edu]
Sent: Wednesday, October 15, 2014 11:16 AM
To: 'Carla Burkhart'
Cc: "J❖rgen Hacker"
Subject: RE: Waterleaf Electrical

Thanks Carla. This is going to the November Board.

Julie

From: Carla Burkhart [mailto:cburkhart@herricanegraphics.com]
Sent: Wednesday, October 15, 2014 7:49 AM
To: Carey, Julie
Cc: "J❖rgen Hacker"
Subject: Waterleaf Electrical

Julie,

See attached per my email yesterday.

Carla

<image001.png>

From: [Carey, Julie](#)
To: ["Carla Burkhart"](#)
Cc: ["Jürgen Hacker"](#)
Subject: RE: Waterleaf Electrical
Date: Friday, October 17, 2014 1:22:40 PM

We would like to go all the way back to the panel.❖ Chicago Sign would need to confirm there is room in the conduit before trying to pull wire.❖ Will the electrical work occur on 10/31?❖ If not, please let me know what date / time this is going to be done so I can stop by.

Julie

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Friday, October 17, 2014 12:44 PM
To: Carey, Julie
Cc: "Jürgen Hacker"
Subject: RE: Waterleaf Electrical

Julie, can you send to me a notice of intent to proceed detailing which option COD wants to proceed with? I believe you want to go all the way back to the panel yes....? I need to confirm this with Chicago Sign.

Carla

From: Carey, Julie [<mailto:careyj372@cod.edu>]
Sent: Thursday, October 16, 2014 7:14 AM
To: Carla Burkhart
Cc: 'Jürgen Hacker'
Subject: Re: Waterleaf Electrical

Yes

Julie

Sent from my iPhone

On Oct 16, 2014, at 2:32 AM, Carla Burkhart <cburkhart@herricanegraphics.com> wrote:

I can issue a notice of intent to proceed? C

From: Carey, Julie [<mailto:careyj372@cod.edu>]
Sent: Wednesday, October 15, 2014 11:16 AM
To: 'Carla Burkhart'
Cc: "Jürgen Hacker"
Subject: RE: Waterleaf Electrical

Thanks Carla. This is going to the November Board.

Julie

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Wednesday, October 15, 2014 7:49 AM
To: Carey, Julie
Cc: "Jörgen Hacker"
Subject: Waterleaf Electrical

Julie,

See attached per my email yesterday.

Carla

<image001.png>

From: [Carla Burkhart](#)
To: [Carey, Julie](#)
Cc: ["Jürgen Hacker"](#)
Subject: RE: Waterleaf Electrical
Date: Friday, October 17, 2014 1:35:54 PM

Ok, and yes on the 10/31/14. I will coordinate the work with you. I believe we will need engineering there if possible.

Carla

From: Carey, Julie [<mailto:careyj372@cod.edu>]
Sent: Friday, October 17, 2014 1:23 PM
To: 'Carla Burkhart'
Cc: "Jürgen Hacker"
Subject: RE: Waterleaf Electrical

We would like to go all the way back to the panel. Chicago Sign would need to confirm there is room in the conduit before trying to pull wire. Will the electrical work occur on 10/31? If not, please let me know what date / time this is going to be done so I can stop by.

Julie

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Friday, October 17, 2014 12:44 PM
To: Carey, Julie
Cc: "Jürgen Hacker"
Subject: RE: Waterleaf Electrical

Julie, can you send to me a notice of intent to proceed detailing which option COD wants to proceed with? I believe you want to go all the way back to the panel yes? I need to confirm this with Chicago Sign.

Carla

From: Carey, Julie [<mailto:careyj372@cod.edu>]
Sent: Thursday, October 16, 2014 7:14 AM
To: Carla Burkhart
Cc: "Jürgen Hacker"
Subject: Re: Waterleaf Electrical

Yes

Julie

Sent from my iPhone

On Oct 16, 2014, at 2:32 AM, Carla Burkhart <cburkhart@herricanegraphics.com> wrote:

I can issue a notice of intent to proceed? C

From: Carey, Julie [<mailto:careyj372@cod.edu>]
Sent: Wednesday, October 15, 2014 11:16 AM
To: 'Carla Burkhart'
Cc: "Jörgen Hacker"
Subject: RE: Waterleaf Electrical

Thanks Carla. This is going to the November Board.

Julie

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Wednesday, October 15, 2014 7:49 AM
To: Carey, Julie
Cc: "Jörgen Hacker"
Subject: Waterleaf Electrical

Julie,

See attached per my email yesterday.

Carla
<image001.png>

From: [Carla Burkhart](#)
To: [Carey, Julie](#)
Cc: ""Jürgen Hacker""
Subject: CSC Chronology Wall
Date: Monday, October 20, 2014 3:32:21 AM
Attachments: [image001.png](#)

Hi Julie,

So I did not hear back from Erik despite repeated emails. maybe he had his baby? Anyway. I will call into his office (not his cell) and find out what is going on.

I will send you an email late this morning about my follow up with him. If I don't get him, then we should maybe consider another approach.

Carla

Carla Burkhart



HERRICANE GRAPHICS

BRANDING THE THREE-DIMENSIONAL WORLD

1275 W Roosevelt Rd.
Ste. 112
West Chicago, IL 60185
630.293.8030 P
630.293.8031 F
[REDACTED] M

From: [Carla Burkhart](#)
To: [Carey, Julie](#); "[Patricia Shields HG](#)"
Subject: RE: ACS Proposal - MAC signage rebid
Date: Monday, October 20, 2014 3:35:42 AM

Hi Julie.

I'm going to call this vendor and talk with them about their proposal. I will get back to you with my recommendation and suggestion.

Carla

From: Carey, Julie [mailto:careyj372@cod.edu]
Sent: Thursday, October 16, 2014 2:42 PM
To: 'Patricia Shields HG (pshields@herricanegraphics.com)'; 'cburkhart@herricanegraphics.com'
Subject: ACS Proposal - MAC signage rebid

Please see attached proposal received today for the MAC signage package rebid.

Julie Carey
Senior Project Manager
College of DuPage
425 Fawell Blvd.
Glen Ellyn, IL 60137
630.942.4275
careyj372@cod.edu

From: [Carla Burkhart](#)
To: [Carey, Julie](#); ["Jürgen Hacker"](#)
Subject: RE: MAC Donor Wall Additional Fees
Date: Monday, October 20, 2014 7:00:58 AM
Attachments: [image001.png](#)

Julie,

I sent an email to ASI this morning confirming that they do not need anything further from ourselves. The current drawing sent to them is only a concept layout and is not accurate for production, nor addresses the fabrication concerns from the foundation from March of this year. Because ASI has not responded or at least not with ourselves, I'm not sure where they stand. It is possible they can set the file.

Right now our costs to date are \$4392.50.

Carla

Carla Burkhart



HERRICANE GRAPHICS

BRANDING THE THREE-DIMENSIONAL WORLD

1275 W Roosevelt Rd.
Ste. 112
West Chicago, IL 60185
630.293-8030 P
630.293.8031 F
[REDACTED] M

From: Carey, Julie [<mailto:carey.j372@cod.edu>]
Sent: Wednesday, October 15, 2014 10:11 AM
To: 'cburkhart@herricanegraphics.com'; ["Jürgen Hacker"](#) (jhacker@herricanegraphics.com)
Subject: MAC Donor Wall Additional Fees

Carla / Jürgen,

I need to know what your additional fees are for changes made to the MAC Donor Wall. As this has now been approved by the Foundation, I assume this is easy to quantify. Please let me know these values by the end of the day tomorrow.

Thanks,

Julie Carey
Senior Project Manager
College of DuPage

From: [Carey, Julie](#)
To: ["Gus Santana"; "Dan Salamone \(dan.salamone@asisignage.com\)"](#)
Cc: [""Jürgen Hacker" \(jhacker@herricanegraphics.com\)"; "cburkhart@herricanegraphics.com"](#)
Subject: RE: MAC Donor wall
Date: Monday, October 20, 2014 11:14:22 AM

Dan / Gus,

Have you had the chance to review the final MAC Donor Wall design? ♦ Do you need any additional documents from Herricane Graphics for production? ♦

Julie

From: Carey, Julie
Sent: Tuesday, October 14, 2014 6:25 AM
To: 'Gus Santana'; Dan Salamone (dan.salamone@asisignage.com)
Cc: 'Jürgen Hacker' (jhacker@herricanegraphics.com); cburkhart@herricanegraphics.com
Subject: RE: MAC Donor wall

Gus / Dan,

Please see attached final drawings for the MAC Donor Wall. Fortunately, we were able to keep all the existing panels and change the titles / content on some of the panels. Please review and let me know your thoughts by the end of the week.

Thanks,

Julie

From: Gus Santana [<mailto:gus.santana@asisignage.com>]
Sent: Monday, October 13, 2014 12:10 PM
To: Carey, Julie
Cc: Mr. Dan Salamone
Subject: MAC Donor wall

Julie,

Just wanted to touch base with you on the MACDonor wall revisions.
I'm just looking to see if you will be sending anything over to us soon?

Please advise.

Thanks,

Gus Santana

Contract Project Manager

ASI
2630-C W. Bradley PL.
Chicago, IL. 60618

P 773•871•0100 x3003
F 855•834•5621

gus.santana@asisignage.com
www.asisignage.com

From: [Dan Salamone](#)
To: [Carey, Julie](#)
Cc: "[Gus Santana](#)"; "[Jürgen Hacker](#)" (jhacker@herricanegraphics.com); "cburkhart@herricanegraphics.com"
Subject: Re: MAC Donor wall
Date: Monday, October 20, 2014 12:36:11 PM

Julie,

We are in the process of developing a quotation for new signage in relation to the changes that are shown in the new drawings. Once you have received this and we in turn receive your approval, we will then proceed with developing revised production drawings. We'll then submit these production drawings to you for your review and approval prior to beginning production.

Thank you.

DAS

RESPONSIVE ♦ RELIABLE ♦ RESPECTFUL

Dan A. Salamone
Business Development Manager

ASI, Illinois
2630-C W. Bradley Place
Chicago, IL 60618

P 773.871.0100 x3002
M [REDACTED]
Efax 866.779.4987
dan.salamone@asisignage.com
www.asisignage.com

On Oct 20, 2014, at 11:14 AM, Carey, Julie wrote:

Dan / Gus,

Have you had the chance to review the final MAC Donor Wall design? Do you need any additional documents from Hurricane Graphics for production?

Julie

From: Carey, Julie
Sent: Tuesday, October 14, 2014 6:25 AM
To: 'Gus Santana'; Dan Salamone (dan.salamone@asisignage.com)
Cc: 'Jürgen Hacker' (jhacker@herricanegraphics.com); cburkhart@herricanegraphics.com
Subject: RE: MAC Donor wall

Gus / Dan,

Please see attached final drawings for the MAC Donor Wall. Fortunately, we were able to keep all the existing panels and change the titles / content on some of the panels. Please review and let me know your thoughts by the end of the week.

Thanks,

Julie

From: Gus Santana [<mailto:gus.santana@asisignage.com>]
Sent: Monday, October 13, 2014 12:10 PM
To: Carey, Julie
Cc: Mr. Dan Salamone
Subject: MAC Donor wall

Julie,

Just wanted to touch base with you on the MACDonor wall revisions. I'm just looking to see if you will be sending anything over to us soon?

Please advise.

Thanks,

Gus Santana
Contract Project Manager

ASI
2630-C W. Bradley PL.
Chicago, IL. 60618

P 773-871-0100 x3003
F 855-834-5621

gus.santana@asisignage.com
www.asisignage.com

From: [Carey, Julie](#)
To: ["Carla Burkhart"](#)
Cc: ["Jürgen Hacker"](#)
Subject: RE: CSC Chronology Wall
Date: Monday, October 20, 2014 1:15:43 PM
Attachments: [image001.png](#)

Carla,

Any updates? ♦ I need to send my spreadsheet up to Dr. Breuder.

Julie

From: Carla Burkhart [mailto:cburkhart@herricanegraphics.com]
Sent: Monday, October 20, 2014 3:32 AM
To: Carey, Julie
Cc: "Jürgen Hacker"
Subject: CSC Chronology Wall

Hi Julie,

So I did not hear back from Erik despite repeated emails....maybe he had his baby? Anyway. I will call into his office (not his cell) and find out what is going on.

I will send you an email late this morning about my follow up with him. If I don't get him, then we should maybe consider another approach.

Carla

Carla Burkhart



HERRICANE GRAPHICS

BRANDING THE THREE-DIMENSIONAL WORLD

1275 W Roosevelt Rd.

Ste. 112

West Chicago, IL 60185

630.293-8030 P

630.293.8031 F

M

From: [Carla Burkhart](#)
To: [Carey, Julie](#)
Cc: ["Jürgen Hacker"](#)
Subject: RE: CSC Chronology Wall
Date: Monday, October 20, 2014 3:02:27 PM
Attachments: [image001.png](#)

Yes,

I did not get to talk with Erik, I texted him and he indicated he is out today possibly having their baby as we speak.

I will keep you posted.

Carla

From: Carey, Julie [mailto:careyj372@cod.edu]
Sent: Monday, October 20, 2014 1:16 PM
To: 'Carla Burkhart'
Cc: "Jürgen Hacker"
Subject: RE: CSC Chronology Wall

Carla,

Any updates? I need to send my spreadsheet up to Dr. Breuder.

Julie

From: Carla Burkhart [mailto:cburkhart@herricanegraphics.com]
Sent: Monday, October 20, 2014 3:32 AM
To: Carey, Julie
Cc: "Jürgen Hacker"
Subject: CSC Chronology Wall

Hi Julie,

So I did not hear back from Erik despite repeated emails maybe he had his baby? Anyway. I will call into his office (not his cell) and find out what is going on.

I will send you an email late this morning about my follow up with him. If I don't get him, then we should maybe consider another approach.

Carla

From: [Carey, Julie](#)
To: [Carla Burkhart](#)
Cc: ["Jürgen Hacker"](#)
Subject: Re: CSC Chronology Wall
Date: Monday, October 20, 2014 5:56:35 PM
Attachments: [image001.png](#)

What do you propose I tell Dr. Breuder? Technically speaking, nothing has been done since we met two weeks ago. Have you been able to rework the design so we can get his final approval on photos?

Julie

Sent from my iPhone

On Oct 20, 2014, at 3:02 PM, Carla Burkhart <cburkhart@herricanegraphics.com> wrote:

Yes,

I did not get to talk with Erik, I texted him and he indicated he is out today possibly having their baby as we speak.

I will keep you posted.

Carla

From: Carey, Julie [<mailto:carey1372@cod.edu>]
Sent: Monday, October 20, 2014 1:16 PM
To: 'Carla Burkhart'
Cc: "Jürgen Hacker"
Subject: RE: CSC Chronology Wall

Carla,

Any updates? I need to send my spreadsheet up to Dr. Breuder.

Julie

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Monday, October 20, 2014 3:32 AM
To: Carey, Julie
Cc: "Jürgen Hacker"
Subject: CSC Chronology Wall

Hi Julie,

So I did not hear back from Erik despite repeated emails. maybe he had his baby?
Anyway. I will call into his office (not his cell) and find out what is going on.

I will send you an email late this morning about my follow up with him. If I don't
get him, then we should maybe consider another approach.

Carla

<image001.png>

From: [Carla Burkhart](#)
To: [Carey, Julie](#)
Cc: ["Jürgen Hacker"](#)
Subject: RE: CSC Chronology Wall
Date: Tuesday, October 21, 2014 2:42:45 AM
Attachments: [image001.png](#)

Julie,

I'm not certain about the answer to Dr. Breuder, other than we have not been able to work out or even address the cost details. And in my professional opinion, there isn't anyone in their right mind that will not understand Erik's situation regarding his baby. COD can take a hard line if they think it's in their best interest, but I believe that Erik will come to the plate and do what is necessary. The decision lies with COD.

Regarding the design change for Dr. Breuder, it will be weeks before we have this put together. We need to do all of them.

Carla

Carla Burkhart



HERRICANE GRAPHICS

BRANDING THE THREE-DIMENSIONAL WORLD

1275 W Roosevelt Rd.
Ste. 112
West Chicago, IL 60185
630.293.8030 P
630.293.8031 F

M

From: Carey, Julie [mailto:careyj372@cod.edu]
Sent: Monday, October 20, 2014 5:57 PM
To: Carla Burkhart
Cc: 'Jürgen Hacker'
Subject: Re: CSC Chronology Wall

What do you propose I tell Dr. Breuder? Technically speaking, nothing has been done since we met two weeks ago. Have you been able to rework the design so we can get his final approval on photos?

Julie

Sent from my iPhone

On Oct 20, 2014, at 3:02 PM, Carla Burkhart <cburkhart@herricanegraphics.com> wrote:

Yes,

I did not get to talk with Erik, I texted him and he indicated he is out today
possibly having their baby as we speak.

I will keep you posted.

Carla

From: Carey, Julie [<mailto:carevj372@cod.edu>]
Sent: Monday, October 20, 2014 1:16 PM
To: 'Carla Burkhart'
Cc: "Jørgen Hacker"
Subject: RE: CSC Chronology Wall

Carla,

Any updates? I need to send my spreadsheet up to Dr. Breuder.

Julie

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Monday, October 20, 2014 3:32 AM
To: Carey, Julie
Cc: "Jørgen Hacker"
Subject: CSC Chronology Wall

Hi Julie,

So I did not hear back from Erik despite repeated emails. maybe he had his baby?
Anyway. I will call into his office (not his cell) and find out what is going on.

I will send you an email late this morning about my follow up with him. If I don't
get him, then we should maybe consider another approach.

Carla

<image001.png>

From: [Carey, Julie](#)
To: ["Carla Burkhart"](#)
Cc: ["Jürgen Hacker"](#)
Subject: RE: CSC Chronology Wall
Date: Wednesday, October 22, 2014 11:32:00 AM
Attachments: [image001.png](#)

Carla,

How many weeks do you anticipate for the revised drawings?

Julie

From: Carla Burkhart [mailto:cburkhart@herricanegraphics.com]
Sent: Tuesday, October 21, 2014 2:43 AM
To: Carey, Julie
Cc: 'Jürgen Hacker'
Subject: RE: CSC Chronology Wall

Julie,

I'm not certain about the answer to Dr. Breuder, other than we have not been able to work out or even address the cost details. And in my professional opinion, there isn't anyone in their right mind that will not understand Erik's situation regarding his baby. COD can take a hard line if they think it's in their best interest, but I "believe" that Erik will come to the plate and do what is necessary. The decision lies with COD.

Regarding the design change for Dr. Breuder, it will be weeks before we have this put together. We need to do all of them.

Carla

Carla Burkhart



HERRICANE GRAPHICS

BRANDING THE THREE-DIMENSIONAL WORLD

1275 W Roosevelt Rd.
Ste. 112
West Chicago, IL 60185
630.293.8030 P
630.293.8031 F
[REDACTED] M

From: Carey, Julie [<mailto:careyj372@cod.edu>]
Sent: Monday, October 20, 2014 5:57 PM
To: Carla Burkhart
Cc: 'Jörgen Hacker'
Subject: Re: CSC Chronology Wall

What do you propose I tell Dr. Breuder? Technically speaking, nothing has been done since we met two weeks ago. Have you been able to rework the design so we can get his final approval on photos?

Julie

Sent from my iPhone

On Oct 20, 2014, at 3:02 PM, Carla Burkhart <cburkhart@herricanegraphics.com> wrote:

Yes,

I did not get to talk with Erik, I texted him and he indicated he is out today "possibly" having their baby as we speak.

I will keep you posted.

Carla

From: Carey, Julie [<mailto:careyj372@cod.edu>]
Sent: Monday, October 20, 2014 1:16 PM
To: 'Carla Burkhart'
Cc: "Jörgen Hacker"
Subject: RE: CSC Chronology Wall

Carla,

Any updates? I need to send my spreadsheet up to Dr. Breuder.

Julie

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Monday, October 20, 2014 3:32 AM
To: Carey, Julie
Cc: "Jörgen Hacker"
Subject: CSC Chronology Wall

Hi Julie,

So I did not hear back from Erik despite repeated emails....maybe he had his baby?

Anyway. I will call into his office (not his cell) and find out what is going on.

I will send you an email late this morning about my follow up with him. If I don't get him, then we should maybe consider another approach.

Carla

<image001.png>

From: [Carey, Julie](#)
To: ["Dan Salamone"](#)
Cc: ["Gus Santana"; "Jürgen Hacker" \(jhacker@herricanegraphics.com\); "cburkhart@herricanegraphics.com"](#)
Subject: RE: MAC Donor wall
Date: Wednesday, October 22, 2014 11:33:02 AM

Dan,

When can I expect the revised quotation? I would like to take this to the November Board, which means I would need the quotation this week.

Julie

From: Dan Salamone [mailto:dan.salamone@asisignage.com]
Sent: Monday, October 20, 2014 12:38 PM
To: Carey, Julie
Cc: 'Gus Santana'; 'Jürgen Hacker' (jhacker@herricanegraphics.com); 'cburkhart@herricanegraphics.com'
Subject: Re: MAC Donor wall

Julie,

We are in the process of developing a quotation for new signage in relation to the changes that are shown in the new drawings. Once you have received this and we in turn receive your approval, we will then proceed with developing revised production drawings. We'll then submit these production drawings to you for your review and approval prior to beginning production.

Thank you.

DAS

RESPONSIVE • RELIABLE • RESPECTFUL

Dan A. Salamone
Business Development Manager

ASI, Illinois
2630-C W. Bradley Place
Chicago, IL 60618

P 773.871.0100 x3002

M XXXXXXXXXX

Efax 866.779.4987

dan.salamone@asisignage.com

www.asisignage.com

On Oct 20, 2014, at 11:14 AM, Carey, Julie wrote:

Dan / Gus,

Have you had the chance to review the final MAC Donor Wall design? Do you need any additional documents from Herrican Graphics for production?

Julie

From: Carey, Julie
Sent: Tuesday, October 14, 2014 6:25 AM
To: 'Gus Santana'; Dan Salamone (dan.salamone@asisignage.com)
Cc: 'Jörgen Hacker' (jhacker@herricanegraphics.com); cburkhart@herricanegraphics.com
Subject: RE: MAC Donor wall

Gus / Dan,

Please see attached final drawings for the MAC Donor Wall. Fortunately, we were able to keep all the existing panels and change the titles / content on some of the panels. Please review and let me know your thoughts by the end of the week.

Thanks,

Julie

From: Gus Santana [<mailto:gus.santana@asisignage.com>]
Sent: Monday, October 13, 2014 12:10 PM
To: Carey, Julie
Cc: Mr. Dan Salamone
Subject: MAC Donor wall

Julie,

Just wanted to touch base with you on the MACDonor wall revisions. I'm just looking to see if you will be sending anything over to us soon?

Please advise.

Thanks,

Gus Santana
Contract Project Manager

ASI

2630-C W. Bradley PL.
Chicago, IL. 60618

P 773•871•0100 x3003
F 855•834•5621

gus.santana@asignage.com
www.asignage.com

From: [Carey, Julie](#)
To: ["cburkhart@herricaneographics.com"; "chicagoosigns@aol.com"](#)
Subject: Waterleaf Electrical
Date: Thursday, October 23, 2014 5:40:40 PM

Carla / Chicago Sign,

I have been told that another project has surfaced that requires tapping off of circuit #34 on the East side of CHC. Therefore, our Waterleaf sign needs to be on a dedicated circuit back to the panel. Please plan to complete whatever work necessary on a NTE of \$3,625 on 10/31. If you have any issues where this is not going to be possible, please call me immediately.

Thanks!

Julie Carey
Senior Project Manager
College of DuPage
425 Fawell Blvd.
Glen Ellyn, IL 60137
630.942.4275
careyj372@cod.edu

From: Chicagosigns@aol.com
To: Carey, Julie; cburkhardt@herricanegraphics.com
Subject: Re: Waterleaf Electrical
Date: Friday, October 24, 2014 12:14:56 PM

Julie / Carla,

We are set with the underground bore to start between 7am and 8am on Thursday Oct 30. We will also work on the wirepull at that time.

John
Chicago Sign
630-407-0802
Cell: [REDACTED]

In a message dated 10/23/2014 5:40:43 P.M. Central Daylight Time, careyj372@cod.edu writes:

Carla / Chicago Sign,

I have been told that another project has surfaced that requires tapping off of circuit #34 on the East side of CHC. Therefore, our Waterleaf sign needs to be on a dedicated circuit back to the panel. Please plan to complete whatever work necessary on a NTE of \$3,625 on 10/31. If you have any issues where this is not going to be possible, please call me immediately.

Thanks!

Julie Carey
Senior Project Manager
College of DuPage
425 Fawell Blvd.
Glen Ellyn, IL 60137
630.942.4275
careyj372@cod.edu

From: [Carey, Julie](#)
To: ["Chicagosigns@aol.com"](mailto:Chicagosigns@aol.com); ["cburkhart@herricanegraphics.com"](mailto:cburkhart@herricanegraphics.com)
Subject: RE: Waterleaf Electrical
Date: Friday, October 24, 2014 12:21:22 PM

Thanks John! Call me if you have any issues that day!

How are things coming along with the Update Exterior Directional signage? Have all samples been approved? Are we in fabrication? When do you anticipate being ready to install?

Julie

From: Chicagosigns@aol.com [mailto:Chicagosigns@aol.com]
Sent: Friday, October 24, 2014 12:15 PM
To: Carey, Julie; cburkhart@herricanegraphics.com
Subject: Re: Waterleaf Electrical

Julie / Carla,

We are set with the underground bore to start between 7am and 8am on Thursday Oct 30. We will also work on the wirepull at that time.

John
Chicago Sign
630-407-0802
Cell: [REDACTED]

In a message dated 10/23/2014 5:40:43 P.M. Central Daylight Time, careyj372@cod.edu writes:

Carla / Chicago Sign,

I have been told that another project has surfaced that requires tapping off of circuit #34 on the East side of CHC. Therefore, our Waterleaf sign needs to be on a dedicated circuit back to the panel. Please plan to complete whatever work necessary on a NTE of \$3,625 on 10/31. If you have any issues where this is not going to be possible, please call me immediately.

Thanks!

Julie Carey
Senior Project Manager
College of DuPage
425 Fawell Blvd.
Glen Ellyn, IL 60137
630.942.4275
careyj372@cod.edu

From: [Kerby, Susan](#)
To: ["Carla Burkhart"](#)
Subject: German exchange
Date: Friday, October 24, 2014 1:39:03 PM

Carla,

Sorry it took me some time to get back to you. I did some online research and eventually reached out to Annette Stegemann at Hochschule Coburg earlier this week via email. I have not heard back from her yet. One question I did have from reading about the school was the German fluency requirement for students to take classes there. There appears to also be an intensive German program that might be a possibility for a COD student as well.

I will let you know when I hear from her and will follow-up with her next week by phone.

Thank you for your interest in establishing an academic/professional exchange. I look forward to working with you.

Sincerely,

Sue Kerby

Study Abroad Program Specialist
College of DuPage Field Studies/Study Abroad/Global Education
425 Fawell Blvd., BIC 3509
Glen Ellyn, IL 60137
(630) 942-3078
kerbys@cod.edu

From: [Carey, Julie](#)
To: [Dulceak, Ronald](#); [Ditchfield, David](#); [Almazan, Elias](#)
Cc: ["cburkhart@herricanegraphics.com"](#); ["chicago signs@aol.com"](#)
Subject: Engineering Request Form - Waterleaf Connection
Date: Monday, October 27, 2014 12:42:57 PM
Attachments: [Engineering Assistance Request -Waterleaf Electrical Connection.pdf](#)

Engineering,

Please see attached for an Engineering Assistance Request form for the Waterleaf electrical connection. Chicago Sign will be completing the work as a sub to Hurricane Graphics.

I have instructed Chicago Sign to install power to the sign on a dedicated circuit no matter what. They will need your assistance turning off / on breakers and verifying their work when complete. Chicago Sign will also show you all underground work before covering it up.

Please review and approve the attached form.

Thanks,

Julie Carey
Senior Project Manager
College of DuPage
425 Fawell Blvd.
Glen Ellyn, IL 60137
630.942.4275
careyj372@cod.edu

From: [Carey, Julie](#)
To: ["Carla Burkhart"; "Patricia Shields HG"](#)
Subject: RE: ACS Proposal - MAC signage rebid
Date: Monday, October 27, 2014 1:28:03 PM

Carla,

Have you spoken with ACS about this project? I need to complete the Board Letter.

Julie

From: Carla Burkhart [<mailto:cburkhart@herricanegraphics.com>]
Sent: Monday, October 20, 2014 3:36 AM
To: Carey, Julie; 'Patricia Shields HG'
Subject: RE: ACS Proposal - MAC signage rebid

Hi Julie.

I'm going to call this vendor and talk with them about their proposal. I will get back to you with my recommendation and suggestion.

Carla

From: Carey, Julie [<mailto:careyj372@cod.edu>]
Sent: Thursday, October 16, 2014 2:42 PM
To: 'Patricia Shields HG (pshields@herricanegraphics.com)'; 'cburkhart@herricanegraphics.com'
Subject: ACS Proposal - MAC signage rebid

Please see attached proposal received today for the MAC signage package rebid.

Julie Carey
Senior Project Manager
College of DuPage
425 Fawell Blvd.
Glen Ellyn, IL 60137
630.942.4275
careyj372@cod.edu

From: [Carey, Julie](#)
To: ["Dan Salamone \(dan.salamone@asisignage.com\)"; "gus.santana@asisignage.com"](#)
Cc: ["cburkhart@herricanegraphics.com"; Weeks, Yashica](#)
Subject: FW: Quotation #65911
Date: Monday, October 27, 2014 1:53:40 PM
Attachments: [COD O#65911-00.pdf](#)

Dan / Gus,

I accept this proposal and will take it to the November Board as a change order. Please proceed into fabrication and confirm we will be able to have everything installed by the big event event on 11/18.

Thanks again for working with us on this!

Julie

From: Dan Salamone [mailto:dan.salamone@asisignage.com]
Sent: Friday, October 24, 2014 3:19 PM
To: Carey, Julie
Cc: Gus Santana
Subject: Quotation #65911

Julie,

Attached please find our quotation for additional signage elements for the MAC donor wall.

Please advise if you have any questions whatsoever.

Thank you.

DAS

RESPONSIVE • RELIABLE • RESPECTFUL

Dan A. Salamone
Business Development Manager

ASI, Illinois
2630-C W. Bradley Place
Chicago, IL 60618

P 773.871.0100 x3002
M [REDACTED]
Efax 866.779.4987

dan.salamone@asisignage.com
www.asisignage.com

From: [Carla Burkhart](#)
To: [Kerby, Susan](#)
Subject: RE: German exchange
Date: Tuesday, October 28, 2014 5:36:31 AM
Attachments: [image001.png](#)

Hi Susan! I just got back from Germany myself. I will try to reach out to her this week as well. If you do in fact hear from her, please let me know.

Carla


Carla Burkhart



HERRICANE GRAPHICS

BRANDING THE THREE-DIMENSIONAL WORLD

1275 W Roosevelt Rd.
Ste. 112
West Chicago, IL 60185
630.293.8030 P
630.293.8031 F



From: Kerby, Susan [mailto:kerbys@cod.edu]
Sent: Friday, October 24, 2014 1:39 PM
To: 'Carla Burkhart'
Subject: German exchange

Carla,

Sorry it took me some time to get back to you. I did some online research and eventually reached out to Annette Stegemann at Hochschule Coburg earlier this week via email. I have not heard back from her yet. One question I did have from reading about the school was the German fluency requirement for students to take classes there. There appears to also be an intensive German program that might be a possibility for a COD student as well.

I will let you know when I hear from her and will follow-up with her next week by phone.

Thank you for your interest in establishing an academic/professional exchange. I look forward to working with you.

Sincerely,

Sue Kerby

Study Abroad Program Specialist
College of DuPage Field Studies/Study Abroad/Global Education

425 Fawell Blvd., BIC 3509

Glen Ellyn, IL 60137

(630) 942-3078

kerbys@cod.edu